

Subject index

a

abbreviations

Sodium Hydroxide 1/172

abrasion

Hydrochloric Acid 2/197, 261, 264

Mixed Acids 1/258, 301, 331, 379

abrasion behavior

Mixed Acids 1/261

abrasion corrosion

Hydrochloric Acid 2/11

abrasion corrosion (in H₃PO₄)

Phosphoric Acid 3/248, 269

abrasion corrosion resistance

Phosphoric Acid 3/337

abrasion resistance

Hydrochloric Acid 2/41, 262

abrasive agent

Mixed Acids 1/261

absorbers

Hydrochloric Acid 2/178

absorption

Hydrochloric Acid 2/63, 226

absorption columns

Hydrochloric Acid 2/7, 260

Nitric Acid 2/348

absorption test

Hydrochloric Acid 2/229

absorption towers

Hydrochloric Acid 2/179

accessories

Hydrochloric Acid 2/179, 189

Hypochlorites 3/88

accumulators

Hydrochloric Acid 2/247

acetic acid (as inhibitor)

Hydrochloric Acid 2/30, 33

acid corrosion

Hydrochloric Acid 2/74

acid mist

Phosphoric Acid 3/311

acid mixture

Hydrochloric Acid 2/46, 81, 105, 106

acid pickling

Hydrochloric Acid 2/69

acid pumps

Mixed Acids 1/244, 380

Nitric Acid 2/396

acid recovery process

Mixed Acids 1/358

acid tanks

Mixed Acids 1/354

acid technology

Hydrochloric Acid 2/214

acid thickener

Mixed Acids 1/303

acid wash solution

Hydrochloric Acid 2/51

acid washing

Hydrochloric Acid 2/51–52, 55, 67

acid-resistant coatings

Hydrochloric Acid 2/233

acid-resistant filler

Hydrochloric Acid 2/233

acoustic emission

Nitric Acid 2/307, 327

acridine (as inhibitor)

Nitric Acid 2/324

acridine orange (as inhibitor)

Hydrochloric Acid 2/24

action of chemicals

Hydrochloric Acid 2/211

activated carbon

Hydrochloric Acid 2/226

activated diffusion

Hydrochloric Acid 2/213

activation

Mixed Acids 1/236

- active charcoal**
 - Phosphoric Acid* 3/166
- active corrosion**
 - Hydrochloric Acid* 2/9
- active range**
 - Mixed Acids* 1/273
 - Sodium Hydroxide* 1/124–125, 139
- active stress corrosion cracking**
 - Hydrochloric Acid* 2/83, 85
- active-passive transition**
 - Sodium Hydroxide* 1/50–51, 53, 55, 67, 92, 125
- activity coefficient**
 - Sodium Hydroxide* 1/5
- additives**
 - Hydrochloric Acid* 2/10
 - Sodium Hydroxide* 1/172
- adhesion behavior**
 - Hydrochloric Acid* 2/241
- adhesive bond**
 - Hydrochloric Acid* 2/245
- adhesive bonding**
 - Hydrochloric Acid* 2/225, 258
- adhesive joint**
 - Hydrochloric Acid* 2/225
- adhesively bonded linings**
 - Hydrochloric Acid* 2/245
- adhesives**
 - Phosphoric Acid* 3/166
- adsorption process**
 - Hydrochloric Acid* 2/249
- adsorption vessel**
 - Hydrochloric Acid* 2/223
- aerated**
 - Phosphoric Acid* 3/171
- aerated phosphoric acid**
 - Phosphoric Acid* 3/347
- aeronautical engineering**
 - Mixed Acids* 1/342
- aerospace applications**
 - Hydrochloric Acid* 2/21
- aftercondenser**
 - Nitric Acid* 2/368
- after-etching**
 - Nitric Acid* 2/382
- ageing**
 - Hydrochloric Acid* 2/207
 - Mixed Acids* 1/383
 - Nitric Acid* 2/354
- ageing resistance**
 - Hydrochloric Acid* 2/249
- ageing tank**
 - Mixed Acids* 1/258, 273, 331
- ageing temperature**
 - Nitric Acid* 2/354
- air contamination**
 - Hydrochloric Acid* 2/181
- air pollutants**
 - Hydrochloric Acid* 2/14, 181
- air temperature**
 - Hydrochloric Acid* 2/14
- air valves**
 - Hydrochloric Acid* 2/226
- air-conditioning unit**
 - Hydrochloric Acid* 2/15
- aircraft**
 - Hydrochloric Acid* 2/14
- aircraft construction**
 - Phosphoric Acid* 3/450
- aircraft industry**
 - Hydrochloric Acid* 2/231
- algae**
 - Hypochlorites* 3/72
- alizarin red S (as inhibitor)**
 - Hydrochloric Acid* 2/24
- alkali batteries**
 - Sodium Hydroxide* 1/23
- alkali silica reaction**
 - Sodium Hydroxide* 1/151
- alkali-electrolysis plants**
 - Sodium Hydroxide* 1/62
- alkaline degreasing solution**
 - Sodium Hydroxide* 1/25
- alkaline pickling solutions**
 - Nitric Acid* 2/299
- alkylamines (as inhibitor)**
 - Nitric Acid* 2/431
- allyl thiourea (as inhibitor)**
 - Nitric Acid* 2/322
- allylamine (as inhibitor)**
 - Hydrochloric Acid* 2/26–27
 - Sodium Hydroxide* 1/30
- allylpyridine thiocyanate (as inhibitor)**
 - Nitric Acid* 2/331
- Alniflex process**
 - Nitric Acid* 2/454
- alternating**
 - Sodium Hydroxide* 1/15
- aluchromizing**
 - Nitric Acid* 2/321
- aluminate solution**
 - Sodium Hydroxide* 1/41, 50
- aluminates**
 - Sodium Hydroxide* 1/13, 25
- aluminium**
 - Phosphoric Acid* 3/170

aluminium ions in nitric acid*Nitric Acid* 2/383**aluminium oxide layer***Hydrochloric Acid* 2/18*Sodium Hydroxide* 1/25**aluminous clays***Sodium Hydroxide* 1/46**amalgam process***Sodium Hydroxide* 1/7**m-aminobenzoic acid (as inhibitor)***Nitric Acid* 2/323**p-aminobenzoic acid (as inhibitor)***Nitric Acid* 2/299, 323–325**2-amino-5-chloropyridine (as inhibitor)***Hydrochloric Acid* 2/34**2-aminopyridine (as inhibitor)***Hydrochloric Acid* 2/34**2-aminothiazole (as inhibitor)***Hydrochloric Acid* 2/63, 65*Nitric Acid* 2/321**aminotriazole (as inhibitor)***Phosphoric Acid* 3/222**3-amino-1,2,4-triazole (as inhibitor)***Hydrochloric Acid* 2/63, 65**ammonia***Hydrochloric Acid* 2/63**ammonium nitrate production***Nitric Acid* 2/439**amorphous alloys***Mixed Acids* 1/350**amphoteric metal***Hydrochloric Acid* 2/18*Sodium Hydroxide* 1/13, 25**anatase layer***Nitric Acid* 2/445**anchoring elements***Hypochlorites* 3/69**aniline (as inhibitor)***Hydrochloric Acid* 2/78*Nitric Acid* 2/317*Phosphoric Acid* 3/174**m-anisidine (as inhibitor)***Hydrochloric Acid* 2/57**o-anisidine (as inhibitor)***Hydrochloric Acid* 2/57*Nitric Acid* 2/325**p-anisidine (as inhibitor)***Hydrochloric Acid* 2/57, 299, 324–325**anisidine isomers (as inhibitor)***Hydrochloric Acid* 2/57**annealing (austenitising)***Mixed Acids* 1/263**annealing colors***Nitric Acid* 2/382**annealing scale***Hydrochloric Acid* 2/56**annealing (stabilising)***Mixed Acids* 1/263**anode***Sodium Hydroxide* 1/108, 146**anode material***Hydrochloric Acid* 2/156*Sodium Hydroxide* 1/140**anodic crack initiation***Hydrochloric Acid* 2/169**anodic dissolution***Hydrochloric Acid* 2/61*Sodium Hydroxide* 1/31**anodic oxidation***Sodium Hydroxide* 1/36**anodic passivation***Sodium Hydroxide* 1/40**anodic polarisation***Hydrochloric Acid* 2/131, 144, 159, 170*Sodium Hydroxide* 1/17, 106**anodic protection***Hydrochloric Acid* 2/159*Mixed Acids* 1/273, 331*Sodium Hydroxide* 1/13, 22, 50–51, 55, 57**anodised layer***Hydrochloric Acid* 2/21**anodising tank***Mixed Acids* 1/333**anthranilic acid (as inhibitor)***Hydrochloric Acid* 2/30**anti-ageing agents***Hydrochloric Acid* 2/236**antifreeze agents***Phosphoric Acid* 3/173**antioxidants***Hypochlorites* 3/110**antipromotor effect***Hydrochloric Acid* 2/11**APF***Hydrochloric Acid* 2/103**apparatus construction***Phosphoric Acid* 3/343**apparatus enamel***Sodium Hydroxide* 1/157**apparatus engineering***Hydrochloric Acid* 2/227*Sodium Hydroxide* 1/186**apparatus engineering material***Hypochlorites* 3/88

apparatus material*Hydrochloric Acid* 2/235**approval procedures***Hydrochloric Acid* 2/252**aqua regia***Hydrochloric Acid* 2/201*Mixed Acids* 1/237, 239, 243, 305, 338,
340, 342–343, 347, 356–357, 370, 380,
397, 403, 407*Nitric Acid* 2/291, 311, 329, 429–430,
435, 462, 470, 473–474**aqua regia test***Nitric Acid* 2/429**aqueous complex fertilizer***Phosphoric Acid* 3/256**arc melting***Hydrochloric Acid* 2/133**arc welding***Nitric Acid* 2/296**articulated lever specimens***Hydrochloric Acid* 2/250**1-aryl-3-formamidine-thiocarbamides****(as inhibitor)***Nitric Acid* 2/299**asbestos substitute***Phosphoric Acid* 3/453**asphalt coating***Hypochlorites* 3/85**ASTM***Phosphoric Acid* 3/225**ASTM 28A***Mixed Acids* 1/314**ASTM 28B***Mixed Acids* 1/314**ASTM A 262 – Practice C***Hydrochloric Acid* 2/72*Nitric Acid* 2/341, 392**ASTM A 262 D***Nitric Acid* 2/342**ASTM A 262-D***Nitric Acid* 2/399**ASTM G3***Hydrochloric Acid* 2/126*Sodium Hydroxide* 1/21**ASTM G5***Sodium Hydroxide* 1/21**ASTM G-28***Mixed Acids* 1/300, 320**ASTM G-28 A***Mixed Acids* 1/290, 328**ASTM G-28 B***Mixed Acids* 1/315, 336**ASTM G30 test***Hydrochloric Acid* 2/121**ASTM G31***Sodium Hydroxide* 1/21, 82**ASTM G38***Sodium Hydroxide* 1/21**ASTM G39***Sodium Hydroxide* 1/21**ASTM G44***Sodium Hydroxide* 1/21**ASTM G46***Sodium Hydroxide* 1/21**ASTM G49***Sodium Hydroxide* 1/21**ASTM G 61-78***Hypochlorites* 3/61**ASTM G71***Sodium Hydroxide* 1/21**ASTM-Teflon thread test***Mixed Acids* 1/323**atmospheric corrosion***Hydrochloric Acid* 2/164**atmospheric influences***Sodium Hydroxide* 1/174**atomic absorption spectrometry***Mixed Acids* 1/268**atomic percent factor***Hydrochloric Acid* 2/103**attack of the weld seam***Hydrochloric Acid* 2/116**autocatalytic effect***Hydrochloric Acid* 2/214**autoclave***Hydrochloric Acid* 2/191*Nitric Acid* 2/466*Sodium Hydroxide* 1/136**automobile exhaust catalyst***Mixed Acids* 1/237**azeotropic concentration***Hydrochloric Acid* 2/6**azeotropic nitric acid***Nitric Acid* 2/336, 406, 433, 454**azeotropic state***Hydrochloric Acid* 2/4**azo dye manufacturing***Hydrochloric Acid* 2/166**b****bacteria***Hypochlorites* 3/9**ball indentation hardness***Mixed Acids* 1/388

ball valve*Hydrochloric Acid* 2/43, 134**Ba(OCl)₂***Hypochlorites* 3/7**barium hypochlorite***Hypochlorites* 3/7**barium hypochlorite solution***Hypochlorites* 3/113**barrier***Hydrochloric Acid* 2/237**barrier layer***Hydrochloric Acid* 2/251**bauxite***Sodium Hydroxide* 1/11, 51**Bayer digestion plant***Sodium Hydroxide* 1/46**Bayer process***Sodium Hydroxide* 1/11, 46, 49–50**Bayer solution***Sodium Hydroxide* 1/48–50**Bayer solution (artificial)***Sodium Hydroxide* 1/47**Bayer solution (industrial)***Sodium Hydroxide* 1/51**bellows***Hydrochloric Acid* 2/247, 259**bending strength***Hydrochloric Acid* 2/180, 204, 215–216, 233–234**benzaldehyde (as inhibitor)***Hydrochloric Acid* 2/78**benzidine (as inhibitor)***Nitric Acid* 2/317**benzoic acid (as inhibitor)***Hydrochloric Acid* 2/30*Nitric Acid* 2/298, 299, 308**benzotriazole (as inhibitor)***Nitric Acid* 2/317, 322, 332*Phosphoric Acid* 3/222**benzylamine (as inhibitor)***Hydrochloric Acid* 2/26–27, 78*Sodium Hydroxide* 1/30**benzyl-2-methyl pyridine rhodanide (as inhibitor)***Nitric Acid* 2/331**benzylpyridine thiocyanate (as inhibitor)***Nitric Acid* 2/331**Berlin process***Hydrochloric Acid* 2/8**beverage***Mixed Acids* 1/363**binder***Hydrochloric Acid* 2/178, 181, 201, 230, 233, 240*Mixed Acids* 1/357, 415–416*Phosphoric Acid* 3/405**binder metal***Nitric Acid* 2/469**binders for building material***Hypochlorites* 3/98**binding material***Phosphoric Acid* 3/448**biochemical reaction***Phosphoric Acid* 3/184**biocide***Hypochlorites* 3/26, 63, 86, 90**biocide addition***Hypochlorites* 3/55**biological attack***Hydrochloric Acid* 2/214**bisphenol resin***Mixed Acids* 1/401**bituminous products***Phosphoric Acid* 3/423**blast furnace***Sodium Hydroxide* 1/80**blast heater***Sodium Hydroxide* 1/80**bleach***Hypochlorites* 3/61**bleached materials***Hypochlorites* 3/28, 38, 129**bleached textiles***Hypochlorites* 3/9**bleaching agent***Hypochlorites* 3/28**bleaching effect***Hypochlorites* 3/6, 9**bleaching lyes***Hypochlorites* 3/9, 85, 93, 95, 105, 110, 112–113, 118–119, 125**bleaching plant***Mixed Acids* 1/296**bleaching powder***Hypochlorites* 3/18, 35**bleaching solution***Hypochlorites* 3/7, 9, 23, 28, 38, 76–80, 84, 93, 98, 102, 104–105, 109, 111*Mixed Acids* 1/296*Sodium Hydroxide* 1/145**bleaching tank***Hypochlorites* 3/78, 100**bleaching work***Hypochlorites* 3/83, 129

- blister**
Hydrochloric Acid 2/237–238
- blistering**
Hydrochloric Acid 2/234, 240, 250–251
Mixed Acids 1/387
- block heat exchangers**
Hydrochloric Acid 2/180
- Boehmite layer**
Nitric Acid 2/300
- boiler scale**
Hydrochloric Acid 2/57
- boiler tubes**
Hydrochloric Acid 2/93
- boiler water**
Hydrochloric Acid 2/199
- boiling curve**
Hydrochloric Acid 2/5
- boiling nitric acid**
Nitric Acid 2/396, 423, 433–434, 437, 455
- boiling phosphoric acid**
Phosphoric Acid 3/340, 391–392, 397
- boiling point**
Sodium Hydroxide 1/5
- boiling pure phosphoric acid**
Phosphoric Acid 3/398
- bolts**
Mixed Acids 1/244, 333
- bonding agent**
Hydrochloric Acid 2/236, 250
- boride coatings**
Phosphoric Acid 3/222
- Box-Wilson**
Nitric Acid 2/310
- brass component**
Hydrochloric Acid 2/55
- brass sheets**
Nitric Acid 2/327
- breakthrough potential**
Mixed Acids 1/299, 316
- brightener baths**
Mixed Acids 1/289
- brightening bath**
Mixed Acids 1/242
Nitric Acid 2/299
- brittle fracture**
Hydrochloric Acid 2/168
- brittleness**
Hydrochloric Acid 2/208, 215
- bromoacetic acid (as inhibitor)**
Nitric Acid 2/322–324
- brown coal**
Mixed Acids 1/298
- brown coal-fired power station**
Mixed Acids 1/316
- burner nozzle**
Sodium Hydroxide 1/80
- bursting**
Mixed Acids 1/248
- butylamine**
Sodium Hydroxide 1/30
- butylamine (as inhibitor)**
Hydrochloric Acid 2/26–27
- n-butylamine (as inhibitor)**
Hydrochloric Acid 2/24
- c**
- calcium hypochlorite**
Hypochlorites 3/6, 17–18, 35, 40, 44, 64, 77, 92, 97, 110, 113, 119
- calcium hypochlorite bleach**
Hypochlorites 3/77
- calcium hypochlorite product**
Hypochlorites 3/8
- calcium hypochlorite (solid)**
Hypochlorites 3/14
- calcium hypochlorite solution**
Hypochlorites 3/13, 15, 17, 19, 24–25, 27–28, 37, 39, 68–69, 85–86, 88–89, 92, 94–95, 100, 104, 108–113, 116–119, 121, 125
- calomel electrode**
Hydrochloric Acid 2/113
- Ca(OCl)₂**
Hypochlorites 3/6
- carbide precipitation**
Hydrochloric Acid 2/123
Sodium Hydroxide 1/112, 133
- carbon activity**
Hydrochloric Acid 2/124
- carbon dioxide**
Sodium Hydroxide 1/4, 6
- carbon fiber**
Hydrochloric Acid 2/233, 248
- carbon plates**
Mixed Acids 1/354
- carbon solubility**
Sodium Hydroxide 1/133
- carbon steel**
Hydrochloric Acid 2/61
- carbon steel pipes**
Sodium Hydroxide 1/93
- carbon yarns**
Hydrochloric Acid 2/181
- carboxylic acids**
Hydrochloric Acid 2/30

3-carboxypyridine (as inhibitor)*Hydrochloric Acid* 2/34**4-carboxypyridine (as inhibitor)***Hydrochloric Acid* 2/34**cases of damage***Hydrochloric Acid* 2/156**cast arc-melted tantalum***Hydrochloric Acid* 2/133**cast copper material***Hypochlorites* 3/24**cast iron tanks***Nitric Acid* 2/335**casting sand***Hydrochloric Acid* 2/201**catalytic activity***Hydrochloric Acid* 2/41**catechin violet (as inhibitor)***Hydrochloric Acid* 2/24**cathode***Hydrochloric Acid* 2/55*Sodium Hydroxide* 1/108**cathodic corrosion***Sodium Hydroxide* 1/19**cathodic corrosion protection***Hypochlorites* 3/35*Sodium Hydroxide* 1/13, 21**cathodic loading***Hydrochloric Acid* 2/132**cathodic polarisation***Hydrochloric Acid* 2/23, 131, 170, 175*Nitric Acid* 2/330*Sodium Hydroxide* 1/17, 55, 90, 106**cathodic protection***Sodium Hydroxide* 1/19, 22, 93**cation exchangers***Nitric Acid* 2/288**caustic soda***Sodium Hydroxide* 1/4**cavitation corrosion***Sodium Hydroxide* 1/35**CCT test***Hydrochloric Acid* 2/90**cellophane film***Hypochlorites* 3/79**cellulose digestion***Sodium Hydroxide* 1/54**cellulose suspension***Hypochlorites* 3/62**cement mortar***Sodium Hydroxide* 1/151**cementite***Sodium Hydroxide* 1/44**centrifugal pump***Hydrochloric Acid* 2/134, 181*Mixed Acids* 1/333*Nitric Acid* 2/349**centrifugal separator***Hydrochloric Acid* 2/158**centrifuges***Mixed Acids* 1/265**ceramic bricks***Mixed Acids* 1/381**ceramic linings***Phosphoric Acid* 3/416**ceramic plates***Mixed Acids* 1/381**ceramic products***Phosphoric Acid* 3/415–416, 418**CERT experiment***Sodium Hydroxide* 1/45**CERT test***Hydrochloric Acid* 2/90, 157*Sodium Hydroxide* 1/18, 53, 56, 60, 64, 73, 81–82, 101, 112**CF***Sodium Hydroxide* 1/19**chain cleavage***Hydrochloric Acid* 2/214–215**chain degradation***Hydrochloric Acid* 2/214**characteristic mechanical values***Hydrochloric Acid* 2/216**chemical apparatus***Mixed Acids* 1/289**chemical apparatus construction***Phosphoric Acid* 3/350**chemical apparatus engineering***Hydrochloric Acid* 2/214*Hypochlorites* 3/48–54, 68, 76, 81, 83, 87, 93, 123**chemical apparatus engineering materials***Hypochlorites* 3/54**chemical brightening***Mixed Acids* 1/242, 289**chemical cleaning***Hydrochloric Acid* 2/57, 66, 93**chemical degradation***Hydrochloric Acid* 2/211*Sodium Hydroxide* 1/174, 176**chemical degradation processes***Hydrochloric Acid* 2/213**chemical descaling***Nitric Acid* 2/444**chemical etching***Sodium Hydroxide* 1/38

- chemical glasses**
 - Mixed Acids* 1/358
- chemical hoses**
 - Hydrochloric Acid* 2/247
- chemical industry**
 - Hydrochloric Acid* 2/228
 - Phosphoric Acid* 3/369, 454
- chemical loading**
 - Hydrochloric Acid* 2/207, 211
- chemical milling**
 - Nitric Acid* 2/444
 - Sodium Hydroxide* 1/26
- chemical plant**
 - Hydrochloric Acid* 2/252
- chemical plant engineering**
 - Sodium Hydroxide* 1/154
- chemical plant material**
 - Phosphoric Acid* 3/245
- chemical polishing**
 - Nitric Acid* 2/299, 302, 319, 382, 434
- chemical process engineering**
 - Hydrochloric Acid* 2/99
- chemical process industry**
 - Hydrochloric Acid* 2/149
- chemical pumps**
 - Hydrochloric Acid* 2/229
 - Nitric Acid* 2/348
- chemical resistance**
 - Hydrochloric Acid* 2/211, 215
- chemical tankers**
 - Phosphoric Acid* 3/260, 297
- chemical wastewaters**
 - Hydrochloric Acid* 2/181
- chemical-resistant coating**
 - Hydrochloric Acid* 2/234, 249–250, 258
- chemisorption**
 - Nitric Acid* 2/461
- chimney linings**
 - Mixed Acids* 1/362
- chimneys**
 - Hydrochloric Acid* 2/235
 - Nitric Acid* 2/463
- chinalizarin**
 - Sodium Hydroxide* 1/38
- chip industry**
 - Hydrochloric Acid* 2/262
- chloralkali electrolysis**
 - Sodium Hydroxide* 1/6, 7, 9, 146, 187, 189, 192
- chloralkali electrolysis cell**
 - Sodium Hydroxide* 1/150, 153
- chlor-alkali electrolysis plants**
 - Hydrochloric Acid* 2/249
- chlor-alkali industry**
 - Hydrochloric Acid* 2/11, 227, 234, 251
- chloride adsorption**
 - Mixed Acids* 1/257
- chloride corrosion**
 - Hydrochloric Acid* 2/74, 77
- chlorides**
 - Mixed Acids* 1/236
- chlorinated lime**
 - Hypochlorites* 3/7–8, 28, 40, 78, 85, 93, 100, 104, 109–111, 114, 118
- chlorinated lime bleaching lye**
 - Hypochlorites* 3/104
- chlorinated lime solution**
 - Hypochlorites* 3/13
- chlorinated polyethylene**
 - Hypochlorites* 3/110
- chlorinating plant**
 - Hydrochloric Acid* 2/227
- chlorination**
 - Hypochlorites* 3/9
- chlorination unit**
 - Hydrochloric Acid* 2/260
- chlorine**
 - Mixed Acids* 1/296
- chlorine detonating gas**
 - Sodium Hydroxide* 1/7
- chlorine dioxide**
 - Hypochlorites* 3/80
 - Mixed Acids* 1/296
- chlorine dioxide stage**
 - Mixed Acids* 1/297
- chlorine dioxide vapor**
 - Hypochlorites* 3/87
- chlorine gas production plants**
 - Hydrochloric Acid* 2/153
- chlorine gas scrubbers**
 - Sodium Hydroxide* 1/145
- chlorine-alkali electrolysis plant**
 - Mixed Acids* 1/322
- chlorine-alkaline electrolysis**
 - Mixed Acids* 1/322
- chloroacetic acid (as inhibitor)**
 - Nitric Acid* 2/322–324
- m-chloroaniline (as inhibitor)**
 - Nitric Acid* 2/321
- p-chloroaniline (as inhibitor)**
 - Nitric Acid* 2/299, 323–325
- o-chloroaniline (as inhibitor)**
 - Nitric Acid* 2/317, 323
- m-chlorobenzoic acid (as inhibitor)**
 - Hydrochloric Acid* 2/30

3-chloro-2-hydroxypropanoic acid
Nitric Acid 2/447

3-chloro-2-hydroxypropanoic acid production
Nitric Acid 2/447

p-chlorophenylthiourea (as inhibitor)
Nitric Acid 2/298

chromation
Nitric Acid 2/302

chromic acid
Phosphoric Acid 3/172–173

chromium baths
Mixed Acids 1/337

chromium carbide
Hydrochloric Acid 2/198

chromium carbide coating
Hydrochloric Acid 2/198

chromium carbide precipitate
Sodium Hydroxide 1/115–116

chromium carbide precipitation
Hydrochloric Acid 2/75, 123

chromium coating
Hydrochloric Acid 2/45
Sodium Hydroxide 1/33

chromium depletion
Hydrochloric Acid 2/198
Hypochlorites 3/56
Sodium Hydroxide 1/112

chromium diffusion coating
Hypochlorites 3/18

chromium diffusion layers
Sodium Hydroxide 1/33

chromium powder
Sodium Hydroxide 1/33

chromization
Nitric Acid 2/450

circulation apparatus
Nitric Acid 2/463

circulation pump
Mixed Acids 1/331

circulatory
Phosphoric Acid 3/163

city atmosphere
Hydrochloric Acid 2/161–163

cladded layer
Mixed Acids 1/319

cladding
Mixed Acids 1/319, 410
Sodium Hydroxide 1/93, 188

cladding devices
Nitric Acid 2/414

clean
Hydrochloric Acid 2/58

clean filters
Hydrochloric Acid 2/96

clean gas pipeline
Hydrochloric Acid 2/223

clean iron surface
Hydrochloric Acid 2/56

cleaning agents
Hypochlorites 3/14
Phosphoric Acid 3/166, 304

cleaning cells
Sodium Hydroxide 1/108

cleaning (chemical)
Mixed Acids 1/345

cleaning copper
Nitric Acid 2/318

cleaning mordant
Mixed Acids 1/345

cleaning solutions
Hypochlorites 3/15
Mixed Acids 1/286
Phosphoric Acid 3/304, 305
Sodium Hydroxide 1/25

cleaning vats
Mixed Acids 1/337

coal ash particles
Hydrochloric Acid 2/163

coating
Hydrochloric Acid 2/69, 161, 212, 229, 236, 256
Mixed Acids 1/405
Sodium Hydroxide 1/109, 186, 188, 208

coating concrete floors
Nitric Acid 2/462

coating materials
Hydrochloric Acid 2/240
Nitric Acid 2/462

coatings
Hypochlorites 3/126
Phosphoric Acid 3/452–453

coating system
Hydrochloric Acid 2/16
Sodium Hydroxide 1/184

coefficient of friction
Nitric Acid 2/454

cohesion
Hydrochloric Acid 2/211

coil annealing line
Mixed Acids 1/253

cold deformation
Hydrochloric Acid 2/112

cold hardening
Hydrochloric Acid 2/201

- cold vulcanisation**
 - Hydrochloric Acid* 2/236
- cold working**
 - Nitric Acid* 2/350
- columns**
 - Hydrochloric Acid* 2/62, 132, 178, 189, 233, 256, 258
 - Nitric Acid* 2/448
- combination meshes**
 - Hydrochloric Acid* 2/181
- combustion burner**
 - Phosphoric Acid* 3/162
- combustion gas**
 - Hydrochloric Acid* 2/8, 80, 197
- combustion of coal**
 - Hydrochloric Acid* 2/163
- combustion of natural gas**
 - Mixed Acids* 1/256
- combustion of polyvinylchloride**
 - Hydrochloric Acid* 2/64
- combustion plant**
 - Hydrochloric Acid* 2/80
- combustion products**
 - Hydrochloric Acid* 2/14
- compacts**
 - Hydrochloric Acid* 2/43
- compact seals**
 - Hydrochloric Acid* 2/247
- compact tension specimens**
 - Sodium Hydroxide* 1/126
- complete fertilizer suspension**
 - Phosphoric Acid* 3/256
- component**
 - Hydrochloric Acid* 2/225
- composite materials**
 - Phosphoric Acid* 3/454
- composites**
 - Hydrochloric Acid* 2/248, 257
- compressive strength**
 - Hydrochloric Acid* 2/180, 182, 258
- compressor**
 - Hydrochloric Acid* 2/7
 - Sodium Hydroxide* 1/166
- concentrated nitric acid**
 - Nitric Acid* 2/303
- concentrating plants for nitric acid**
 - Nitric Acid* 2/463
- concentration plant**
 - Phosphoric Acid* 3/163
- concentration stage**
 - Mixed Acids* 1/289
- concrete foundation**
 - Hydrochloric Acid* 2/230
- condensate**
 - Hydrochloric Acid* 2/249
 - Mixed Acids* 1/256
- condensate region**
 - Hydrochloric Acid* 2/194
- condensate valves**
 - Hydrochloric Acid* 2/226
- condensation column**
 - Nitric Acid* 2/447
- condensation of liquid**
 - Hydrochloric Acid* 2/212
- condensation water**
 - Hydrochloric Acid* 2/63
- condenser**
 - Hydrochloric Acid* 2/62, 166, 223, 226, 240
 - Nitric Acid* 2/432
- condenser pipe**
 - Hydrochloric Acid* 2/51
 - Nitric Acid* 2/434
- conductor**
 - Hydrochloric Acid* 2/12
- conductor material**
 - Hydrochloric Acid* 2/14
- connecting elements**
 - Hypochlorites* 3/69
- construction materials**
 - Hydrochloric Acid* 2/258
 - Mixed Acids* 1/289
 - Phosphoric Acid* 3/171
- contact behavior**
 - Hydrochloric Acid* 2/12
- contact resistance**
 - Hydrochloric Acid* 2/14
- contaminated phosphoric acid**
 - Phosphoric Acid* 3/260, 263, 271, 274, 306, 360, 377, 383, 431, 436–437, 447, 454, 463
- contamination**
 - Hydrochloric Acid* 2/91, 164
- continuous-cast material**
 - Nitric Acid* 2/294
- continuous temperature**
 - Hydrochloric Acid* 2/207
 - Mixed Acids* 1/383
- control of inert gas**
 - Mixed Acids* 1/322
- conversion of residual austenite**
 - Hydrochloric Acid* 2/74

cooler*Hydrochloric Acid* 2/223, 226*Hypochlorites* 3/37*Mixed Acids* 1/239*Nitric Acid* 2/406*Phosphoric Acid* 3/380**cooling coils***Mixed Acids* 1/250**cooling devices***Mixed Acids* 1/398**cooling finger***Nitric Acid* 2/368**cooling jacket***Mixed Acids* 1/250**cooling pipes***Mixed Acids* 1/333**cooling plants***Nitric Acid* 2/388**cooling spiral***Mixed Acids* 1/322, 337**cooling system***Mixed Acids* 1/250**cooling water***Hypochlorites* 3/27*Mixed Acids* 1/245**copper material***Hypochlorites* 3/19**copper pipes***Sodium Hydroxide* 1/35**copper wires***Nitric Acid* 2/318**corporate publications***Hydrochloric Acid* 2/226**corrosion***Mixed Acids* 1/290*Sodium Hydroxide* 1/26**corrosion-current density***Hydrochloric Acid* 2/19, 61, 91, 201**corrosion due to chloride-containing****condensates***Hypochlorites* 3/62**corrosion element***Sodium Hydroxide* 1/20**corrosion fatigue***Hypochlorites* 3/62*Sodium Hydroxide* 1/19, 61, 67, 78**corrosion fatigue tests***Sodium Hydroxide* 1/78**corrosion in bleaching solutions***Hypochlorites* 3/61, 71**corrosion in disinfection solutions***Hypochlorites* 3/61, 65, 69**corrosion in sterilized water***Hypochlorites* 3/33**corrosion in swimming pool halls***Hypochlorites* 3/16, 34, 57, 63, 65, 69, 72, 90**corrosion in white water***Hypochlorites* 3/62**corrosion inhibition***Hydrochloric Acid* 2/41**corrosion initiation methods***Hydrochloric Acid* 2/15**corrosion (intergranular)***Mixed Acids* 1/320, 335**corrosion pit***Hydrochloric Acid* 2/85**corrosion potential***Hydrochloric Acid* 2/43**corrosion protection***Sodium Hydroxide* 1/21**corrosion-protection coating***Hydrochloric Acid* 2/41**corrosion-protection lining***Hydrochloric Acid* 2/242**corrosion protection with diffusion coatings***Hypochlorites* 3/35**corrosion rate***Hydrochloric Acid* 2/183**corrosion resistance***Hydrochloric Acid* 2/48, 121, 130, 158, 184**corrosion testing***Sodium Hydroxide* 1/20**corrosion underneath the coating***Hydrochloric Acid* 2/241**corrosive effect***Hypochlorites* 3/10**cosmetics***Phosphoric Acid* 3/166**cost comparison***Hydrochloric Acid* 2/241, 264**cost considerations***Hydrochloric Acid* 2/221**couch roll***Hypochlorites* 3/62**country air***Hypochlorites* 3/34**cover diaphragm cells***Sodium Hydroxide* 1/187**crack propagation rate***Hydrochloric Acid* 2/250**cracking***Hydrochloric Acid* 2/69, 72, 120–121, 157, 170

- crazes**
 - Hydrochloric Acid* 2/212
- creep behavior**
 - Hydrochloric Acid* 2/69, 71
- creep rupture test**
 - Hydrochloric Acid* 2/217, 222
- creep strength**
 - Hydrochloric Acid* 2/214, 218, 221–222, 227
- creep tests**
 - Hydrochloric Acid* 2/216
- crevice corrosion**
 - Hydrochloric Acid* 2/72–73, 77, 112–113, 149, 156
 - Mixed Acids* 1/320
- crevice corrosion behavior**
 - Hypochlorites* 3/47, 81
- crevice corrosion (in H₃PO₄)**
 - Phosphoric Acid* 3/237, 247–248, 271, 320, 327, 334, 336, 338, 349, 462
- crevice corrosion (in hypochlorite solution)**
 - Hypochlorites* 3/10, 43–44, 46, 53, 59, 61, 65, 67, 81, 83, 89
- crevice corrosion resistance**
 - Hydrochloric Acid* 2/99, 149
- crevice corrosion temperature**
 - Mixed Acids* 1/316
- critical crevice corrosion temperature**
 - Hypochlorites* 3/47, 55, 71
- critical pitting corrosion potential**
 - Hydrochloric Acid* 2/112
- critical pitting corrosion temperature**
 - Hypochlorites* 3/47, 54, 71
- critical potential range**
 - Sodium Hydroxide* 1/43
- critical stress intensity factor**
 - Sodium Hydroxide* 1/51
- cross-flow heat exchangers**
 - Hydrochloric Acid* 2/180
- crude acid**
 - Phosphoric Acid* 3/355, 371, 373, 382
- crude oil**
 - Hydrochloric Acid* 2/62–63
- crude oil extraction**
 - Hypochlorites* 3/6
- crude oil processing plant**
 - Hydrochloric Acid* 2/63
- crude phosphates**
 - Phosphoric Acid* 3/161–162, 313–314, 431, 462
- crude phosphoric acid**
 - Phosphoric Acid* 3/222, 255, 262, 265–266, 269–270, 274, 291, 296, 330, 404, 406, 425, 431, 442, 446, 450
- cryotechnical applications**
 - Hydrochloric Acid* 2/229
- crystal violet (as inhibitor)**
 - Hydrochloric Acid* 2/24
- crystallinity**
 - Sodium Hydroxide* 1/171
- crystallite melting temperature**
 - Hydrochloric Acid* 2/207
- CT specimens**
 - Sodium Hydroxide* 1/126
- CuBe₂**
 - Phosphoric Acid* 3/377
- curing agent**
 - Hydrochloric Acid* 2/233
- current density/potential curve**
 - Hydrochloric Acid* 2/19, 22, 25, 38, 41, 48, 49, 61, 77, 90–91, 93, 151, 164, 169, 198–199
- current density-voltage curve**
 - Mixed Acids* 1/245
- cutting**
 - Hydrochloric Acid* 2/225
- cutting tools**
 - Nitric Acid* 2/468
- CVD process**
 - Sodium Hydroxide* 1/196–197
- cyanide electrolyte**
 - Nitric Acid* 2/292
- 2-Cyanopyridine (as inhibitor)**
 - Hydrochloric Acid* 2/34
- cyclic bending tests**
 - Sodium Hydroxide* 1/78
- cyclic temperature change**
 - Hydrochloric Acid* 2/258
- cypress**
 - Mixed Acids* 1/404
- d**
- dairy industry**
 - Hypochlorites* 3/61, 65
- Dakin's solution**
 - Hypochlorites* 3/78
- damp chlorine**
 - Hypochlorites* 3/15, 24, 76
- damp chlorine gas**
 - Hypochlorites* 3/87, 90
- damper registers**
 - Mixed Acids* 1/398

DBSO (as inhibitor)*Phosphoric Acid* 3/222**decomposer***Sodium Hydroxide* 1/46**decomposition***Hydrochloric Acid* 2/225**decomposition of residual austenite***Hydrochloric Acid* 2/76**decomposition tank***Phosphoric Acid* 3/313–314**decomposition temperature***Hydrochloric Acid* 2/227**decopperizing***Nitric Acid* 2/300**decorative effects***Nitric Acid* 2/302**degradation (chemical)***Mixed Acids* 1/387**degradation (hydrolytic)***Mixed Acids* 1/388**degradation of plastics***Hydrochloric Acid* 2/11**degradation (oxidative)***Mixed Acids* 1/388**degradation (thermal)***Mixed Acids* 1/387**degradation (thermal oxidative)***Mixed Acids* 1/387**degreasing solutions***Sodium Hydroxide* 1/25**dehydrochlorination***Hydrochloric Acid* 2/214**delamination***Hydrochloric Acid* 2/240–241**denitration plants***Nitric Acid* 2/463**dental applications***Hydrochloric Acid* 2/239**n-denzylquinoline chloride (as inhibitor)***Hydrochloric Acid* 2/78**deposits***Hydrochloric Acid* 2/51, 57**desalting***Hydrochloric Acid* 2/63**descale***Mixed Acids* 1/236**descaling***Mixed Acids* 1/342, 345*Nitric Acid* 2/410**descaling mordants***Mixed Acids* 1/345**desiccator***Nitric Acid* 2/431**desilverized***Nitric Acid* 2/292**detinning***Nitric Acid* 2/432*Sodium Hydroxide* 1/142**dew point***Mixed Acids* 1/256*Nitric Acid* 2/350**dew point corrosion***Hydrochloric Acid* 2/243**dew point of water***Hydrochloric Acid* 2/63**dew point region***Mixed Acids* 1/242, 256**dezinc***Mixed Acids* 1/246**dezincification***Nitric Acid* 2/450**dezincing***Hydrochloric Acid* 2/55*Hypochlorites* 3/26*Mixed Acids* 1/247**2,4-diamino-6-phenyl-1,3,5-triazine (as inhibitor)***Nitric Acid* 2/302**2,6-diamino-pyridine (as inhibitor)***Hydrochloric Acid* 2/63, 65**diaphragm process***Sodium Hydroxide* 1/7**diaphragms***Hydrochloric Acid* 2/247*Sodium Hydroxide* 1/150**dibenzyl sulfoxide (as inhibitor)***Phosphoric Acid* 3/222**dibutylthiourea (as inhibitor)***Hydrochloric Acid* 2/51–52**dichloroacetic acid (as inhibitor)***Nitric Acid* 2/322–324**1,5-di-p-chlorophenyl-2,4-dithiomalonamide (as inhibitor)***Hydrochloric Acid* 2/91**diethylamine (as inhibitor)***Hydrochloric Acid* 2/24**differentiation tests***Mixed Acids* 1/261**diffusion***Hydrochloric Acid* 2/9, 211, 225, 240, 251, 258*Mixed Acids* 1/387**diffusion barrier***Hydrochloric Acid* 2/244**diffusion boronization***Phosphoric Acid* 3/222

- digestor agitator**
 - Mixed Acids* 1/289
- dihydrate process**
 - Phosphoric Acid* 3/162
- 2,4-dihydroxybenzoic acid (as inhibitor)**
 - Nitric Acid* 2/298
- dilute aqua regia**
 - Nitric Acid* 2/429
- dilute nitric acid**
 - Nitric Acid* 2/429
- 1,5-dimethoxyphenyl-2,4-dithiomalonamide (as inhibitor)**
 - Hydrochloric Acid* 2/91
- dimethyl thiourea (as inhibitor)**
 - Nitric Acid* 2/322
- dimethyl yellow (as inhibitor)**
 - Hydrochloric Acid* 2/24
- dimethylamine (as inhibitor)**
 - Hydrochloric Acid* 2/24
- dimethylol thiourea (as inhibitor)**
 - Nitric Acid* 2/316
- 1,5-di-p-methylphenyl-2,4-dithiomalonamide (as inhibitor)**
 - Hydrochloric Acid* 2/91
- DIN 50905**
 - Sodium Hydroxide* 1/21
- DIN 50905-2**
 - Sodium Hydroxide* 1/21
- DIN 50905-3**
 - Sodium Hydroxide* 1/21
- DIN 50915**
 - Sodium Hydroxide* 1/58, 60
- DIN 50920-1**
 - Sodium Hydroxide* 1/21
- diphenic acid (as inhibitor)**
 - Hydrochloric Acid* 2/30
- diphenyl thiourea (as inhibitor)**
 - Nitric Acid* 2/298, 308, 322
- 1,5-diphenyl-2,4-dithiomalonamide (as inhibitor)**
 - Hydrochloric Acid* 2/91
- disinfected**
 - Hypochlorites* 3/34
- disinfected water**
 - Hypochlorites* 3/34
- disinfecting agents**
 - Hypochlorites* 3/14
- disinfecting effect**
 - Hypochlorites* 3/6, 9
- disinfecting solution**
 - Hypochlorites* 3/15
- disinfection**
 - Hypochlorites* 3/9, 16
- disinfection agents**
 - Hypochlorites* 3/6, 9
- disinfection solution**
 - Hypochlorites* 3/15, 66, 69, 86
- dislocation etching**
 - Nitric Acid* 2/309
- dislocation structure**
 - Nitric Acid* 2/358
- disodium phosphate**
 - Sodium Hydroxide* 1/25
- dispersion annealing**
 - Nitric Acid* 2/410
- dissolution potential**
 - Hydrochloric Acid* 2/199
- dissolved lime**
 - Sodium Hydroxide* 1/9
- distillation**
 - Hydrochloric Acid* 2/62
- distillation columns**
 - Mixed Acids* 1/251
 - Nitric Acid* 2/289, 369
- distillation units**
 - Hydrochloric Acid* 2/260
- dithioglycolic acid (as inhibitor)**
 - Nitric Acid* 2/298, 308, 322
- dithiooxamine**
 - Sodium Hydroxide* 1/38
- n-dodecylpyridine chloride (as inhibitor)**
 - Hydrochloric Acid* 2/78
- n-dodecylquinoline bromide (as inhibitor)**
 - Hydrochloric Acid* 2/78
- Dorr-Oliver dihydrate process**
 - Phosphoric Acid* 3/162
- double superphosphate**
 - Phosphoric Acid* 3/156
- down time corrosion**
 - Hypochlorites* 3/10, 62
- downdraft evaporator**
 - Sodium Hydroxide* 1/108
- downstream evaporators**
 - Nitric Acid* 2/463
- drainage gutters**
 - Mixed Acids* 1/362
- drainage pipe**
 - Hypochlorites* 3/104
- drinking water**
 - Phosphoric Acid* 3/252
- drop in hardness**
 - Hydrochloric Acid* 2/74
- droplet separator**
 - Hydrochloric Acid* 2/223
- drum**
 - Mixed Acids* 1/302

- drum concentrator**
Phosphoric Acid 3/373
- dry blower dampers**
Hydrochloric Acid 2/224
- dry chlorine**
Hypochlorites 3/90
- dry chlorine gas**
Hypochlorites 3/87
- dry hypochlorites**
Hypochlorites 3/28, 37, 39, 86, 90, 107, 118, 129
- drying agent**
Sodium Hydroxide 1/6
- drying tower**
Mixed Acids 1/322
- Duranglas® apparatus**
Nitric Acid 2/463
- dye penetration test**
Mixed Acids 1/363
- dyes**
Hydrochloric Acid 2/23
- e**
- Eau de Javelle**
Hypochlorites 3/7
- Eau de Labarraque**
Hypochlorites 3/8
- effusion**
Hydrochloric Acid 2/211
- effusion barrier**
Hydrochloric Acid 2/72
- ejectors**
Hypochlorites 3/37
- elasticity**
Hydrochloric Acid 2/222
- elasticity modulus**
Hydrochloric Acid 2/21, 211
- elastomers**
Mixed Acids 1/384
- elbow**
Sodium Hydroxide 1/43
- electrical conductivity**
Hydrochloric Acid 2/12, 15, 133, 193
- electrical equipment**
Hydrochloric Acid 2/225
- electrical resistance**
Hydrochloric Acid 2/132
- electron-beam melting**
Hydrochloric Acid 2/133
- electrochemical chlorine production**
Hydrochloric Acid 2/156
- electrochemical etching**
Nitric Acid 2/381, 428
- Sodium Hydroxide* 1/38
- electrode**
Nitric Acid 2/293
- electrode materials**
Sodium Hydroxide 1/23
- electrolysis**
Hydrochloric Acid 2/9
- electrolysis cell**
Hydrochloric Acid 2/61
Sodium Hydroxide 1/146
- electrolysis plants**
Hydrochloric Acid 2/225
- electrolysis tank**
Phosphoric Acid 3/380
- electrolyte**
Nitric Acid 2/319
- electrolyte cell**
Nitric Acid 2/458
- electrolytic conductivity**
Hydrochloric Acid 2/6
- electrolytic decomposition**
Sodium Hydroxide 1/7
- electrolytic polishing**
Nitric Acid 2/310, 382
- electrolytic processing of nickel**
Nitric Acid 2/414
- electronic assemblies**
Hydrochloric Acid 2/12
- electronic equipment**
Hydrochloric Acid 2/15, 40, 225
- electronics industry**
Mixed Acids 1/350
- electroplating**
Mixed Acids 1/237, 304, 337, 346, 358–359
- electroplating industry**
Hydrochloric Acid 2/225
- electroplating plants**
Phosphoric Acid 3/431
- electroplating process**
Nitric Acid 2/299
- electropolishing**
Hydrochloric Acid 2/46, 48
Nitric Acid 2/309, 318, 328
Phosphoric Acid 3/176
- electrosynthesis**
Hypochlorites 3/6
- electrothermal process**
Phosphoric Acid 3/16
- elongation**
Hydrochloric Acid 2/133
- EMBI (as inhibitor)**
Phosphoric Acid 3/222

embrittlement

Hydrochloric Acid 2/72, 120–121,
132–133, 143, 146, 167

Hypochlorites 3/88

Mixed Acids 1/345, 388

embrittlement coefficient

Nitric Acid 2/326

α-emitting waste

Nitric Acid 2/435

emulsification

Hydrochloric Acid 2/64

enamel coatings

Mixed Acids 1/359

Sodium Hydroxide 1/154

enamel corrosion

Hydrochloric Acid 2/191

Mixed Acids 1/360

enamel frit

Sodium Hydroxide 1/154

enamelled apparatus

Nitric Acid 2/464–465

enamelled container

Hydrochloric Acid 2/190

enamelled vessels

Hydrochloric Acid 2/191

enamel-lined pulsed absorption tray columns

Nitric Acid 2/466

enamelling furnace

Hydrochloric Acid 2/241

endurance tests

Hydrochloric Acid 2/216

eosine

Sodium Hydroxide 1/38

epoxide resin coating

Sodium Hydroxide 1/151

equipment

Hydrochloric Acid 2/225, 233

equipment made of tantalum

Hydrochloric Acid 2/132

eriochrome black T (as inhibitor)

Hydrochloric Acid 2/24

erosion

Hydrochloric Acid 2/197

erosion-corrosion

Hydrochloric Acid 2/11, 76, 261

erosion-corrosion behavior

Hydrochloric Acid 2/74

erosion-corrosion (in H₃PO₄)

Phosphoric Acid 3/253, 296, 336

erosion-corrosion (in hypochlorite solution)

Hypochlorites 3/61

erosion-corrosion resistance

Hypochlorites 3/93

erosion resistance

Hydrochloric Acid 2/197

erosion resistant

Hydrochloric Acid 2/153

etching

Hydrochloric Acid 2/8

Mixed Acids 1/236, 241

Nitric Acid 2/292, 382

Phosphoric Acid 3/408, 417–418

Sodium Hydroxide 1/107

etching agent

Mixed Acids 1/358

Nitric Acid 2/302, 309–310

Sodium Hydroxide 1/141

etching attack

Sodium Hydroxide 1/107

etching operation

Nitric Acid 2/429

etching rate

Nitric Acid 2/457

etching residues

Nitric Acid 2/301

etching solutions

Nitric Acid 2/315, 382, 417, 429, 464

ethanol synthesis plant

Phosphoric Acid 3/199

ethylamine (as inhibitor)

Hydrochloric Acid 2/24, 26–27

Sodium Hydroxide 1/30

evaporating stage

Sodium Hydroxide 1/35

evaporation of concentrated nitric acid

Nitric Acid 2/466

evaporator

Hydrochloric Acid 2/178, 189, 256

Mixed Acids 1/289, 354

Nitric Acid 2/386, 434, 438

Phosphoric Acid 3/306, 311, 315

Sodium Hydroxide 1/34–35, 63, 143,
189

evaporator boiler

Sodium Hydroxide 1/109

evaporator pipes

Mixed Acids 1/333

evaporator plants

Sodium Hydroxide 1/108

evaporator stage

Mixed Acids 1/356

evaporator system

Hydrochloric Acid 2/51

evaporator units*Hydrochloric Acid* 2/91**evolution of hydrogen***Hypochlorites* 3/86*Mixed Acids* 1/344**exchange current density***Hydrochloric Acid* 2/156**explosive cladding***Mixed Acids* 1/319, 410*Sodium Hydroxide* 1/109**explosively applied cladding***Nitric Acid* 2/441**explosives industry***Nitric Acid* 2/374, 400, 439**extinguishing agents***Hydrochloric Acid* 2/64**extraction agent***Nitric Acid* 2/435**extraction plants***Mixed Acids* 1/274**extraction tanks***Mixed Acids* 1/275**extrusion***Hydrochloric Acid* 2/229**f****factories processing nitric acid***Nitric Acid* 2/348**falling film evaporator***Phosphoric Acid* 3/163**faraday law***Mixed Acids* 1/350**fatigue cracks***Sodium Hydroxide* 1/77**FeCl₃ test***Hydrochloric Acid* 2/104*Hypochlorites* 3/54–55**feed additives***Phosphoric Acid* 3/166**feed water***Sodium Hydroxide* 1/77**δ-ferrite***Hydrochloric Acid* 2/96**ferrite***Sodium Hydroxide* 1/44**δ-ferrite attack***Hydrochloric Acid* 2/96**δ-ferrite formation***Hydrochloric Acid* 2/96**ferrite grains***Sodium Hydroxide* 1/44**fertilizer factories***Nitric Acid* 2/396**fertilizer industry***Nitric Acid* 2/367, 468*Phosphoric Acid* 3/156, 434**fertilizer production***Phosphoric Acid* 3/304**fertilizer production plant***Nitric Acid* 2/442**FGD***Mixed Acids* 1/319**FGD media***Mixed Acids* 1/316**FGD scrubber***Mixed Acids* 1/318–319**FGDP***Mixed Acids* 1/298, 316, 406**fiber content***Hydrochloric Acid* 2/248**fiber fractures***Hydrochloric Acid* 2/249**fiber orientation***Hydrochloric Acid* 2/248**fiber spraying***Hydrochloric Acid* 2/248**fiber-reinforced composites***Hydrochloric Acid* 2/248**fiber-reinforced products***Hydrochloric Acid* 2/258**filiform corrosion***Hydrochloric Acid* 2/15–16, 18**filler material***Phosphoric Acid* 3/400**fillers***Hydrochloric Acid* 2/207, 236*Hypochlorites* 3/107, 110, 117–118*Mixed Acids* 1/384*Phosphoric Acid* 3/331, 436**filling ports***Mixed Acids* 1/333**filter***Mixed Acids* 1/296**filter frame***Mixed Acids* 1/289**filter material***Phosphoric Acid* 3/429**filtration***Hypochlorites* 3/102**filtration properties***Hydrochloric Acid* 2/197**filtration stage***Mixed Acids* 1/289**first ply failure***Hydrochloric Acid* 2/249

fittings

Hydrochloric Acid 2/179, 189, 233, 256,
259, 261, 262, 265

Phosphoric Acid 3/380

fixed-cover tank

Nitric Acid 2/348

flame spraying

Hydrochloric Acid 2/241

flame-pyrolysis decomposition

Hydrochloric Acid 2/242

flat seals

Hydrochloric Acid 2/246–247, 263

flexural loading

Hydrochloric Acid 2/237

flexural strength

Mixed Acids 1/388

floor coverings

Mixed Acids 1/362

Florida acid

Phosphoric Acid 3/294, 358–359, 366,
388, 396, 400

flow of cooling water

Hydrochloric Acid 2/66

flow rate

Hydrochloric Acid 2/158

flue gas cleaning

Mixed Acids 1/316

flue gas cleaning plants

Mixed Acids 1/237

flue gas desulfurisation engineering

Mixed Acids 1/410

flue gas desulfurisation plant

Hydrochloric Acid 2/260

Mixed Acids 1/298, 316, 319

flue gases

Hydrochloric Acid 2/7, 161, 235

fluidised bed sintering

Hydrochloric Acid 2/241

fluorinated polymers

Mixed Acids 1/409

fluoropolymer lining

Hydrochloric Acid 2/246, 258

fluorosilicic acid

Phosphoric Acid 3/222

fly ash

Hydrochloric Acid 2/163

Mixed Acids 1/242, 256

foil lining

Hydrochloric Acid 2/244

food grade

Phosphoric Acid 3/165

food industry

Hydrochloric Acid 2/9

Mixed Acids 1/286

Nitric Acid 2/302

Phosphoric Acid 3/166

Sodium Hydroxide 1/88

food processing

Hydrochloric Acid 2/11

foodstuffs

Mixed Acids 1/363

foodstuffs industry

Phosphoric Acid 3/166, 276, 304–305,
436

forced circulation evaporator

Nitric Acid 2/435

formation of blisters

Hydrochloric Acid 2/212

fractionating column

Hydrochloric Acid 2/62–63, 63–64

fracture strength

Hydrochloric Acid 2/197

fracture stress

Hydrochloric Acid 2/233

free corrosion

Sodium Hydroxide 1/125

free corrosion potential

Hydrochloric Acid 2/113

Phosphoric Acid 3/379

Sodium Hydroxide 1/20, 74

free of pores

Hydrochloric Acid 2/257

freezing curve

Hydrochloric Acid 2/5

freezing point

Hydrochloric Acid 2/5

friction bearing material

Mixed Acids 1/246

fructose (as inhibitor)

Nitric Acid 2/317

fuchsine acid (as inhibitor)

Hydrochloric Acid 2/24

fuchsine (basic) (as inhibitor)

Hydrochloric Acid 2/24

fuel cells

Phosphoric Acid 3/175, 385, 405, 418

fuel elements

Nitric Acid 2/385, 421, 424

fuel element sheaths

Nitric Acid 2/436

fuel gas desulfurisation plants

Mixed Acids 1/406

fuel rod

Nitric Acid 2/454, 467

- fume hoods**
Hydrochloric Acid 2/235
- fuming hydrochloric acid**
Hydrochloric Acid 2/4
- fuming nitric acid**
Nitric Acid 2/288, 307, 433, 435, 452, 459, 461, 470
- fungicide**
Hypochlorites 3/109, 124
- 2-furancarboxyaldehyde-(2'-pyridylhydrazone) (as inhibitor)**
Hydrochloric Acid 2/37
- furfuryl aldehyde**
Sodium Hydroxide 1/38
- g**
- galactose (as inhibitor)**
Nitric Acid 2/317
- gallic acid (as inhibitor)**
Nitric Acid 2/318
- galvanic anodes**
Sodium Hydroxide 1/22
- galvanic coating**
Hydrochloric Acid 2/69
- galvanic corrosion**
Hypochlorites 3/62
Nitric Acid 2/451
Sodium Hydroxide 1/20
- galvanic current**
Hydrochloric Acid 2/144
- galvanic element**
Hydrochloric Acid 2/55
- galvanic engineering**
Mixed Acids 1/304
- galvanic zinc coating**
Hydrochloric Acid 2/72
- gas filter element**
Hydrochloric Acid 2/197
- gas nitriding**
Hydrochloric Acid 2/158
- gas preheater**
Hydrochloric Acid 2/42
- gas turbine industry**
Hydrochloric Acid 2/110
- gas washer tower**
Phosphoric Acid 3/380
- gaseous nitric acid**
Nitric Acid 2/406, 461
- gaskets**
Hydrochloric Acid 2/134
- gasometer system**
Hydrochloric Acid 2/42
- gelatine (as inhibitor)**
Phosphoric Acid 3/224
- glass apparatus**
Nitric Acid 2/463
- glass coating**
Hydrochloric Acid 2/189, 256
- glass corrosion**
Hydrochloric Acid 2/185
- glass corrosion mechanism**
Hydrochloric Acid 2/184
- glass equipment**
Hydrochloric Acid 2/187
- glass fiber-reinforced coatings**
Phosphoric Acid 3/425
- glass fibres**
Hydrochloric Acid 2/248, 249
Hypochlorites 3/101, 118–119
Mixed Acids 1/410
Phosphoric Acid 3/440
Sodium Hydroxide 1/153
- glass pipe system**
Hydrochloric Acid 2/134
- glass structure**
Hydrochloric Acid 2/175
- glass temperature**
Hydrochloric Acid 2/208, 215
- glass-fiber-reinforced bellows**
Nitric Acid 2/348
- glass-fiber reinforcement**
Hydrochloric Acid 2/224
- glass-forming metal oxides**
Hydrochloric Acid 2/176
- glow discharge**
Hydrochloric Acid 2/158
- glucose (as inhibitor)**
Nitric Acid 2/317
Sodium Hydroxide 1/38
- gold seals**
Sodium Hydroxide 1/159
- grain boundaries**
Hydrochloric Acid 2/147
Sodium Hydroxide 1/118–119, 159
- graphite anode**
Sodium Hydroxide 1/146
- graphite columns**
Hydrochloric Acid 2/7
- graphite electrodes**
Sodium Hydroxide 1/146
- graphite film**
Nitric Acid 2/460
- graphite heat exchangers**
Hydrochloric Acid 2/180
Phosphoric Acid 3/448

graphite products*Hydrochloric Acid* 2/178**graphite pumps***Hydrochloric Acid* 2/201**graphite seals***Nitric Acid* 2/461**graphited cord***Nitric Acid* 2/461**green chromating***Hydrochloric Acid* 2/16**green death***Mixed Acids* 1/314–315, 319, 321**grinding bodies***Phosphoric Acid* 3/250–251**GRP construction***Hydrochloric Acid* 2/258**GRP liner***Hydrochloric Acid* 2/258**gypsum deposits***Mixed Acids* 1/316**h****H stage***Hypochlorites* 3/71**haloacetic acids (as inhibitor)***Nitric Acid* 2/299**hammer works***Mixed Acids* 1/333**hand-laid lamination***Hydrochloric Acid* 2/241**hard-chrome plating***Mixed Acids* 1/398**hard chromium coating***Hydrochloric Acid* 2/43**hard coal***Mixed Acids* 1/298**hard coal-fired power stations***Mixed Acids* 1/316**hard gold layer***Nitric Acid* 2/311**hard rubber***Mixed Acids* 1/403**hard rubber coating***Hydrochloric Acid* 2/236, 244**hard rubber lining***Hydrochloric Acid* 2/265**hardenable spring alloy***Nitric Acid* 2/427**Haveg® 60***Phosphoric Acid* 3/425**hazardous materials ordinance***Hydrochloric Acid* 2/4, 252**HCC***Hydrochloric Acid* 2/258**HCl absorption***Hydrochloric Acid* 2/180, 255**HCl concentration***Hydrochloric Acid* 2/180, 255**HCl diffusion***Hydrochloric Acid* 2/240, 250**HCl gas permeability***Hydrochloric Acid* 2/255**HCl initiation***Hydrochloric Acid* 2/18**HCl permeation***Hydrochloric Acid* 2/237, 260**HCl production***Hydrochloric Acid* 2/180**HCl recovery***Hydrochloric Acid* 2/201, 255**HCl solubility***Hydrochloric Acid* 2/9**HCl source***Hydrochloric Acid* 2/7**HCl stripping***Hydrochloric Acid* 2/180, 255**HCl synthesis plant***Hydrochloric Acid* 2/179**HCl test***Hydrochloric Acid* 2/15**HCl vapor pressure***Hydrochloric Acid* 2/257**health risk***Hydrochloric Acid* 2/258**heat-affected zone***Hydrochloric Acid* 2/103*Nitric Acid* 2/358*Phosphoric Acid* 3/261**heat exchanger jackets***Nitric Acid* 2/348**heat exchanger tubes***Hydrochloric Acid* 2/67, 72, 149**heat exchangers***Hydrochloric Acid* 2/7, 54, 66, 68, 74, 80, 132, 153, 157, 166, 178, 189, 240, 241, 256, 260*Mixed Acids* 1/242, 256, 289*Nitric Acid* 2/432, 434, 439, 448, 460, 461*Phosphoric Acid* 3/306, 316, 381, 401, 417*Sodium Hydroxide* 1/37, 77, 143, 151, 182**heat generation method***Hydrochloric Acid* 2/34, 35

- heat transfer**
Hydrochloric Acid 2/12, 80
- heat transfer agent**
Nitric Acid 2/349
- heat transfer system**
Mixed Acids 1/322
- heat treatment**
Sodium Hydroxide 1/117–118, 133–134
- heated steam**
Hydrochloric Acid 2/63
- heater**
Hydrochloric Acid 2/223
Mixed Acids 1/333
- heating elements**
Mixed Acids 1/354
- heating pipes**
Mixed Acids 1/242, 289
- heating steam coils**
Nitric Acid 2/351, 386
- heat-treated state**
Hydrochloric Acid 2/49
- heat-treated steels**
Sodium Hydroxide 1/66
- heavy metal ions**
Hypochlorites 3/70, 129
Mixed Acids 1/236, 334
- heavy metal residues**
Hypochlorites 3/38
- heavy oil**
Hydrochloric Acid 2/14
- hexamine (as inhibitor)**
Hydrochloric Acid 2/95
Nitric Acid 2/317
- high-energy fuels**
Nitric Acid 2/456
- highly concentrated nitric acid**
Nitric Acid 2/360
- high-performance alloys**
Hydrochloric Acid 2/110
- high-performance ceramic**
Sodium Hydroxide 1/168
- high-performance material**
Sodium Hydroxide 1/159
- high-performance plastics**
Hydrochloric Acid 2/230
- high-speed steels**
Nitric Acid 2/411
- high-temperature creep**
Nitric Acid 2/309
- high-temperature reactors**
Nitric Acid 2/462
- high-temperature resistance**
Hydrochloric Acid 2/130
- high-temperature water**
Hydrochloric Acid 2/135
Sodium Hydroxide 1/128
- high-temperature- β -mixed crystal**
Hydrochloric Acid 2/149
- Hoechst process**
Phosphoric Acid 3/165
- HOKO process**
Nitric Acid 2/348
- hole spot welding**
Mixed Acids 1/318
- hollow sample**
Sodium Hydroxide 1/95
- homogenisation treatment**
Hydrochloric Acid 2/97
- hose engineering**
Hydrochloric Acid 2/247
- hoses**
Hydrochloric Acid 2/226, 259
- hot extraction**
Hydrochloric Acid 2/55
- hot gas welding process**
Hydrochloric Acid 2/245
- hot pressing**
Hydrochloric Acid 2/198
- hot-roll cladding**
Mixed Acids 1/319
- hot rolling**
Mixed Acids 1/410
- hot-pressing process**
Hydrochloric Acid 2/248
- hot vulcanisation**
Hydrochloric Acid 2/236, 257
- housing**
Nitric Acid 2/348
- HPS**
Mixed Acids 1/405
- H-SCC**
Sodium Hydroxide 1/15
- H.T.H.[®]**
Hypochlorites 3/8
- Huey test**
Hydrochloric Acid 2/72
Nitric Acid 2/289, 338, 340–341, 346,
353–355, 357–359, 368, 379, 386–396,
399, 403, 405–406, 408, 418
- humidity**
Hydrochloric Acid 2/14, 64
- HVOF**
Mixed Acids 1/405
- hydration**
Hydrochloric Acid 2/184

- hydrazine sulfate (as inhibitor)**
Nitric Acid 2/324, 470
- hydroabrasion apparatus**
Hydrochloric Acid 2/158
- hydrochloric acid**
Phosphoric Acid 3/172–173
- hydrochloric acid engineering**
Hydrochloric Acid 2/256, 260
- hydrochloric acid equipment**
Hydrochloric Acid 2/226, 258
- hydrochloric acid pickling baths**
Hydrochloric Acid 2/56
- hydrochloric acid production**
Hydrochloric Acid 2/7
- hydrochloric acid pumps**
Hydrochloric Acid 2/230
- hydrochloric acid recovery**
Hydrochloric Acid 2/225
- hydrochloric acid separation**
Hydrochloric Acid 2/227
- hydrochloric acid separators**
Hydrochloric Acid 2/260
- hydrochloric acid solution**
Hydrochloric Acid 2/206
- hydrochloric acid storage tanks**
Hydrochloric Acid 2/244
- hydrochloric and chromic acid**
Hydrochloric Acid 2/46, 48
- hydrochloric and nitric acid**
Hydrochloric Acid 2/46, 48, 80–83, 105–106, 109
- hydrochloric and phosphoric acid**
Hydrochloric Acid 2/91
- hydrochloric, nitric and sulfuric acid**
Hydrochloric Acid 2/89
- hydrochlorination**
Hypochlorites 3/9
- hydrofluoric acid**
Hydrochloric Acid 2/212
Hypochlorites 3/93
- hydrofluorocarbons**
Hydrochloric Acid 2/64
- hydrogen absorption**
Hydrochloric Acid 2/11, 56–57, 72, 131–133, 143
Hypochlorites 3/88
- hydrogen adsorption**
Hydrochloric Acid 2/169
- hydrogen-assisted stress corrosion cracking**
Sodium Hydroxide 1/15, 53
- hydrogen attack**
Hydrochloric Acid 2/189
- hydrogen chloride gas**
Hydrochloric Acid 2/4
- hydrogen chloride vapor**
- hydrogen-containing atmosphere**
Nitric Acid 2/350
- hydrogen-induced crack formation**
Hydrochloric Acid 2/61
- hydrogen-induced cracking**
Hydrochloric Acid 2/69, 72
Hydrochloric Acid 2/241, 244
- hydrogen content**
Hydrochloric Acid 2/132
- hydrogen effusion**
Hydrochloric Acid 2/69
- hydrogen embrittlement**
Hydrochloric Acid 2/7, 126, 130–132, 143, 147, 167, 170, 255
Hypochlorites 3/86
Mixed Acids 1/339–340, 343–344, 347, 350–351
- hydrogen embrittlement fractures**
Hydrochloric Acid 2/170
- hydrogen evolution**
Hydrochloric Acid 2/42, 88
- hydrogen generation**
Hydrochloric Acid 2/34
- hydrogen ion activity**
Hydrochloric Acid 2/193, 201
- hydrogen liberation**
Hydrochloric Acid 2/35–36, 38
- hydrogen overpotential**
Hydrochloric Acid 2/27, 131
- hydrogen permeation**
Hydrochloric Acid 2/11
- hydrogen peroxide**
Mixed Acids 1/296
- hydrogen reference electrode**
Sodium Hydroxide 1/20
- hydrogen source**
Hydrochloric Acid 2/132
- hydrogen uptake**
Mixed Acids 1/344–345
Nitric Acid 2/444–445
- hydrolysis**
Hydrochloric Acid 2/59, 62, 157, 184, 214–215, 223, 226, 234
- hydrolysis resistance**
Hydrochloric Acid 2/59, 215–216, 231
- hydrolytic degradation**
Hydrochloric Acid 2/9, 214, 215, 234, 240, 249
- hydrophilic medium**
Hydrochloric Acid 2/234

m-hydroxybenzoic acid (as inhibitor)*Hydrochloric Acid* 2/30**p-hydroxybenzoic acid (as inhibitor)***Hydrochloric Acid* 2/30**hypochlorite***Mixed Acids* 1/296**hypochlorite bleach***Hypochlorites* 3/61, 78**hypochlorite bleaching solution***Hypochlorites* 3/98**hypochlorite solution***Hypochlorites* 3/107**hypochlorous acid***Hypochlorites* 3/6**i****IG process***Phosphoric Acid* 3/164**immersion bath heater***Mixed Acids* 1/237, 304, 346**immersion test***Hydrochloric Acid* 2/23**impact strength***Mixed Acids* 1/388**impact toughness***Hydrochloric Acid* 2/216, 233**impedance measurement***Mixed Acids* 1/406**impedance spectroscopy***Hydrochloric Acid* 2/164**impeller***Hydrochloric Acid* 2/201**implant steels***Nitric Acid* 2/401**impregnating agent***Hydrochloric Acid* 2/178**impregnation***Hydrochloric Acid* 2/179**impregnation agent***Mixed Acids* 1/354, 415**impregnation with synthetic resin***Hydrochloric Acid* 2/180**impressed current process***Sodium Hydroxide* 1/22**impurities (in HCl)***Hydrochloric Acid* 2/11, 124, 253, 257**incineration of waste***Hydrochloric Acid* 2/161**indentation hardness***Hydrochloric Acid* 2/216**indole (as inhibitor)***Nitric Acid* 2/332**indoor swimming pool***Hypochlorites* 3/16, 72**industrial air***Hypochlorites* 3/34*Mixed Acids* 1/242, 256**industrial atmosphere***Hydrochloric Acid* 2/15, 161, 163**industrial nitric acid***Nitric Acid* 2/303**industrial phosphoric acid***Phosphoric Acid* 3/243, 245, 260–261, 272, 277–278, 289, 292, 307, 317, 320, 329, 331, 338–339**industrial waste gas***Mixed Acids* 1/358**industrially pure phosphoric acid***Phosphoric Acid* 3/195–196**inert gas welding***Mixed Acids* 1/333**influence of hydrogen peroxide***Nitric Acid* 2/445**inhibiting effect***Nitric Acid* 2/470**inhibition***Hydrochloric Acid* 2/30, 91, 190–191, 194*Nitric Acid* 2/298, 441*Sodium Hydroxide* 1/29**inhibition effect***Hydrochloric Acid* 2/23, 27, 30, 93**inhibition efficiency***Hydrochloric Acid* 2/27, 30, 34, 39, 52, 57, 64, 65, 78–79, 91, 93, 165*Nitric Acid* 2/299–300, 300, 308, 316–317, 317–318, 321, 328, 331, 334, 429, 441*Phosphoric Acid* 3/196, 198, 222, 225**inhibitive action***Hydrochloric Acid* 2/23**inhibitor addition***Hydrochloric Acid* 2/43**inhibitor concentration***Hydrochloric Acid* 2/27, 34, 41

inhibitors

Hydrochloric Acid 2/10, 27, 34–35, 37, 39–40, 42, 51–52, 56–57, 63–64, 77, 92–93, 95, 148, 164–165

Hypochlorites 3/73

Mixed Acids 1/242, 244, 251, 289

Nitric Acid 2/298–299, 300, 308, 316–317, 317–318, 321–325, 328, 331–332, 334

Phosphoric Acid 3/173, 196, 198, 222, 224–225, 302

Sodium Hydroxide 1/25, 29, 36–37, 74

inhibitors for carbon steel

Hydrochloric Acid 2/63

injection moulding

Hydrochloric Acid 2/229

inorganic fillers

Phosphoric Acid 3/436

intensity/depth profile

Hydrochloric Acid 2/136

intercrystalline corrosion

Nitric Acid 2/297, 302, 307–308, 336, 338–340, 342, 346, 348, 352, 358, 360, 363–367, 374, 381, 388, 393, 396, 417, 419, 427

intercrystalline corrosion in boiling nitric acid

Nitric Acid 2/354

intercrystalline corrosion (in H₃PO₄)

Phosphoric Acid 3/261, 289, 310, 331, 334, 349, 418

intercrystalline corrosion on weld seams

Nitric Acid 2/353

intercrystalline stress corrosion cracking (in H₃PO₄)

Phosphoric Acid 3/347

interface corrosion

Mixed Acids 1/271

intergranular attack

Hydrochloric Acid 2/168

intergranular brittle fractures

Hydrochloric Acid 2/146

intergranular corrosion

Hydrochloric Acid 2/103, 116, 123, 168

Mixed Acids 1/290

Sodium Hydroxide 1/119, 128

intergranular corrosion (in hypochlorite solution)

Hypochlorites 3/59, 81

intergranular cracking (in HCl)

Hydrochloric Acid 2/147, 169

intergranular fracture

Hydrochloric Acid 2/147

intergranular hydrogen embrittlement

Hydrochloric Acid 2/146

intergranular stress corrosion cracking

Hydrochloric Acid 2/157

Sodium Hydroxide 1/16

intergranular susceptibility

Hydrochloric Acid 2/123, 198

intermetallic phase

Hydrochloric Acid 2/72, 103, 120–121, 124, 199

internal liner

Hydrochloric Acid 2/251, 258

internal pipe coating

Hydrochloric Acid 2/241

iodoacetic acid (as inhibitor)

Nitric Acid 2/299

ion-exchange phase

Hydrochloric Acid 2/190

ion exchange

Hydrochloric Acid 2/251

ionising radiation

Sodium Hydroxide 1/174

iron impurities

Sodium Hydroxide 1/41

iron inclusions

Hydrochloric Acid 2/157

iron migration

Mixed Acids 1/318, 410

isatin (as inhibitor)

Nitric Acid 2/308

isatin-3-(3-thiosemi-carbazone) (as inhibitor)

Nitric Acid 2/308

ISO 11782-1

Sodium Hydroxide 1/21

ISO 11782-2

Sodium Hydroxide 1/21

isocorrosion curve

Hydrochloric Acid 2/79

isocorrosion diagram

Hydrochloric Acid 2/100, 144

j**Javelle water**

Hypochlorites 3/7

jet engine

Sodium Hydroxide 1/31, 166

k**Keller's solution**

Nitric Acid 2/307

Keramchemie-Lurgi process

Hydrochloric Acid 2/201

kerogen*Nitric Acid* 2/379**kerosine-water mixture***Hydrochloric Acid* 2/63**Kesternich test***Hydrochloric Acid* 2/160**knife-line corrosion***Hydrochloric Acid* 2/123*Nitric Acid* 2/352, 359, 373**KOCl***Hypochlorites* 3/7**I****Labarraques solution***Hypochlorites* 3/8**laboratory equipment***Mixed Acids* 1/382**lack of pores***Hydrochloric Acid* 2/241**lamellar graphite***Nitric Acid* 2/336**lamine coatings***Hydrochloric Acid* 2/240–241**lamine composites***Hydrochloric Acid* 2/248**lamine structure***Hydrochloric Acid* 2/251**last ply failure***Hydrochloric Acid* 2/249**lauryl acid (as inhibitor)***Hydrochloric Acid* 2/30, 33**lead chamber process***Mixed Acids* 1/337**lead coatings***Nitric Acid* 2/300**leakage current***Hydrochloric Acid* 2/132**level of curing***Hydrochloric Acid* 2/251**liberation of hydrogen***Hydrochloric Acid* 2/27, 159**liberation of oxygen***Hypochlorites* 3/6**light water reactor***Nitric Acid* 2/447**light-stabilisers***Sodium Hydroxide* 1/172**lime sludge***Hydrochloric Acid* 2/96**lime-soda process***Sodium Hydroxide* 1/9**limestone suspension***Mixed Acids* 1/316**linear polarisation***Sodium Hydroxide* 1/62**liner***Hydrochloric Acid* 2/242, 257**lining material***Hydrochloric Acid* 2/228**linings***Hydrochloric Acid* 2/80, 227, 236, 242*Hypochlorites* 3/126*Mixed Acids* 1/333*Phosphoric Acid* 3/452*Sodium Hydroxide* 1/209**lip seals***Hydrochloric Acid* 2/247**liquid fertilizer***Phosphoric Acid* 3/163, 166**litharge lead plate***Hydrochloric Acid* 2/156**lithium hypochlorite solution***Hypochlorites* 3/114, 116**LITHSOLVENT®***Hydrochloric Acid* 2/92–93**local corrosion***Mixed Acids* 1/237, 316**local element***Hydrochloric Acid* 2/19, 23, 157**longitudinal welding seam***Hydrochloric Acid* 2/157**long-term behavior***Hydrochloric Acid* 2/215–216**loop samples***Nitric Acid* 2/327**loose linings***Hydrochloric Acid* 2/245**Losantin®***Hypochlorites* 3/8**low-pressure turbine***Sodium Hydroxide* 1/65**low-temperature properties***Hydrochloric Acid* 2/222**LPPS***Mixed Acids* 1/405**LPVCD***Sodium Hydroxide* 1/196**m****machine factories***Nitric Acid* 2/308**machine part***Hydrochloric Acid* 2/225**machining***Hydrochloric Acid* 2/258

- macromolecule**
 - Hydrochloric Acid* 2/206, 213
- magnesium hypochlorite**
 - Hypochlorites* 3/7
- main fields of utilisation**
 - Sodium Hydroxide* 1/10
- maize extract**
 - Nitric Acid* 2/316
- malachite green (as inhibitor)**
 - Hydrochloric Acid* 2/24
- Mannheim process**
 - Hydrochloric Acid* 2/8
- mannose (as inhibitor)**
 - Nitric Acid* 2/317
- manual arc welding**
 - Mixed Acids* 1/321, 333
 - Nitric Acid* 2/362
- manufacture**
 - Sodium Hydroxide* 1/6
- marine atmosphere**
 - Hydrochloric Acid* 2/15
- maritime air**
 - Hypochlorites* 3/34
- martensite decomposition**
 - Hydrochloric Acid* 2/74
- masonry linings**
 - Mixed Acids* 1/362
- mat laminate**
 - Hydrochloric Acid* 2/241
- material for screws**
 - Hypochlorites* 3/76
- matrix fractures**
 - Hydrochloric Acid* 2/249
- MAW**
 - Mixed Acids* 1/321, 333
- mechanical polishing**
 - Nitric Acid* 2/382
- mechanical properties**
 - Hydrochloric Acid* 2/48, 180
- medical implant**
 - Hydrochloric Acid* 2/239
 - Sodium Hydroxide* 1/146
- mediterranean countries**
 - Hydrochloric Acid* 2/181
- melt-spin process**
 - Hydrochloric Acid* 2/170
- membrane electrolysis**
 - Sodium Hydroxide* 1/7
- membrane process**
 - Sodium Hydroxide* 1/146
- mercaptobenzimidazole (as inhibitor)**
 - Nitric Acid* 2/321
- 2-mercaptobenzothiazole (as inhibitor)**
 - Nitric Acid* 2/321
- mercury process**
 - Sodium Hydroxide* 1/7
- metal recovery**
 - Mixed Acids* 1/237
- metal sheeting**
 - Mixed Acids* 1/318
- metal waste**
 - Mixed Acids* 1/305
- metallo-ceramic products**
 - Phosphoric Acid* 3/418
- metallic coatings**
 - Phosphoric Acid* 3/452
 - Sodium Hydroxide* 1/21, 189, 208
- metallic sprayed coatings**
 - Phosphoric Acid* 3/452
- metallurgy**
 - Mixed Acids* 1/237
- metal-non-metal composites**
 - Sodium Hydroxide* 1/195, 209
- metal-steel composites**
 - Sodium Hydroxide* 1/195, 209
- methanol-hydrochloric acid solution**
 - Hydrochloric Acid* 2/146
- methanol/nitric acid**
 - Nitric Acid* 2/293
- 1-p-methoxyphenyl-3-formamidine-thiocarbamide (as inhibitor)**
 - Nitric Acid* 2/299
- methyl red (as inhibitor)**
 - Hydrochloric Acid* 2/24
- methyl violet 6B (as inhibitor)**
 - Hydrochloric Acid* 2/24
- methylamine**
 - Sodium Hydroxide* 1/30
- methylamine (as inhibitor)**
 - Hydrochloric Acid* 2/24, 26–27
- n-methylaniline (as inhibitor)**
 - Nitric Acid* 2/325
- Mg(OCl)₂**
 - Hypochlorites* 3/7
- microcrack**
 - Hydrochloric Acid* 2/179
- microorganisms**
 - Hydrochloric Acid* 2/211
 - Hypochlorites* 3/10
 - Sodium Hydroxide* 1/174
- microsealing**
 - Hydrochloric Acid* 2/246
- microstructural state**
 - Mixed Acids* 1/320

β -microstructural state*Hydrochloric Acid* 2/150**milling (chemical)***Mixed Acids* 1/236, 342**mineral acid***Nitric Acid* 2/288**mineral digestion industry***Hydrochloric Acid* 2/11**mirror finish***Mixed Acids* 1/265**miscibility gap***Hydrochloric Acid* 2/6**mixed acid vapors***Mixed Acids* 1/252**mixed acids***Hydrochloric Acid* 2/81**mixed city-industrial atmosphere***Hydrochloric Acid* 2/15**mixed metal oxide***Hydrochloric Acid* 2/20**mixers***Hydrochloric Acid* 2/153**mixing vat***Mixed Acids* 1/250**modified Huey test***Nitric Acid* 2/417**moisture separator***Phosphoric Acid* 3/373**molecular chains***Hydrochloric Acid* 2/206**molecular structure***Hydrochloric Acid* 2/206*Sodium Hydroxide* 1/171**molybdenum carbide***Hydrochloric Acid* 2/123**molybdenum depletion***Hydrochloric Acid* 2/123**mordants***Mixed Acids* 1/251, 253, 262–263, 277,
344, 354, 407, 413**MoSi₂ layers***Nitric Acid* 2/412**moulded ceramic bricks***Mixed Acids* 1/354**Müller-Kühne process***Nitric Acid* 2/401**multilayer composite***Hydrochloric Acid* 2/249**multilayer lining***Hydrochloric Acid* 2/245, 246**multilayer rubber coating***Hydrochloric Acid* 2/261**muratic acid***Hydrochloric Acid* 2/4**n****NaCl initiation***Hydrochloric Acid* 2/18**NaCl test***Hydrochloric Acid* 2/15**NaOCl***Hypochlorites* 3/6**NaOH melt***Sodium Hydroxide* 1/63, 71, 74, 93,
110–111, 137, 139, 141–142, 148, 151,
162, 164, 205**Na₂HPO₄ (as inhibitor)***Phosphoric Acid* 3/224**1.8-naphthalic acid (as inhibitor)***Hydrochloric Acid* 2/30**naphthotriazole (as inhibitor)***Nitric Acid* 2/322**1,2-naphthotriazole (as inhibitor)***Phosphoric Acid* 3/196 **α -naphthylamine (as inhibitor)***Nitric Acid* 2/317, 325**sodium causticum***Sodium Hydroxide* 1/4**sodium hydricum***Sodium Hydroxide* 1/4**natural gas***Mixed Acids* 1/242**natural gas condensate***Mixed Acids* 1/242, 256**Nernst equation***Sodium Hydroxide* 1/12**neutralisation***Hydrochloric Acid* 2/8, 63, 228**neutraliser***Hydrochloric Acid* 2/63**neutralising agent***Hydrochloric Acid* 2/63**nickel coating***Sodium Hydroxide* 1/109, 189, 192**nickel layer***Nitric Acid* 2/414**nickel material***Hypochlorites* 3/48–53**nickel pipes***Sodium Hydroxide* 1/35**nickel tanks***Sodium Hydroxide* 1/109**nickel-copper-phosphorus coatings***Sodium Hydroxide* 1/189

- nickel-phosphorus coatings**
Sodium Hydroxide 1/189
- nickel-plating baths**
Mixed Acids 1/354
- 3-nicotinamide (as inhibitor)**
Hydrochloric Acid 2/34
- nicotinic acid**
Nitric Acid 2/292
- NiP coatings**
Phosphoric Acid 3/452, 453
- Nissan process**
Phosphoric Acid 3/337
- nitrating acid**
Mixed Acids 1/243, 265, 290, 403
- nitrating acid tank**
Mixed Acids 1/247
- nitrating centrifuge**
Mixed Acids 1/251
- nitrating vessels**
Mixed Acids 1/265
- nitrating works**
Mixed Acids 1/404
- nitration**
Mixed Acids 1/236, 265–266
- nitration of organic substances**
Nitric Acid 2/463
- nitric acid**
Nitric Acid 2/442
- nitric acid + ammonia**
Nitric Acid 2/456
- nitric acid + gasoline**
Nitric Acid 2/456
- nitric acid and hydrogen fluoride**
Nitric Acid 2/432
- nitric acid (as inhibitor)**
Nitric Acid 2/442
- nitric acid condensate**
Nitric Acid 2/368
- nitric acid factories**
Nitric Acid 2/440
- nitric acid industry**
Nitric Acid 2/289, 336
- nitric acid plants**
Nitric Acid 2/348, 463
- nitric acid pumps**
Nitric Acid 2/348
- nitric acid vapor test**
Nitric Acid 2/431
- nitric and glacial acetic acid**
Nitric Acid 2/459
- nitric and hydrochloric acid**
Nitric Acid 2/307, 310, 329, 333, 382, 402, 411, 414, 424, 428–430, 434, 442–443, 448, 462, 466, 469–470, 473–474
- nitric and hydrofluoric acid**
Hydrochloric Acid 2/105, 109–110
Nitric Acid 2/307, 313–315, 342–343, 371–372, 381–382, 397–399, 414–417, 421, 424–425, 428, 434, 443–445, 454–456, 460, 467, 469–470, 473–474
- nitric and phosphoric acid**
Hydrochloric Acid 2/46–47
Nitric Acid 2/310, 319, 403, 428, 463, 468
- nitric and sulfuric acid**
Hydrochloric Acid 2/105, 108–109
Mixed Acids 1/257
Nitric Acid 2/307, 334, 336, 343–345, 375–377, 400–401, 424, 428, 435, 442–443, 461, 463, 468–469, 475
- nitric, hydrochloric and phosphoric acid**
Nitric Acid 2/403
- nitric, hydrochloric and sulphuric acid**
Nitric Acid 2/382
- nitric, hydrofluoric and hydrochloric acid**
Nitric Acid 2/310
- nitric, hydrofluoric and sulphuric acid**
Nitric Acid 2/434, 464
- nitriding**
Hydrochloric Acid 2/158–159
- nitriding temperature**
Hydrochloric Acid 2/159
- p-nitroaniline (as inhibitor)**
Nitric Acid 2/323–325
- nitrobenzoic acid**
Sodium Hydroxide 1/25
- nitrocellulose**
Mixed Acids 1/251
- nitrogen atmosphere**
Nitric Acid 2/466
- nitrogen compounds**
Hydrochloric Acid 2/63
- p-nitrohydroxy-benzoic acid (as inhibitor)**
Nitric Acid 2/308
- nitrous gases**
Nitric Acid 2/375
- non-aerated**
Phosphoric Acid 3/187
- non-aerated phosphoric acid**
Phosphoric Acid 3/184, 193
- non-agitated phosphoric acid**
Phosphoric Acid 3/193

non-amphoteric metals*Sodium Hydroxide* 1/13**noble metal salts***Hydrochloric Acid* 2/148**nodular graphite***Nitric Acid* 2/336**non-metallic coatings***Phosphoric Acid* 3/452**notch impact toughness***Hydrochloric Acid* 2/216**notched bar impact strength***Mixed Acids* 1/388**notched impact strength***Nitric Acid* 2/360**nozzles***Sodium Hydroxide* 1/166**nuclear energy plants***Nitric Acid* 2/349**nuclear fuel reprocessing***Nitric Acid* 2/450**nuclear fuel rods***Nitric Acid* 2/454**nuclear fuels***Nitric Acid* 2/288, 372, 447–448**nuclear material***Mixed Acids* 1/339**nuclear power station***Hydrochloric Acid* 2/97**nuclear reactor construction***Nitric Acid* 2/450**nuclear reactor industry***Nitric Acid* 2/355**nuclear reactors***Mixed Acids* 1/347*Nitric Acid* 2/382, 421, 441**nuclear waste***Mixed Acids* 1/339**nuts***Hypochlorites* 3/88, 90*Mixed Acids* 1/333**o****offset yield strength***Nitric Acid* 2/346**oil***Hydrochloric Acid* 2/77**oil ash particles***Hydrochloric Acid* 2/163**oil distillation***Hydrochloric Acid* 2/62**oil industry***Hydrochloric Acid* 2/63–64**oil production***Hydrochloric Acid* 2/77**oil refinery***Hydrochloric Acid* 2/63, 66, 72**oil supply line***Sodium Hydroxide* 1/31**open-air weathering test***Hydrochloric Acid* 2/15**operating temperature***Hydrochloric Acid* 2/227–228, 231**organic coating***Sodium Hydroxide* 1/21, 188, 208**organic fillers***Phosphoric Acid* 3/436**organic matrix material***Hydrochloric Acid* 2/248**organic waste***Nitric Acid* 2/435**O-rings***Hydrochloric Acid* 2/247, 263**orthopaedics***Nitric Acid* 2/314**orthophosphoric acid***Phosphoric Acid* 3/386**oscillation load***Hydrochloric Acid* 2/214**overhead streams***Hydrochloric Acid* 2/62**overheating***Hydrochloric Acid* 2/246**overpickling***Hydrochloric Acid* 2/10**overvoltage***Hydrochloric Acid* 2/156**over-vulcanisation***Hydrochloric Acid* 2/257**oxalic acid***Mixed Acids* 1/290**oxidation***Hypochlorites* 3/9**oxidation (anodic)***Mixed Acids* 1/241**oxidation resistance***Hydrochloric Acid* 2/215**oxidative degradation***Hydrochloric Acid* 2/9, 215, 215, 234**oxide coating***Phosphoric Acid* 3/222**oxide layer***Hydrochloric Acid* 2/143, 153*Mixed Acids* 1/245

oxidizing agent*Hydrochloric Acid* 2/148*Hypochlorites* 3/6, 43*Sodium Hydroxide* 1/37**oxidizing impurities***Phosphoric Acid* 3/368**oxidizing ions***Nitric Acid* 2/448**oxygen bleach***Hypochlorites* 3/8**oxygen corrosion***Mixed Acids* 1/244**ozone***Nitric Acid* 2/380**p****packaging material***Mixed Acids* 1/398*Nitric Acid* 2/302**packaging plastic***Hydrochloric Acid* 2/232**packing materials***Mixed Acids* 1/404**packings***Hydrochloric Acid* 2/247**PACVD***Sodium Hydroxide* 1/196**painted coating***Hypochlorites* 3/17**paper and pulp industry***Mixed Acids* 1/315*Sodium Hydroxide* 1/145**paper bleach***Hypochlorites* 3/80**paper industry***Hydrochloric Acid* 2/228*Hypochlorites* 3/38, 62, 68, 76, 93*Mixed Acids* 1/237, 246**paper manufacturer***Mixed Acids* 1/296**paper mill***Hydrochloric Acid* 2/96**paper plant***Mixed Acids* 1/298**paper-cellulose slurry***Hypochlorites* 3/80**particle-reinforced composites***Hydrochloric Acid* 2/248**passivation***Hydrochloric Acid* 2/148, 157, 198*Mixed Acids* 1/275, 288*Nitric Acid* 2/288*Sodium Hydroxide* 1/74**passivation behavior***Sodium Hydroxide* 1/40**passivation of chromium steel***Nitric Acid* 2/345**passivator***Nitric Acid* 2/335**passive current densities***Mixed Acids* 1/245**passive layer***Hydrochloric Acid* 2/87, 130, 136, 143, 175*Hypochlorites* 3/14*Sodium Hydroxide* 1/142, 144**passive range***Mixed Acids* 1/275*Sodium Hydroxide* 1/45, 51, 92, 115, 125, 137**passivity***Hydrochloric Acid* 2/154**paste extrusion***Hydrochloric Acid* 2/227**Pauling tower***Mixed Acids* 1/251**PE bag***Phosphoric Acid* 3/427**penetration composites***Hydrochloric Acid* 2/248**penetration rates***Hydrochloric Acid* 2/216**Perchloron®***Hypochlorites* 3/8**peristaltic pump***Hydrochloric Acid* 2/261**permanent die casting***Nitric Acid* 2/303**permeability***Hydrochloric Acid* 2/9, 180**permeation***Hydrochloric Acid* 2/212, 212, 241*Mixed Acids* 1/387*Sodium Hydroxide* 1/175**permeation ability***Hydrochloric Acid* 2/6**permeation coefficient***Hydrochloric Acid* 2/212, 227**permeation effect***Hydrochloric Acid* 2/9, 212**petroleum distillation units***Hydrochloric Acid* 2/74**petroleum production***Nitric Acid* 2/406**pharmaceutical industry***Hydrochloric Acid* 2/256

pharmaceuticals*Mixed Acids* 1/363**α-phase***Hydrochloric Acid* 2/149**μ-phase***Hydrochloric Acid* 2/103**ω-phase***Hydrochloric Acid* 2/149**o-phenetidine (as inhibitor)***Nitric Acid* 2/317, 325**p-phenetidine (as inhibitor)***Nitric Acid* 2/299**phenol epoxide resins***Sodium Hydroxide* 1/196**phenols (as inhibitor)***Phosphoric Acid* 3/174**phenyl thiourea (as inhibitor)***Nitric Acid* 2/322**m-phenylenediamine (as inhibitor)***Nitric Acid* 2/323**o-phenylenediamine (as inhibitor)***Nitric Acid* 2/323, 328**phenylhydrazine (as inhibitor)***Nitric Acid* 2/324–325**phenylthiourea (as inhibitor)***Nitric Acid* 2/298, 325**phloroglucine***Sodium Hydroxide* 1/38**phosphate chromation***Nitric Acid* 2/302**phosphate fertiliser***Hydrochloric Acid* 2/90**phosphate fertilizer production***Phosphoric Acid* 3/381**phosphate ores***Mixed Acids* 1/258, 331**phosphate rock***Hydrochloric Acid* 2/90*Phosphoric Acid* 3/250–252, 336, 355**phosphatization***Phosphoric Acid* 3/406**phosphoric acid***Mixed Acids* 1/331, 333*Phosphoric Acid* 3/171–173, 187, 225, 248**phosphoric acid + ammonium nitrate +****ammonium sulfate + nitric acid***Phosphoric Acid* 3/206**phosphoric acid + ammonium sulfate +****sulfuric acid***Phosphoric Acid* 3/206**phosphoric acid + calcium sulphate + sulfuric acid***Phosphoric Acid* 3/207**phosphoric acid + fluorosilicic acid***Phosphoric Acid* 3/225**phosphoric acid + hydrogen fluoride***Phosphoric Acid* 3/225**phosphoric acid (analytically pure)***Phosphoric Acid* 3/286–287**phosphoric acid and hydrogen halides***Phosphoric Acid* 3/210, 212, 214**phosphoric acid and sodium chloride***Phosphoric Acid* 3/215**phosphoric acid (as inhibitor)***Nitric Acid* 2/470*Phosphoric Acid* 3/173**phosphoric acid (chemically pure)***Phosphoric Acid* 3/202**phosphoric acid (industrial)***Phosphoric Acid* 3/205, 243, 245, 260–261, 272, 277–278, 289, 292–293, 307, 317, 320, 329, 331, 338–339**phosphoric acid industry***Phosphoric Acid* 3/331, 437, 453**phosphoric acid mist***Phosphoric Acid* 3/201**phosphoric acid plant***Mixed Acids* 1/256, 258, 301–302, 356**phosphoric acid plants***Phosphoric Acid* 3/401, 431, 434**phosphoric acid processing plant***Mixed Acids* 1/289**phosphoric acid production***Mixed Acids* 1/333, 354, 403, 413*Phosphoric Acid* 3/291, 306, 329, 354, 360**phosphoric acid (pure)***Phosphoric Acid* 3/226, 228, 239, 330, 341–343, 345–348, 351–358, 367–368, 370–372, 382–383, 386–387, 390–392, 395–396, 401–404, 406–407, 409, 411–412, 414–415, 417–418, 421, 428, 430, 455, 462**phosphoric acid tanker***Phosphoric Acid* 3/455**phosphoric acid vapor***Phosphoric Acid* 3/185–186**phosphoric acid waste water***Phosphoric Acid* 3/250, 252, 254**phosphoric and chromic acid***Phosphoric Acid* 3/207**phosphoric and hexafluorosilicic acid***Phosphoric Acid* 3/375

- phosphoric and hydrofluoric acid**
 - Phosphoric Acid* 3/208, 362–364, 372–373, 429
- phosphoric and nitric acid**
 - Phosphoric Acid* 3/262, 264, 442
- phosphoric and sulfuric acid**
 - Phosphoric Acid* 3/176, 190–191, 215, 248, 250, 308–310, 315, 363–365, 368, 377, 462
- phosphoric, fluorosilicic and chromic acid**
 - Phosphoric Acid* 3/208
- phosphoric, hydrochloric and chromic acid**
 - Phosphoric Acid* 3/172
- phosphoric, hydrochloric and sulfuric acid**
 - Phosphoric Acid* 3/316, 386
- phosphoric, hydrofluoric and nitric acid**
 - Phosphoric Acid* 3/210
- phosphoric, hydrofluoric and sulfuric acid**
 - Phosphoric Acid* 3/262, 265, 291
- phosphoric, hydrofluoric, nitric and sulfuric acid**
 - Phosphoric Acid* 3/210
- phosphoric, nitric and sulfuric acid**
 - Phosphoric Acid* 3/214
- phosphoric, sulfuric and chromic acid**
 - Phosphoric Acid* 3/207
- phosphoric, sulfuric and hexafluorosilicic acid**
 - Phosphoric Acid* 3/361–362
- phosphoric, sulfuric and hydrofluoric acid**
 - Phosphoric Acid* 3/374
- phosphoric, sulfuric, hydrofluoric and hexafluorosilicic acid**
 - Phosphoric Acid* 3/311–312, 337, 361–362, 374
- phosphorus contents**
 - Sodium Hydroxide* 1/44
- phosphorus pentoxide**
 - Phosphoric Acid* 3/164
- phosphorus segregation**
 - Sodium Hydroxide* 1/45, 68
- photochemical degradation**
 - Hydrochloric Acid* 2/229
- photographic etching**
 - Nitric Acid* 2/301
- photographic industry**
 - Nitric Acid* 2/380
- photooxidation**
 - Sodium Hydroxide* 1/174
- photooxidative resistance**
 - Hydrochloric Acid* 2/225
- phthalic acid (as inhibitor)**
 - Hydrochloric Acid* 2/30
- physical vapor deposition**
 - Hydrochloric Acid* 2/177
- pickle**
 - Hydrochloric Acid* 2/48, 56, 105
 - Mixed Acids* 1/236, 347
 - Sodium Hydroxide* 1/26
- pickling**
 - Hydrochloric Acid* 2/8, 46, 69
 - Mixed Acids* 1/251
 - Nitric Acid* 2/381, 401, 444
- pickling acid**
 - Phosphoric Acid* 3/174, 222
- pickling agent**
 - Hydrochloric Acid* 2/10
 - Phosphoric Acid* 3/170, 190, 462
- pickling attack**
 - Hydrochloric Acid* 2/45
- pickling baskets**
 - Mixed Acids* 1/333
- pickling bath monitoring**
 - Hydrochloric Acid* 2/56
- pickling baths**
 - Mixed Acids* 1/354
 - Sodium Hydroxide* 1/26
- pickling inhibitor**
 - Phosphoric Acid* 3/222
- pickling of stainless steels**
 - Hydrochloric Acid* 2/110
- pickling paste**
 - Nitric Acid* 2/382
- pickling pores**
 - Mixed Acids* 1/264
- pickling process**
 - Hydrochloric Acid* 2/10–11, 55
 - Mixed Acids* 1/262
- pickling rack**
 - Mixed Acids* 1/327
- pickling rate**
 - Nitric Acid* 2/300, 309, 382, 414, 444–445, 445
- pickling resistance**
 - Hydrochloric Acid* 2/44
- pickling solution**
 - Hydrochloric Acid* 2/43
 - Nitric Acid* 2/299, 450
 - Phosphoric Acid* 3/190
- pickling tank**
 - Mixed Acids* 1/395
- pickling tests**
 - Mixed Acids* 1/277
- pickling time**
 - Hydrochloric Acid* 2/69, 71
 - Sodium Hydroxide* 1/26

- pickling towers**
Hydrochloric Acid 2/235
- pickling vats**
Mixed Acids 1/362
- picric acid**
Mixed Acids 1/266
- piezoelectric resonators**
Nitric Acid 2/464
- pigments**
Hydrochloric Acid 2/207, 223
Mixed Acids 1/384
- pilot plant**
Hydrochloric Acid 2/134
- pipe**
Hydrochloric Acid 2/179, 218, 264
Hypochlorites 3/37
Mixed Acids 1/398
Sodium Hydroxide 1/111, 120
- pipe connections**
Nitric Acid 2/421
- pipe material**
Hydrochloric Acid 2/235
- pipeline**
Hydrochloric Acid 2/57, 187, 259
Hypochlorites 3/119
Mixed Acids 1/265
Nitric Acid 2/360
Phosphoric Acid 3/380
Sodium Hydroxide 1/43, 105, 181, 186–187
- pipeline construction**
Hydrochloric Acid 2/259
Mixed Acids 1/402
- pipeline systems**
Phosphoric Acid 3/331
- piping for solvents**
Hydrochloric Acid 2/226
- pistons**
Sodium Hydroxide 1/166
- pitchpine**
Mixed Acids 1/404
- pitting**
Hydrochloric Acid 2/14, 73, 91
- pitting corrosion**
Hydrochloric Acid 2/14, 19, 72, 77, 80, 87, 96, 99, 103, 108, 112–113, 156, 167, 175, 255
Mixed Acids 1/242, 245, 262, 289–290
Nitric Acid 2/307, 367, 381, 401
Sodium Hydroxide 1/13–14, 32, 107, 148
- pitting corrosion behavior**
Hypochlorites 3/47, 60, 67, 71, 75, 81
- pitting corrosion (in H₃PO₄)**
Phosphoric Acid 3/179, 187, 193, 227, 237, 243, 245, 247, 271, 276, 279, 285, 289, 296, 304, 308, 310, 320, 327, 331–332, 334, 336, 338, 340, 343, 348–349, 355, 366, 389, 462
- pitting corrosion (in hypochlorite solution)**
Hypochlorites 3/10, 15–16, 18–19, 28, 35, 39, 43–44, 46, 53, 57, 59, 61, 65–68, 70–72, 75–76, 81–85, 129
- pitting corrosion potential**
Hydrochloric Acid 2/169
Hypochlorites 3/45, 61, 66, 68
Mixed Acids 1/290, 316
Phosphoric Acid 3/247, 271
- pitting corrosion resistance**
Hypochlorites 3/45–47, 55, 61, 63, 65–70, 72, 82
- pitting corrosion temperature**
Hypochlorites 3/47, 55
- pitting holes**
Hydrochloric Acid 2/157
- pitting index**
Hypochlorites 3/45–55, 57, 61, 63–65, 67–72, 74–76
Phosphoric Acid 3/247, 271–272, 293, 327–329, 332, 338, 343, 350, 355, 358, 360, 366, 462
- pitting potential**
Hypochlorites 3/44–46, 76
- pitting resistance**
Hydrochloric Acid 2/169
- plant components**
Hydrochloric Acid 2/256
- plant pickling**
Hydrochloric Acid 2/44
- plasma-plug welding**
Mixed Acids 1/321
- plasma-sprayed coatings**
Phosphoric Acid 3/417
- plastic composites**
Hydrochloric Acid 2/207
Mixed Acids 1/383
- plastic deformation**
Hydrochloric Acid 2/132
- plastic pump**
Hydrochloric Acid 2/262, 264
- plastic sealing discs**
Nitric Acid 2/350
- plastic waste**
Mixed Acids 1/316

- plasticizer**
 - Hydrochloric Acid* 2/207, 225, 236
 - Mixed Acids* 1/384
 - Phosphoric Acid* 3/431
- plastics**
 - Sodium Hydroxide* 1/172, 177
- plate heat exchanger**
 - Hydrochloric Acid* 2/156, 260
 - Mixed Acids* 1/327
- plates**
 - Mixed Acids* 1/381
- platings**
 - Hydrochloric Acid* 2/12
- platinum**
 - Nitric Acid* 2/450
- platinum layers**
 - Nitric Acid* 2/430
- plumbates**
 - Sodium Hydroxide* 1/13
- plutonium**
 - Mixed Acids* 1/268
 - Nitric Acid* 2/372
- plutonium oxide**
 - Nitric Acid* 2/467
- polarisation curves**
 - Hydrochloric Acid* 2/39, 67–68
 - Mixed Acids* 1/244
- polarisation measurements**
 - Hydrochloric Acid* 2/25, 27, 39
- polarisation resistance**
 - Hydrochloric Acid* 2/40, 43, 77
- polishing**
 - Nitric Acid* 2/310, 411
- polishing agent**
 - Nitric Acid* 2/292
- polishing bath**
 - Nitric Acid* 2/300
- polishing (chemical)**
 - Mixed Acids* 1/236
- polishing copper**
 - Nitric Acid* 2/318
- polishing (electrochemical)**
 - Mixed Acids* 1/236
- polishing (electrolytic)**
 - Mixed Acids* 1/273
- polyaddition**
 - Hydrochloric Acid* 2/208
- polyamide-epoxide resin coatings**
 - Sodium Hydroxide* 1/184
- polycondensation**
 - Hydrochloric Acid* 2/208
- polyester barrier layer**
 - Hydrochloric Acid* 2/250
- polyester-epoxide resin coatings**
 - Sodium Hydroxide* 1/184
- polyethylene bottles**
 - Hypochlorites* 3/109
- polyethylene containers**
 - Phosphoric Acid* 3/427
- polyethylene-coated carbon fibers**
 - Nitric Acid* 2/461
- polymer cement**
 - Hydrochloric Acid* 2/230
- polymer concrete**
 - Hydrochloric Acid* 2/235
- polymer lining**
 - Hydrochloric Acid* 2/260
- polymer matrix**
 - Hydrochloric Acid* 2/251
- polymer-cement mixture**
 - Hydrochloric Acid* 2/183
- polypropylene**
 - Phosphoric Acid* 3/429
- porcelain pipe system**
 - Hydrochloric Acid* 2/134
- porcelain putties**
 - Phosphoric Acid* 3/166
- pore diffusion**
 - Hydrochloric Acid* 2/178
- pore structure**
 - Hydrochloric Acid* 2/180
- potassium bichromate (as inhibitor)**
 - Hydrochloric Acid* 2/154
- potassium dichromate (as inhibitor)**
 - Nitric Acid* 2/441
- potassium hypochlorite**
 - Hypochlorites* 3/7, 14, 40, 44
- potassium hypochlorite solution**
 - Hypochlorites* 3/13, 15, 23–25, 37, 39, 95, 100–101, 104, 111, 114, 117
- potassium iodide (as inhibitor)**
 - Hydrochloric Acid* 2/78
- potential-acidity diagram**
 - Sodium Hydroxide* 1/71
- potential-pH diagram**
 - Hydrochloric Acid* 2/12
 - Sodium Hydroxide* 1/12, 23, 71
- potentiodynamic quick test**
 - Hydrochloric Acid* 2/113
- potentiostatically impressed current**
 - Sodium Hydroxide* 1/45
- Pourbaix diagram**
 - Sodium Hydroxide* 1/71
- powder**
 - Hydrochloric Acid* 2/198

- powder coating**
 - Hydrochloric Acid* 2/229, 240, 241
- powder extrusion**
 - Hydrochloric Acid* 2/227
- powder sintering**
 - Hydrochloric Acid* 2/241
- power generator**
 - Sodium Hydroxide* 1/77
- power station**
 - Hydrochloric Acid* 2/8
 - Mixed Acids* 1/298
 - Sodium Hydroxide* 1/65, 67, 77
- power station engineering**
 - Mixed Acids* 1/316
- power station systems**
 - Hydrochloric Acid* 2/44
- practical galvanic series**
 - Sodium Hydroxide* 1/20
- precipitation kinetics**
 - Hydrochloric Acid* 2/121
- preheater**
 - Hydrochloric Acid* 2/63
 - Phosphoric Acid* 3/331
- preheater circuit**
 - Hydrochloric Acid* 2/63
- preheater stage**
 - Hydrochloric Acid* 2/63
- pre-oxidation**
 - Mixed Acids* 1/380
- prepregs**
 - Hydrochloric Acid* 2/248
- pre-scrubber**
 - Mixed Acids* 1/299
- pressure die casting**
 - Nitric Acid* 2/303
- pressure sintering**
 - Hydrochloric Acid* 2/227
- pressure vessel**
 - Sodium Hydroxide* 1/47
- pressure vessel steel**
 - Sodium Hydroxide* 1/47
- pressure-temperature-concentration diagram**
 - Hydrochloric Acid* 2/5
- pressure/temperature diagram**
 - Hydrochloric Acid* 2/228
- pressurized reactor**
 - Hydrochloric Acid* 2/135
- pressurized water reactor**
 - Nitric Acid* 2/421, 424, 454
 - Sodium Hydroxide* 1/119, 122, 126
- Preventol® C1-5**
 - Phosphoric Acid* 3/222
- printed circuit**
 - Hydrochloric Acid* 2/15
- printing plates**
 - Mixed Acids* 1/241
 - Nitric Acid* 2/450
- process air dampers**
 - Hydrochloric Acid* 2/224
- process engineering**
 - Hydrochloric Acid* 2/166
- process tanks**
 - Mixed Acids* 1/289
- processing**
 - Mixed Acids* 1/333
- processing fuel rods**
 - Nitric Acid* 2/421
- processing lines**
 - Phosphoric Acid* 3/434
- processing of nitric acid**
 - Nitric Acid* 2/441
- processing of phosphoric acid**
 - Phosphoric Acid* 3/381
- production of ammonium nitrate**
 - Nitric Acid* 2/380, 408
- production of bleaching**
 - Hypochlorites* 3/9
- production of carbide**
 - Nitric Acid* 2/450
- production of fertilizer**
 - Phosphoric Acid* 3/166
- production of fertilizers**
 - Nitric Acid* 2/441
- production of hypochlorite**
 - Hypochlorites* 3/9
- production of nitric acid**
 - Nitric Acid* 2/408
- production of nitroglycerine**
 - Nitric Acid* 2/374
- production of Nitrophoska**
 - Nitric Acid* 2/403
- production of phosphoric acid**
 - Phosphoric Acid* 3/250, 260, 431
- production of raw phosphoric acid**
 - Mixed Acids* 1/302
- production of TNT**
 - Nitric Acid* 2/374, 400
- production processes for wet phosphoric acid**
 - Phosphoric Acid* 3/163
- profile packings**
 - Hydrochloric Acid* 2/247
- propeller**
 - Nitric Acid* 2/396

- propeller bronze**
 - Hydrochloric Acid* 2/50
 - propyl nitrate**
 - Mixed Acids* 1/266
 - propylamine**
 - Sodium Hydroxide* 1/30
 - propylamine (as inhibitor)**
 - Hydrochloric Acid* 2/26–27
 - n-propylamine (as inhibitor)**
 - Hydrochloric Acid* 2/24
 - protection**
 - Mixed Acids* 1/273, 331
 - pT-diagram**
 - Hydrochloric Acid* 2/247
 - PTFE claddings**
 - Sodium Hydroxide* 1/182
 - PTFE coating**
 - Hydrochloric Acid* 2/263
 - PTFE rings**
 - Nitric Acid* 2/368
 - PTFE yarns**
 - Hydrochloric Acid* 2/181
 - pulp and paper**
 - Mixed Acids* 1/296
 - pulp and paper industries**
 - Sodium Hydroxide* 1/42, 88, 145
 - pulp industry**
 - Mixed Acids* 1/362
 - Sodium Hydroxide* 1/55
 - pulp manufacturer**
 - Mixed Acids* 1/296
 - pulp plant**
 - Mixed Acids* 1/298
 - pump**
 - Hydrochloric Acid* 2/153, 179, 189, 197, 228, 233, 261, 265
 - Hypochlorites* 3/37
 - Mixed Acids* 1/265, 289, 333, 398, 409
 - Nitric Acid* 2/360, 439
 - Phosphoric Acid* 3/260, 416
 - Sodium Hydroxide* 1/182
 - pump components**
 - Hydrochloric Acid* 2/261
 - pump industry**
 - Hydrochloric Acid* 2/228
 - pump material**
 - Hydrochloric Acid* 2/262
 - Mixed Acids* 1/335
 - Sodium Hydroxide* 1/186, 198
 - pure boiling phosphoric acid**
 - Phosphoric Acid* 3/354, 357, 370
 - pure gas pipeline**
 - Hydrochloric Acid* 2/223
 - pure nitric acid**
 - Nitric Acid* 2/382
 - pure phosphoric acid**
 - Phosphoric Acid* 3/226, 228, 239, 330, 341–343, 345–348, 351–358, 367–368, 370–372, 382–383, 386–387, 390–392, 395–396, 401–404, 406–407, 409, 411–415, 417–418, 421, 428, 430, 436–437, 455, 462
 - pure phosphorus**
 - Phosphoric Acid* 3/164
 - Purex-I/WW solution**
 - Nitric Acid* 2/418
 - Purex process**
 - Mixed Acids* 1/339, 347, 350
 - Nitric Acid* 2/438
 - putties**
 - Mixed Acids* 1/415
 - PVC burning**
 - Hydrochloric Acid* 2/225
 - PVC waste**
 - Hydrochloric Acid* 2/257
 - PVD process**
 - Hydrochloric Acid* 2/174, 177
 - PVDF pipes**
 - Phosphoric Acid* 3/448
 - pyrolysis**
 - Hydrochloric Acid* 2/178, 227
 - pyromellitic acid (as inhibitor)**
 - Hydrochloric Acid* 2/30
 - pyrophoric reaction course**
 - Nitric Acid* 2/435
 - 2-pyrrolicarboxaldehyde-(2'-pyridyl)hydrazone (as inhibitor)**
 - Hydrochloric Acid* 2/37
- q**
- quality grades of phosphoric acid**
 - Phosphoric Acid* 3/165
 - quartz glass**
 - Hydrochloric Acid* 2/184
 - quartz material**
 - Mixed Acids* 1/416
 - quartz products**
 - Phosphoric Acid* 3/410–411
 - quartz sand**
 - Hydrochloric Acid* 2/158
 - quartz sheets**
 - Nitric Acid* 2/464
 - quartz ware**
 - Phosphoric Acid* 3/410
 - quencher**
 - Mixed Acids* 1/299

quencher tower*Hydrochloric Acid* 2/7**quinoline (as inhibitor)***Hydrochloric Acid* 2/95*Phosphoric Acid* 3/198**r****radical chain reaction***Hydrochloric Acid* 2/215**radioactive material***Nitric Acid* 2/365**radioactive substances***Nitric Acid* 2/379**radioactive waste***Nitric Acid* 2/379, 438**radioactive waste solutions***Hydrochloric Acid* 2/115**radioindicator measurements***Nitric Acid* 2/351**radionuclide method***Hydrochloric Acid* 2/59**radiotracer method***Nitric Acid* 2/432, 454**railway tank wagons***Sodium Hydroxide* 1/109**rain water***Hydrochloric Acid* 2/181**raw gas inlet duct***Mixed Acids* 1/318**raw gas inlet zone***Mixed Acids* 1/322**raw nitro-glycerine***Mixed Acids* 1/265**raw phosphoric acid***Mixed Acids* 1/302**reaction boilers***Nitric Acid* 2/464**reaction stage***Mixed Acids* 1/289**reaction tanks***Mixed Acids* 1/289*Nitric Acid* 2/374**reaction vessels***Mixed Acids* 1/407*Phosphoric Acid* 3/380**reactor***Hydrochloric Acid* 2/189*Sodium Hydroxide* 1/70, 94, 143**reactor engineering***Sodium Hydroxide* 1/143**reactor fuel element***Mixed Acids* 1/268**reactor material***Hydrochloric Acid* 2/135**reactor turbine agitators***Mixed Acids* 1/289**reactor vessels***Hydrochloric Acid* 2/134*Mixed Acids* 1/354**recovery of the nitric acid***Nitric Acid* 2/372**recovery plants***Nitric Acid* 2/435**red fuming nitric acid***Nitric Acid* 2/297**reduction factors***Hydrochloric Acid* 2/214, 217–218, 220, 222, 228*Mixed Acids* 1/387**refineries***Hydrochloric Acid* 2/62**refractory materials***Phosphoric Acid* 3/417**refractory metals***Mixed Acids* 1/351**regenerate dampers***Hydrochloric Acid* 2/224**regenerate pipeline***Hydrochloric Acid* 2/223**regeneration of ion-exchange resins***Hydrochloric Acid* 2/8**region of the weld seam***Mixed Acids* 1/252**reinforced plastics***Sodium Hydroxide* 1/198**reinforcing materials***Hydrochloric Acid* 2/248*Phosphoric Acid* 3/440**relaxation***Hydrochloric Acid* 2/246**release of hydrochloric acid***Hydrochloric Acid* 2/214**remediation measures***Hydrochloric Acid* 2/225**repassivating potential***Hydrochloric Acid* 2/167**repassivation ability***Mixed Acids* 1/318**repassivation potential***Mixed Acids* 1/299, 316**reprocessing nuclear fuels***Nitric Acid* 2/365, 456**resistance against stress corrosion cracking***Hydrochloric Acid* 2/97, 151

- resistance criteria**
 - Hydrochloric Acid* 2/216
- resistance factor**
 - Hydrochloric Acid* 2/217
 - Sodium Hydroxide* 1/178
- resistance to chemicals**
 - Sodium Hydroxide* 1/174
- resorcin**
 - Sodium Hydroxide* 1/38
- rest potential**
 - Sodium Hydroxide* 1/20
- resting potential**
 - Hydrochloric Acid* 2/159
- reverse flexural fatigue strength**
 - Mixed Acids* 1/377
- rhodamine B (as inhibitor)**
 - Hydrochloric Acid* 2/24
- risk of explosion**
 - Nitric Acid* 2/458
- riveted connection**
 - Hydrochloric Acid* 2/257
- road tankers**
 - Hydrochloric Acid* 2/246
- rocket components**
 - Nitric Acid* 2/456
- rocket fuels**
 - Nitric Acid* 2/307
- rocket technology**
 - Nitric Acid* 2/288
- Rodine 213**
 - Hydrochloric Acid* 2/42
- roll bonding cladding**
 - Nitric Acid* 2/441
- rolling scale**
 - Hydrochloric Acid* 2/56
- rolling texture**
 - Hypochlorites* 3/62
- roof construction**
 - Mixed Acids* 1/404
- rotary pump**
 - Hydrochloric Acid* 2/231, 261
- rotary-shaft seals**
 - Sodium Hydroxide* 1/182
- rotating mechanical seals**
 - Hydrochloric Acid* 2/263
- rotor blades**
 - Sodium Hydroxide* 1/79
- rotor steel**
 - Sodium Hydroxide* 1/70
- round seals**
 - Hydrochloric Acid* 2/247
- rovings**
 - Hydrochloric Acid* 2/248
- rubber coatings**
 - Hydrochloric Acid* 2/236, 244–245, 257, 261
- rubber coverings**
 - Phosphoric Acid* 3/454
- rubber-lined steel vessel**
 - Hypochlorites* 3/28
- rust**
 - Hydrochloric Acid* 2/57
- rust formation**
 - Hydrochloric Acid* 2/59
- rusting**
 - Hypochlorites* 3/70
- s**
- safety valve**
 - Hydrochloric Acid* 2/223
- salicylaldehyde (as inhibitor)**
 - Hydrochloric Acid* 2/78
- salicylic acid (as inhibitor)**
 - Hydrochloric Acid* 2/30
- salt deposit**
 - Hydrochloric Acid* 2/54
- salt spray test**
 - Hydrochloric Acid* 2/15
- sand casting**
 - Nitric Acid* 2/303
- sand-slurry pumps**
 - Hydrochloric Acid* 2/222
- sandwich samples**
 - Hydrochloric Acid* 2/156
- SCC**
 - Sodium Hydroxide* 1/15
- SCC damage**
 - Sodium Hydroxide* 1/16
- SCC resistance**
 - Sodium Hydroxide* 1/87, 111, 128, 132–133
- SCC susceptibility**
 - Sodium Hydroxide* 1/18
- screw material**
 - Phosphoric Acid* 3/388
- screws**
 - Hydrochloric Acid* 2/69
 - Hypochlorites* 3/88, 90
- scrubber**
 - Hydrochloric Acid* 2/112
- scrubber column**
 - Mixed Acids* 1/333
- scrubber filtrate**
 - Mixed Acids* 1/298
- scrubbers**
 - Mixed Acids* 1/265, 296, 298, 318

scrubber solution*Mixed Acids* 1/299**scrubbing acids***Mixed Acids* 1/244**scrubbing process***Mixed Acids* 1/316**sealing disc***Nitric Acid* 2/350**sealing layer***Hydrochloric Acid* 2/241**sealing material***Hydrochloric Acid* 2/156*Mixed Acids* 1/398*Nitric Acid* 2/460*Phosphoric Acid* 3/400, 454*Sodium Hydroxide* 1/151**sealing seam***Mixed Acids* 1/319**sealing technology***Hydrochloric Acid* 2/247**seals***Hydrochloric Acid* 2/226, 236, 246, 256, 263*Mixed Acids* 1/409*Phosphoric Acid* 3/401*Sodium Hydroxide* 1/184, 194, 208**seawater***Hydrochloric Acid* 2/49, 51–52, 97*Hypochlorites* 3/25, 61*Mixed Acids* 1/245*Phosphoric Acid* 3/296**seawater desalination plant***Hydrochloric Acid* 2/54, 153**seawater flash distillation plant***Hydrochloric Acid* 2/51**secondary hardening***Hydrochloric Acid* 2/76**secondary water***Sodium Hydroxide* 1/122**secondary water cycle***Sodium Hydroxide* 1/119**self-regenerating oxide layer***Nitric Acid* 2/432**semiconductor components***Nitric Acid* 2/473**semiconductor technology***Nitric Acid* 2/301**semi-finished product***Mixed Acids* 1/320**sensitization***Nitric Acid* 2/354**separators***Mixed Acids* 1/265**service life***Hydrochloric Acid* 2/160**settling tanks***Hypochlorites* 3/98**sewage filter***Nitric Acid* 2/448**shaft***Nitric Acid* 2/348**shaft cover***Nitric Acid* 2/348**shaft seals***Hydrochloric Acid* 2/247**shallow pit corrosion***Sodium Hydroxide* 1/14**shear tests***Phosphoric Acid* 3/434**shell and tube heat exchanger***Hydrochloric Acid* 2/180, 227, 260**shrinkage***Hydrochloric Acid* 2/258, 260**shut-off element***Phosphoric Acid* 3/193**shut-off gates***Hydrochloric Acid* 2/263**shut-off valve***Hydrochloric Acid* 2/96**SiC coating***Hydrochloric Acid* 2/198**SiC layer***Hydrochloric Acid* 2/181**sigma phase***Hydrochloric Acid* 2/199**sigma phase formation***Nitric Acid* 2/338**silane binder***Hydrochloric Acid* 2/182**silicate inhibitor***Hypochlorites* 3/15**silicates***Hydrochloric Acid* 2/58**silicic acid***Hydrochloric Acid* 2/58, 194, 196**silicic acid saturation effect***Hydrochloric Acid* 2/190**silicoater process***Hydrochloric Acid* 2/242**silicon carbide material***Hydrochloric Acid* 2/204**silicone oil***Hydrochloric Acid* 2/194**silver autoclave***Sodium Hydroxide* 1/23

- silver chloride**
 - Nitric Acid* 2/291
- silver solder**
 - Nitric Acid* 2/293
- Simmerings®**
 - Hydrochloric Acid* 2/247
- simulated FGD solution**
 - Mixed Acids* 1/316, 322
- sintering**
 - Mixed Acids* 1/373, 382
- sizing process**
 - Hydrochloric Acid* 2/250
- sliding gate housings**
 - Nitric Acid* 2/406
- sliding gates**
 - Nitric Acid* 2/406
- slow tensile tester**
 - Hydrochloric Acid* 2/146
- slurry pumps**
 - Mixed Acids* 1/289
- SnCl₂ (as inhibitor)**
 - Phosphoric Acid* 3/198
- S-N curve**
 - Sodium Hydroxide* 1/79
- sodium bichromate**
 - Nitric Acid* 2/345
- sodium carbonate**
 - Sodium Hydroxide* 1/25
- sodium chromate (as inhibitor)**
 - Phosphoric Acid* 3/173
- sodium hydrogen carbonate**
 - Sodium Hydroxide* 1/25
- sodium hydroxide melt**
 - Nitric Acid* 2/302
 - Sodium Hydroxide* 1/23, 31, 35
- sodium hypochlorite**
 - Hypochlorites* 3/6, 14, 16–17, 34, 40, 44, 56, 72, 78–79, 90, 92, 100, 119, 124
- sodium hypochlorite bleaching lye**
 - Hypochlorites* 3/8
- sodium hypochlorite solution**
 - Hypochlorites* 3/13, 15, 17, 19, 23–25, 27–28, 36–37, 39, 43, 55–56, 61, 65, 67, 69, 72–73, 75, 84–86, 88–90, 92–95, 98–102, 104–112, 114–121, 125, 127
- sodium petroleum sulfonate (as inhibitor)**
 - Nitric Acid* 2/331
- sodium phosphate (as inhibitor)**
 - Nitric Acid* 2/470
- sodium silicate**
 - Sodium Hydroxide* 1/25
- sodium silicate (as inhibitor)**
 - Hypochlorites* 3/75, 79
- soft drinks**
 - Phosphoric Acid* 3/167
- soft rubber coating**
 - Hydrochloric Acid* 2/236, 244
- soft rubber lining**
 - Hydrochloric Acid* 2/265
- solder**
 - Nitric Acid* 2/457
- soldering**
 - Nitric Acid* 2/291
- solid hypochlorites**
 - Hypochlorites* 3/6
- solution analysis**
 - Hydrochloric Acid* 2/67–68
- solution annealing**
 - Hydrochloric Acid* 2/103
- solution annealing temperature**
 - Hydrochloric Acid* 2/150
- solvent**
 - Hypochlorites* 3/110
- solvent pump**
 - Hydrochloric Acid* 2/224
- solvent recovery**
 - Hydrochloric Acid* 2/226, 246, 258
- solvent separator**
 - Hydrochloric Acid* 2/224
- solvents**
 - Hydrochloric Acid* 2/220
- solvolysis**
 - Hydrochloric Acid* 2/215
- soot**
 - Mixed Acids* 1/242, 256
- source of the fire**
 - Hydrochloric Acid* 2/64
- spark testing**
 - Hydrochloric Acid* 2/257
- spent fuel rods**
 - Nitric Acid* 2/468
- spent mordants**
 - Mixed Acids* 1/395, 398
- spin-coating process**
 - Hydrochloric Acid* 2/249
- spinning baths**
 - Mixed Acids* 1/354
- spinning process**
 - Hydrochloric Acid* 2/248
- spontaneous passivation**
 - Hydrochloric Acid* 2/175
- spot welding**
 - Nitric Acid* 2/359

- spray drying**
 - Hypochlorites* 3/77
- spray-etching**
 - Sodium Hydroxide* 1/107
- spraying processes**
 - Mixed Acids* 1/405
- spring alloy**
 - Phosphoric Acid* 3/377
- springs**
 - Mixed Acids* 1/409
- stabiliser**
 - Hydrochloric Acid* 2/207
 - Sodium Hydroxide* 1/172
- stainless steel component**
 - Hydrochloric Acid* 2/58
- stainless steel mordant**
 - Mixed Acids* 1/409
- standard hydrogen electrode**
 - Hydrochloric Acid* 2/46
- static tensile stress**
 - Sodium Hydroxide* 1/15
- statistical chain cleavage**
 - Hydrochloric Acid* 2/214
- steam**
 - Hydrochloric Acid* 2/132
- steam boiler**
 - Sodium Hydroxide* 1/90, 93
- steam-boiler pipes**
 - Sodium Hydroxide* 1/88
- steam dampers**
 - Hydrochloric Acid* 2/224
- steam generating plants**
 - Sodium Hydroxide* 1/128
- steam generation**
 - Sodium Hydroxide* 1/77
- steam generator**
 - Hydrochloric Acid* 2/67
 - Phosphoric Acid* 3/338
 - Sodium Hydroxide* 1/77, 119, 122, 126, 128–129, 131
- steam generator pipes**
 - Sodium Hydroxide* 1/122–123
- steam turbine**
 - Sodium Hydroxide* 1/67, 79, 203
- steam turbine rotor**
 - Sodium Hydroxide* 1/66
- steam turbine rotor blade**
 - Sodium Hydroxide* 1/118
- steel components**
 - Hypochlorites* 3/69
- steel construction**
 - Mixed Acids* 1/405
- steel industry**
 - Hydrochloric Acid* 2/201
- steel pipe**
 - Mixed Acids* 1/263
- steel surface**
 - Hydrochloric Acid* 2/56
- steel tanks**
 - Nitric Acid* 2/441
- steel valves**
 - Sodium Hydroxide* 1/109
- steel vessel**
 - Hydrochloric Acid* 2/257
 - Sodium Hydroxide* 1/46
- steelworks**
 - Hydrochloric Acid* 2/197
- Stern-Geary equation**
 - Hydrochloric Acid* 2/61
- sterilization**
 - Hypochlorites* 3/75
- sterilization solution**
 - Hypochlorites* 3/69, 75
- sterilize nickel objects**
 - Hypochlorites* 3/75, 76
- sterilized water**
 - Hypochlorites* 3/33
- sterilizing agents**
 - Hypochlorites* 3/61, 65
- stiffness**
 - Hypochlorites* 3/123
- stirred autoclave**
 - Hydrochloric Acid* 2/153
- stirred tank reactor**
 - Hydrochloric Acid* 2/264
- stirred vat**
 - Mixed Acids* 1/250
- stirrer**
 - Hydrochloric Acid* 2/166
 - Mixed Acids* 1/250, 302, 337
 - Phosphoric Acid* 3/331
- stirrer blades**
 - Mixed Acids* 1/333
- stirring arm**
 - Mixed Acids* 1/303
- stirring blade**
 - Hydrochloric Acid* 2/261
- stirring tank**
 - Phosphoric Acid* 3/416
- stirring velocity**
 - Phosphoric Acid* 3/248, 250
- stirring vessel**
 - Sodium Hydroxide* 1/183

storage

- Mixed Acids* 1/247
- Sodium Hydroxide* 1/42, 90, 105, 109, 180, 184-185, 187

storage of highly concentrated nitric acid

- Nitric Acid* 2/348

storage tank

- Mixed Acids* 1/289, 413
- Nitric Acid* 2/348, 374
- Phosphoric Acid* 3/434

storage tests

- Hydrochloric Acid* 2/216

storage vessel

- Hypochlorites* 3/15

stove enamel

- Hydrochloric Acid* 2/240-241
- Hypochlorites* 3/17

strain loading

- Hydrochloric Acid* 2/147

strain rate

- Hydrochloric Acid* 2/90, 146

stratosphere

- Hydrochloric Acid* 2/4

stress characteristics

- Hydrochloric Acid* 2/246

stress corrosion cracking

- Hydrochloric Acid* 2/59, 74, 77, 80, 83, 85, 87-88, 90, 96, 112, 121, 149, 149-150, 167-168, 170, 250, 255
- Mixed Acids* 1/245-247, 306, 316, 335
- Nitric Acid* 2/307, 313, 319, 326
- Sodium Hydroxide* 1/13, 15, 22, 36, 39, 41, 42, 43-44, 46, 50-51, 57, 63, 65, 67, 77, 79, 81, 88, 90, 101, 109, 111-112, 122-123, 126, 133, 151, 166

stress corrosion cracking behavior

- Hydrochloric Acid* 2/150

stress corrosion cracking (in H₃PO₄)

- Phosphoric Acid* 3/237, 243, 271, 295, 311, 366, 409, 446

stress corrosion cracking (in hypochlorite solution)

- Hypochlorites* 3/25, 27, 46-47, 59, 61, 67, 71, 88, 107-108

stress corrosion cracking (in methanol-HCl)

- Hydrochloric Acid* 2/157

stress corrosion cracking (intergranular)

- Sodium Hydroxide* 1/43-45, 53, 112, 122, 128

stress corrosion cracking tests (in HCl)

- Hydrochloric Acid* 2/122

stress crack

- Hydrochloric Acid* 2/212, 214, 224
- Mixed Acids* 1/387
- Sodium Hydroxide* 1/174, 177

stress crack formation

- Sodium Hydroxide* 1/174

stress cracking

- Hydrochloric Acid* 2/213, 227-232, 234, 246
- Mixed Acids* 1/387

stress cracking (in H₃PO₄)

- Phosphoric Acid* 3/450

stress cracking (in hypochlorite solution)

- Hypochlorites* 3/111, 120, 123

stress factor

- Phosphoric Acid* 3/429

stress intensity factor

- Hydrochloric Acid* 2/250
- Sodium Hydroxide* 1/57

stress-crack corrosion behavior

- Hydrochloric Acid* 2/167

stringent Huey test

- Nitric Acid* 2/365

strip coating

- Hypochlorites* 3/17

stripper

- Hydrochloric Acid* 2/223

stripper column

- Hydrochloric Acid* 2/7, 223, 261

stripper plant

- Hydrochloric Acid* 2/180

stripper pumps

- Hydrochloric Acid* 2/223

stripper reservoir

- Hydrochloric Acid* 2/223

stripper towers

- Hydrochloric Acid* 2/260

stuffing boxes

- Mixed Acids* 1/244

submersible pump

- Hydrochloric Acid* 2/261

substitute for asbestos

- Phosphoric Acid* 3/417

suction fan

- Hypochlorites* 3/62

sugar industry

- Hydrochloric Acid* 2/91, 93

sugar manufacturing

- Mixed Acids* 1/246

sulfamic acid

- Hydrochloric Acid* 2/54-55

sulfamic acid (as inhibitor)

- Nitric Acid* 2/470

- sulfate-pulp factory**
Sodium Hydroxide 1/150
- sulfuric and hydrofluoric acids**
Mixed Acids 1/257
- sulphur**
Sodium Hydroxide 1/117
- sulphur bridges**
Hydrochloric Acid 2/236
- sulphuric acid pickling baths**
Hydrochloric Acid 2/56
- sulphuric and hydrochloric acid**
Nitric Acid 2/442
- superaustenite**
Mixed Acids 1/299, 303
- superconductors**
Mixed Acids 1/362, 370, 417
- supercritical water oxidation**
Hydrochloric Acid 2/116, 135
- superficial electrolyte layer**
Hydrochloric Acid 2/164
- superheated steam**
Nitric Acid 2/421
- superphosphate**
Phosphoric Acid 3/156
- superphosphate mixing pit**
Phosphoric Acid 3/381
- superphosphoric acid**
Phosphoric Acid 3/157, 162, 206, 256, 274–275, 296
- supporting construction**
Hydrochloric Acid 2/244
- surface cleaning**
Mixed Acids 1/343
- surface corrosion (in HCl)**
Hydrochloric Acid 2/99
- surface damage**
Hydrochloric Acid 2/132
- surface glaze**
Mixed Acids 1/382
- surface layer**
Hydrochloric Acid 2/237
- surface pretreatment**
Hydrochloric Acid 2/242
- surface protection processes**
Hydrochloric Acid 2/242
- surface treatment**
Mixed Acids 1/342
Nitric Acid 2/450
- surfactant production plant**
Hydrochloric Acid 2/225
- susceptibility to cracking**
Hydrochloric Acid 2/249
- susceptibility to intercrystalline corrosion**
Nitric Acid 2/359
- swell**
Hydrochloric Acid 2/238
- swellability**
Hydrochloric Acid 2/221
- swelling**
Hydrochloric Acid 2/9, 11, 211, 213–214, 216, 225, 234, 240, 249, 258, 264
Mixed Acids 1/387, 396, 403
Sodium Hydroxide 1/174, 174–175
- swelling effects**
Hydrochloric Acid 2/9
- swimming hall atmosphere**
Hypochlorites 3/70
- swimming pool**
Hypochlorites 3/34, 57, 63
- swimming pool atmosphere**
Hypochlorites 3/16
- swimming pool hall**
Hydrochloric Acid 2/83, 87
Hypochlorites 3/16, 23, 69, 90
- swimming pool water**
Hypochlorites 3/6, 15, 63–65, 69
- synthesis reactor**
Nitric Acid 2/447
- synthetic diamond powder**
Nitric Acid 2/462
- synthetic fiber industry**
Hydrochloric Acid 2/9
- synthetic phosphoric acid**
Phosphoric Acid 3/294
- t**
- Taber abraser**
Hydrochloric Acid 2/262
- Tafel constant**
Hydrochloric Acid 2/61
- Tafel line**
Hydrochloric Acid 2/20, 40, 95, 201
- Tafel method**
Hydrochloric Acid 2/164
Sodium Hydroxide 1/62
- tank**
Hydrochloric Acid 2/256
Mixed Acids 1/362
Nitric Acid 2/360
Sodium Hydroxide 1/105, 180, 187
- tankers**
Hydrochloric Acid 2/256
Hypochlorites 3/119
Mixed Acids 1/289

- tank material**
Nitric Acid 2/296, 303, 417, 435
Phosphoric Acid 3/410
- tanks for phosphoric acid**
Phosphoric Acid 3/285
- tank wagons**
Nitric Acid 2/289, 341
- tannic acid (as inhibitor)**
Nitric Acid 2/318
- tanning**
Hydrochloric Acid 2/9
- tantalum-lined autoclaves**
Nitric Acid 2/465
- tantalum caps**
Sodium Hydroxide 1/159
- tantalum coatings**
Phosphoric Acid 3/452
- tantalum linings**
Phosphoric Acid 3/387
- tantalum screws**
Sodium Hydroxide 1/159
- tantalum tubes**
Hydrochloric Acid 2/132
- tar pitch**
Hydrochloric Acid 2/178
- tearing resistance**
Hypochlorites 3/123
- Teflon[®] lining**
Hydrochloric Acid 2/143
- Teflon[®] stoppers**
Hydrochloric Acid 2/144
- Teflon[®] tape**
Hydrochloric Acid 2/144
- temperature gradient**
Hydrochloric Acid 2/212
- temperature limit**
Hydrochloric Acid 2/226, 238, 243, 256
- temperature loading**
Hydrochloric Acid 2/207
- Tennessee Valley Authority**
Phosphoric Acid 3/197
- tensile strength**
Hydrochloric Acid 2/69, 133, 168, 180, 216, 258
- tensile stress**
Hydrochloric Acid 2/69, 214
Sodium Hydroxide 1/15
- tensile test**
Hydrochloric Acid 2/167
- terephthalic acid (as inhibitor)**
Hydrochloric Acid 2/30
- terpentine oil**
Hypochlorites 3/79
- textile bleach**
Hypochlorites 3/19
- thermal conductivity**
Hydrochloric Acid 2/12, 72
Nitric Acid 2/432
- thermal decomposition**
Hydrochloric Acid 2/64
- thermal decomposition process**
Phosphoric Acid 3/161
- thermal degradation**
Hydrochloric Acid 2/214
- thermal equipment**
Hydrochloric Acid 2/260, 265
- thermal expansion**
Hydrochloric Acid 2/72, 259
- thermal phosphoric acid**
Phosphoric Acid 3/181–182, 184, 196–198, 368, 371, 381, 416, 426, 436, 449–450, 454, 462
- thermal shocks**
Hydrochloric Acid 2/197
- thermal stability**
Hydrochloric Acid 2/117
- thermally curable coating materials**
Hydrochloric Acid 2/241
- thermally produced phosphoric**
Phosphoric Acid 3/445
- thermite process**
Hydrochloric Acid 2/198
- thermoelastics**
Mixed Acids 1/384
- thermoforming**
Hydrochloric Acid 2/225, 258
- thermolysis**
Hydrochloric Acid 2/214, 225, 258
- thermometrics**
Hydrochloric Acid 2/27, 46
- thermoplast lining**
Hydrochloric Acid 2/244, 245, 249
- thermoplastic inner liner**
Hydrochloric Acid 2/257
- thick nickel layers**
Nitric Acid 2/413
- thickener**
Mixed Acids 1/333
- thickening tanks**
Mixed Acids 1/363
- thiocyanate (as inhibitor)**
Nitric Acid 2/332
- 2-thiophencarboxaldehyde-
(2'-pyridyl)hydrazone (as inhibitor)**
Hydrochloric Acid 2/37

- thiosemicarbamide (as inhibitor)**
Nitric Acid 2/308
- thiourea (as inhibitor)**
Hydrochloric Acid 2/95
Nitric Acid 2/317, 324–325, 332, 334, 380, 382, 429
Phosphoric Acid 3/222
Sodium Hydroxide 1/38
- thorium-containing fuel elements**
Nitric Acid 2/372
- three-layer rubber coating**
Hydrochloric Acid 2/244
- TIG**
Mixed Acids 1/321, 333
- tilting pans**
Mixed Acids 1/289
- time-related resistance factor**
Phosphoric Acid 3/426
- tin coatings**
Sodium Hydroxide 1/142
- titanium anodes**
Sodium Hydroxide 1/146
- titanium electrodes**
Nitric Acid 2/441, 448
- titanium material**
Hydrochloric Acid 2/157
- titanium mononitride**
Hydrochloric Acid 2/158
- titanium pipes**
Nitric Acid 2/439
- α -titanium precipitation**
Hydrochloric Acid 2/149
- titanium pumps**
Nitric Acid 2/445
- titanium tank**
Nitric Acid 2/351, 385–386
- m-toluidine (as inhibitor)**
Nitric Acid 2/323
- o-toluidine (as inhibitor)**
Nitric Acid 2/317, 324–325
- p-toluidine (as inhibitor)**
Nitric Acid 2/299, 323
- o-tolylthiourea (as inhibitor)**
Nitric Acid 2/299
- p-tolylthiourea (as inhibitor)**
Nitric Acid 2/298
- 1-m-tolyl-3-tolyl-formamidine-thiocarbamide (as inhibitor)**
Nitric Acid 2/299
- tolyltriazole (as inhibitor)**
Hypochlorites 3/27
Nitric Acid 2/317
- torsional loading**
Hydrochloric Acid 2/169
- torsional oscillation test**
Hydrochloric Acid 2/206
Mixed Acids 1/383
- toxicology**
Phosphoric Acid 3/167
- trans-cinnamaldehyde (as inhibitor)**
Hydrochloric Acid 2/78
- transcrystalline stress corrosion cracking (in H_3PO_4)**
Phosphoric Acid 3/247
- transgranular cracking (in HCl)**
Hydrochloric Acid 2/169
- transgranular cracks**
Hydrochloric Acid 2/90
- transgranular stress corrosion cracking**
Hydrochloric Acid 2/72
- transition joints**
Sodium Hydroxide 1/96
- transpassivation**
Mixed Acids 1/296
- transport**
Sodium Hydroxide 1/42, 53, 105, 109, 180, 186–187
- transport container**
Hypochlorites 3/110
- transport of chemicals**
Hydrochloric Acid 2/246
- transport tank**
Hydrochloric Acid 2/246
- transportation of dilute nitric acid**
Nitric Acid 2/341
- transportation of phosphoric acid**
Phosphoric Acid 3/296–297
- transportation tank**
Phosphoric Acid 3/296
- transporting wet acid**
Phosphoric Acid 3/296
- triazole (as inhibitor)**
Nitric Acid 2/322
Phosphoric Acid 3/222
- tribasic acid**
Phosphoric Acid 3/160
- trichloroacetic acid (as inhibitor)**
Nitric Acid 2/322–325
- triethylamine (as inhibitor)**
Hydrochloric Acid 2/24
- 3,4,5-tri-hydroxybenzoic acid (as inhibitor)**
Nitric Acid 2/298
- trimellitic acid (as inhibitor)**
Hydrochloric Acid 2/30

trimethylamine (as inhibitor)*Hydrochloric Acid* 2/24**trinitrotoluene***Nitric Acid* 2/374**triphenylbenzyl-phosphorus bromide****(as inhibitor)***Phosphoric Acid* 3/222**triple-point pitting corrosion***Nitric Acid* 2/307**triple superphosphate***Phosphoric Acid* 3/156**trisodium phosphate (as inhibitor)***Hypochlorites* 3/75**tubular heating coils***Mixed Acids* 1/289**tumbler mill***Phosphoric Acid* 3/252**tumbling mill***Phosphoric Acid* 3/251**tungsten inert gas welding***Mixed Acids* 1/321**turbine blader***Sodium Hydroxide* 1/67, 77**turbine blades***Sodium Hydroxide* 1/203**turbine pipes***Nitric Acid* 2/421**turborotors***Mixed Acids* 1/377**TVA process***Phosphoric Acid* 3/164**type of inert gas***Mixed Acids* 1/322**u****U-bend flexural specimens***Mixed Acids* 1/339**ultimate elongation***Hydrochloric Acid* 2/216*Hypochlorites* 3/123**ultra-high heater***Phosphoric Acid* 3/166**uniform oxide film formation***Nitric Acid* 2/299**uniform surface corrosion***Sodium Hydroxide* 1/13**Union Carbide process***Hydrochloric Acid* 2/134**uranium dioxide***Nitric Acid* 2/467**uranium processing***Nitric Acid* 2/385**uranyl nitrate***Nitric Acid* 2/379**urea industry***Nitric Acid* 2/407**urea plants***Nitric Acid* 2/403**urea production***Nitric Acid* 2/403**urea solution***Nitric Acid* 2/405**urea synthesis***Nitric Acid* 2/441**urea synthesis plant***Nitric Acid* 2/405**urea synthesis solution***Nitric Acid* 2/405**US Federal Specification DD-G-541B***Hydrochloric Acid* 2/187**v****vacuum circulatory evaporator***Phosphoric Acid* 3/162**vacuum evaporator***Sodium Hydroxide* 1/35**valve***Mixed Acids* 1/265*Phosphoric Acid* 3/260*Sodium Hydroxide* 1/62, 109, 182, 189**valve casings***Sodium Hydroxide* 1/181**valve material***Mixed Acids* 1/335**valve seatings***Sodium Hydroxide* 1/181**valves***Hydrochloric Acid* 2/43, 227, 261*Nitric Acid* 2/434**vapor atomizer***Phosphoric Acid* 3/374**vapor dome***Phosphoric Acid* 3/374**vapor phase***Hydrochloric Acid* 2/190*Mixed Acids* 1/239**vaporizer***Nitric Acid* 2/352**vat***Mixed Acids* 1/250, 265**ventilation duct***Hypochlorites* 3/79**ventilator casings***Hydrochloric Acid* 2/235

ventilators*Mixed Acids* 1/252**venturi scrubber***Hydrochloric Acid* 2/128**vessel***Hydrochloric Acid* 2/218, 224, 226, 235, 255–256, 265*Sodium Hydroxide* 1/63, 88, 105, 187**vessel material***Mixed Acids* 1/268**vibration cavitation test***Hydrochloric Acid* 2/76–77**Vickers hardness***Hydrochloric Acid* 2/41, 133**vinyl ester-based coating***Sodium Hydroxide* 1/187**viscoelastic behavior***Hydrochloric Acid* 2/214**viscoelasticity***Mixed Acids* 1/387**vitamin manufacture***Hydrochloric Acid* 2/158**Viton® sealing rings***Hydrochloric Acid* 2/156**volcanic vapors***Hydrochloric Acid* 2/4**vulcanisates***Hydrochloric Acid* 2/236**vulcanisation***Hydrochloric Acid* 2/236**vulcanisation accelerator***Hydrochloric Acid* 2/244**vulcanisation catalyst***Hydrochloric Acid* 2/236**vulcanised***Hydrochloric Acid* 2/244**w****wallpapering***Mixed Acids* 1/318**washers***Hypochlorites* 3/61*Nitric Acid* 2/463**washing towers***Phosphoric Acid* 3/434**waste acid***Mixed Acids* 1/251**waste acid tanks***Hydrochloric Acid* 2/235**waste gas washer***Phosphoric Acid* 3/376**waste gases***Sodium Hydroxide* 1/93**waste incineration***Hydrochloric Acid* 2/14, 225, 258**waste incineration plant***Mixed Acids* 1/298, 316, 319**waste (nuclear)***Mixed Acids* 1/327**waste pickling bath***Hydrochloric Acid* 2/197**waste pickling solutions***Hydrochloric Acid* 2/201**waste sulphuric acid***Nitric Acid* 2/335**waste tanks***Nitric Acid* 2/355**waste treatment***Mixed Acids* 1/363**waste water lines***Nitric Acid* 2/463**water absorption***Hydrochloric Acid* 2/182**water absorption capacities***Hydrochloric Acid* 2/232**water activity***Hydrochloric Acid* 2/224, 233**water glass (as inhibitor)***Hypochlorites* 3/15**water separator***Hydrochloric Acid* 2/226**water vapor permeability***Hydrochloric Acid* 2/241**waterborne paints***Hydrochloric Acid* 2/242**water-line corrosion***Mixed Acids* 1/270**water/steam cycle***Sodium Hydroxide* 1/122**waveguides***Nitric Acid* 2/291**wear behavior***Hydrochloric Acid* 2/198**wear regard***Hydrochloric Acid* 2/222**wear resistance***Hydrochloric Acid* 2/158, 181, 198, 201*Hypochlorites* 3/123*Phosphoric Acid* 3/260**weld filler***Hydrochloric Acid* 2/96*Hypochlorites* 3/62**weld resurfacing***Mixed Acids* 1/410**weld root***Mixed Acids* 1/322

- weld seam**
 - Hypochlorites* 3/55
 - Phosphoric Acid* 3/261–262
 - welded joint**
 - Nitric Acid* 2/298, 358
 - welded seam**
 - Hydrochloric Acid* 2/246, 257
 - welding**
 - Hydrochloric Acid* 2/112, 225, 258
 - Phosphoric Acid* 3/261
 - welding filler**
 - Mixed Acids* 1/322
 - welding material**
 - Nitric Acid* 2/308, 399
 - welding process**
 - Mixed Acids* 1/322
 - welding speed**
 - Mixed Acids* 1/322
 - weldment**
 - Mixed Acids* 1/247
 - wet**
 - Phosphoric Acid* 3/225, 248
 - wet acid**
 - Phosphoric Acid* 3/295
 - wet combustion**
 - Mixed Acids* 1/339
 - Nitric Acid* 2/435
 - wet decomposition process**
 - Phosphoric Acid* 3/161, 306
 - wet phosphoric acid**
 - Phosphoric Acid* 3/161, 163, 198, 248, 250, 253, 255, 297, 358
 - wet phosphoric acid plants**
 - Phosphoric Acid* 3/454
 - wet phosphoric acid production**
 - Phosphoric Acid* 3/162, 309–318
 - wet phosphoric acid (production of)**
 - Phosphoric Acid* 3/249
 - wet process**
 - Mixed Acids* 1/331
 - Phosphoric Acid* 3/248, 260, 262, 265, 336, 347, 354, 359, 462
 - wet scrubbing process**
 - Mixed Acids* 1/237, 298, 406
 - wet strength**
 - Hydrochloric Acid* 2/242
 - wet washing process**
 - Mixed Acids* 1/356
 - wet-dry zone**
 - Mixed Acids* 1/322
 - wetting agent**
 - Nitric Acid* 2/314, 382
 - white fuming nitric acid**
 - Nitric Acid* 2/297
 - white liquor**
 - Hydrochloric Acid* 2/96
 - white water**
 - Hypochlorites* 3/62
 - white zone**
 - Nitric Acid* 2/307
 - white-liquor clarifiers**
 - Hydrochloric Acid* 2/96
 - WIP**
 - Mixed Acids* 1/298, 316, 319
 - Wöhler diagram**
 - Sodium Hydroxide* 1/19
 - Wöhler stress-cycle curve**
 - Sodium Hydroxide* 1/78
 - wooden stirrers**
 - Mixed Acids* 1/404
 - wooden tank**
 - Phosphoric Acid* 3/424
 - wooden vats**
 - Mixed Acids* 1/404
 - worm wheel shafts**
 - Nitric Acid* 2/348
 - woven filters**
 - Hydrochloric Acid* 2/229
- y**
- yellow chromating**
 - Hydrochloric Acid* 2/16
 - yield point**
 - Hydrochloric Acid* 2/133
 - 0.2 % yield strength**
 - Hydrochloric Acid* 2/69, 77, 87
- z**
- Zn-Al coatings**
 - Hydrochloric Acid* 2/160
 - Zn/Al eutectic**
 - Hydrochloric Acid* 2/160
 - Zn-Al protective coating**
 - Hydrochloric Acid* 2/160
 - zinc anode**
 - Hydrochloric Acid* 2/80
 - zinc coating**
 - Hydrochloric Acid* 2/160
 - zinc dust**
 - Phosphoric Acid* 3/277
 - zinc layer**
 - Hydrochloric Acid* 2/160