

## Index

- Abrasiveness 41, 220
  - ABR index 43 ff.
  - classification scheme 45
- Action plan 109
- Advance formula 46
- Advance rate 53 f., 130 ff., 219, 223, 321
- Advance support 19
- Alternative proposal 253 ff.
  - examples 253 ff.
- Anchor drills 117
- Anchors 144 f.
  - permanent 145
  - temporary 145
- Annular gap 269
  - blowing or filling 19
  - grouting annular gap 290 f.
- Annular gap, filling 19, 278, 290 f.
  - with gravel 290
  - with mortar 291
- Articulated steel pipe shield 175 f.
- Award criteria 244 f.
- Award law 243
- Awarding of contracts 243 ff.
  
- Back-cutting technology 58 ff.
- Backup 89 ff.
- Backup area, equipment 89
- Backup designs 93
- Backup running gear 97
- Ball bearing 53 f.
- Bayonet system 34
- Bell section 133 f.
- Belt cassette 84 ff.
- Bentonite lubrication 150
- Blind drilling 64
- Bore stroke, maximum 17
- Boreholes 26
  - drillhole photography 198 f.
- Boring advance, *see* tunnelling advance
- Boring operation 25
- Boring principle 1
- Boring process 25, 199 ff.
  - factors influencing 25
  - performance of the boring process 25
- Boring system 16
- Bouygues tunnelling machine 57
- Breakdown torque 51
  
- Bucket edge 30
- Bucket system 29 f.
- Buckets 28 ff.
- Building site regulations 104
- Building site setup 108
- Building workers protection regulations 106
  
- CAI test 42, 44, 47
- Cast iron segments, tubbings 269
- Cavings 108, 111
- Cerchar abrasiveness index test (CAI test) 42, 44, 47
- Chips 17, 35 ff.
- Cladding friction, shield cladding friction 123
- Clamping 17, 67 ff., 71 ff., 121 f., 202 f.
- Clamping force 67 ff., 202
  - limits 17 f.
- Clamping pressure 70
- Clamping systems 20, 67 ff.
  - double clamping systems 68
  - single 69
- Classification 207 ff.
  - according to cuttability and abrasiveness 220
  - according to rock properties 208
  - according to support measures required 222 ff.
  - cuttability 207, 220, 222
  - excavation classes 241
  - in Austria 228 ff.
  - in Germany 223
  - in Switzerland 234 ff.
  - rock classification 207
  - tunnelling classification 207
- Classification parameters 209 f.
- Classification systems 208
- Clearing 28
- Cleuson-Dixence pressure shaft 321 ff.
- CLI 216, 218 f.
- Compressive strength 47, 242
  - uniaxial 38
- Concrete segments 137, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 295,  
*see also* Segments
- Concrete shells, cast in-situ 299 ff.
  - casting 300
- Concreting distributor ring 300

- Conex lining system 275 f.
- Construction phase 263
- Construction process, combined 177
- Construction safety 99, 103 ff.,  
  *see also* integrated safety plan
  - in Austria 105
  - in Germany 104
  - in Switzerland 105
- Construction ventilation 99 ff.
- Continuous Miner 60
- Contract 243 ff.
- Control and drainage heading, Ennepe  
  reservoir 303
- Conventional tunnelling, *see* Drilling and  
  blasting
- Conveyor belt 29, 60, 75, 84 ff., 171, 308
  - limit of performance 29
- Conveyor transport 84 ff.
  - advantages 87
- Conveyor transport system 18
- Correction segment rings 125
- Cost control 262
- Costs 262
- Conex segments 275
- Cross-clamping, X-type 67 ff.
- Cross-section enlargement 178, 181
- Crossed roller bearing 53 f.
- Crown arches 134 f.
- Curves, driving round 125, 272
- Cuttability 239, 242
- Cuttability class 207, 220, 222, 235
- Cutter changing 32, 34, 42 f.
- Cutter development 32
- Cutter disc wear 41–49
- Cutter head 26 ff.
  - functions 26
  - revolution speed 25
  - rotation 125
- Cutter head construction 31
- Cutter head perimeter 18
- Cutter head shapes 27 ff.
- Cutter head shield 22, 152
- Cutter head shovels, *see* buckets 17
- Cutter life 32, 43 ff.
- Cutter life index (CLI) 216, 218 f.
- Cutter loading
  - average 32
  - critical 38
- Cutter pressure, limit 17
- Cutter rings, life 41 f.
- Cutter spacing 36
- Cutter track spacing 17, 36
- Cutting angle, influence 33
- Cutting tools 32 ff.
  - diameter 32
- Danger catalogue 105
- Danger patterns 107
- Dedusting 100 ff.
- Design phase 262
- Development history 1 ff.
- Development tendencies 12
- Disc cutter 17, 32 ff.
  - method of working 34
- Disc cutter housing 32 f., 49 f., 200
- Disc cutter mounting 32 f.
- Discs 17
  - diameter 32
- Documentation 195
- Double shield TBM 22
  - advantages 23
  - disadvantages 23
  - main components 22 f.
  - working principle 159 f.
- Dowelled (Conex) segments 275
- Drifting off 124
- Drill hole photography 26, 115, 198 f.
- Drilling and blasting 14, 99, 144, 191, 223,  
  236, 243
- Drilling and injection channels 31 f.
- Drilling equipment 117 f.
- Dust 99 f.
- Dust removal 100
  - dry dust remover 100, 101
  - wet dust remover 100
- Earth pressure shield 169
- Effective capacity 30
- Electric main drive
  - with frequency control 51
  - with totally enclosed water-cooled motors 51
- Electro-hydraulic main drive 51
- Employees, protection of 104
- Enlargements 181 ff.
  - Muelheim underground railway 181
  - Nidelbad junction structure 190
  - Sachseln road tunnel 181
  - scheme 191
  - service tunnels for the Channel tunnel 182
  - Vereina tunnel 181
  - Zürich-Thalwil railway tunnel 181
  - Zürich-Thalwil tunnel 190

- EPB shields 168
  - scope of application 168
- Escape plan 108
- ESR 215 f., 218
- Evaluated numbers 209
- Excavation 108
- Excavation class 235 ff., 241
  - determination of 240
  - in national standards 130
- Expanding segments 276 f.
  
- Face 15, 25, 30, 46, 55
- Face support 23
- Fault zone 18, 198, 203, 314
- Filters 101
- Fire in the tunnel 108
- Force-wear relationship 47
- Formula for forecasting tool wear 46
- Front bucket slots 30
- Front buckets 29 ff.
- Front shield 22
- Full shields 155
- Full-face excavation 235
  
- Gas 197
- Gas emissions 109
- Gauge buckets 31
- Gauge cutter 35
- Geological engineering investigations 195 ff.
- Geology 196
- Geomechanical classification 208
- Grill bars 28
- Gripper 18
- Gripper TBM 20 ff.
  - scope of application 19
- Grippers 17, 60
- Ground conditioning 167
- Ground freezing 147, 316
- Groundwater displacement 23
- Grouting mortar 291
- Grouting pressure 291
- Guidelines 104, 110, 223
  
- Hexagonal or honeycomb segments 274
- High-pressure water jet 35
- History of the TBM 1 ff.
- Honeycomb segments, *see* hexagonal segments
- Honigmann shaft boring 64
- Hydraulic clutches 51
- Hydro-geology 197
  
- In-hole hammer drill 115
- Inclined shafts 321, 323, 325
  - tunnelling 321
- Injection channels 31 f.
- Injection lances 115
- Injections 115, 294
- Inner Kelly 67
- Inner shell 265 f., 301
- Innovation route 12
- Integrated safety plan 106 ff.
- Intermediate starting points
  - Euerwang tunnel 178
  - Irlahüll tunnel 178
  - NEAT base tunnel, Gotthard 178
  - NEAT base tunnel, Lötschberg 178
- Intermediate store 82
- Invert segments 137
- Investigation
  - seismic 115
  - with boreholes 115
- Investigation and improvement of the ground 115
- Investigation drillings 198
- Investigation headings 179 ff.
  - Amberg motorway tunnel 177
  - construction 179
  - fault zone 184
  - Freudenstein tunnel 179
  - Gotthard base tunnel 184
  - investigation scheme 184
  - Kandertal 186, 189
  - Lötschberg base tunnel 186
  - outside the cross-section 179
  - Pfaender tunnel 177
  - Piora-Mulde 184
  - probe 180
  - results 187
  - Seikan tunnel 178
  - tunnelling scheme 187
  - working time 180
- Inward displacement 34
  
- Jamming 125
- Joint alteration number (Q system) 212, 215
- Joint construction 286
- Joint detailing 282 ff.
- Joint roughness number (Q system) 212, 214
- Joint set number (Q system) 212, 214
- Joint spacing 41
- Joint systems 212, 214

- Joint water reduction number (Q system)
  - 212, 216
- Jointed rock mass 199f.
- Joints 40, 197
- Keystone 271
- Keystone installation 272
- Kilometres travelled (cutter) 41
- Lattice girder 136
- Lighting 108
- Liner plates 136
- Lining 265 ff.
  - construction principles 265 ff.
  - construction types 267
  - double-shell 265 ff.
  - shotcrete shells 301
  - single-shell 265 ff.
  - sizing 265
  - with concrete segments 269
- Lining systems, yieldable 281 ff.
- Longitudinal joints 269, 282 ff.
  - with convex-concave contact surfaces 285
  - with flat contact surfaces 283
  - with tongue and groove 286
  - with two convex contact surfaces 284
- Machine clamping 203 ff.
- Machine support, front 22 ff.
- Machine types 20 ff.
- Machine, relocation of 17
- Main beam 68, 72
- Main bearing 53
- Main drive 50
  - types of 51
- Main duct 99
- Main dust-removal equipment 92
- Main muck transport 64
- Management plans 106
- Manapouri underwater tunnel 305 ff.
- Material flow 29
- Material transport 75
- Material transport
  - at the machine 75
  - diesel or electric operation 79
  - rail transport 77
  - trackless operation 81
- Matrix 239
- Measures
  - material 109
  - personnel 109
- structural 109
- Mesh erector 118
- Micro cracks 200
- Micro machines 23, 172
- Milling 15
- Mini Fullfacer 58, 203
- Mini TBM 172
- Mobile formwork
  - full-section mobile formwork 300
  - mobile arch formwork 300
- Mobile Miner 58
- Mont-Cenis tunnel 1
- Muck cars 79
- Muck, chip-shaped 36
- Muck removal system 18, 163
  - rail 18
- Muckring conveyor belt arrangement 171
- Natural gas 99
- Natural gas danger 110 ff.
- Negotiation process 249 ff.
- Net boring rate 238
- Net penetration 17
- Occupational safety 103
- ÖNORM B 2203 (Austrian standard)
  - 228 f.
- Outer Kelly 67
- Outer shell 265 f.
- Penetration 38 ff.
  - limit area 29
- Penetration rate 40 f., 216
- Penetration tests 40
- Permissible workplace concentration (MAK) 100
- Pilot headings 178, 180
  - advantages 180
  - blasting pattern 191
  - conventional tunnelling 180
  - Milchbuck tunnel 180
  - tunnelling concept 190
  - Uznaberg tunnel 180, 188 ff.
- Pipe jacking 174
  - press-boring pipe jacking 174
  - shield pipe jacking 174
- Preliminary transport 65
- Price matrix 242
- Probe heading 178
  - Tunnel de Raimeux 179
- Propulsion cylinders, twisting 74

- Q control plan, procedure 245 f.
- Quality management (QM) 245, 247
  - project-oriented 245
- Raise boring 62
- Reamer machines 56 ff., *see* Reamer TBM
- Reamer TBM (enlargement TBM) 19, 56
- Reaming machines 23
- Recommendations 196
- Reflection seismology 26, 196, 198
- Reinforced concrete segment ring 225
- Removal of muck
  - hydraulic 163
  - in the excavation area 29
- Ring building 271 ff.
- Ring joint level 286
- Ring joints 270, 286 ff.
  - cam and pocket system 288 f.
  - flat ring joint detail 287
  - tongue and groove system 287
- Risk 107
- Risk analysis 107
- Risk assignment 246, 248
- RMR system 208 ff.
  - classification parameters 210
  - connection between Q and RMR 220
  - correction 211
  - for mechanised tunnelling 209
  - linkage to ÖNORM B 2203 211
- Rock bursts 205
- Rock classes
  - determination 211- evaluation 211
- Rock conditions, description 197
- Rock Mass Rating system, *see* RMR system
- Rock quality 209 f.
- Rock Quality Designation (Q system) 209
- Rock support 117, 129 ff., 239
  - in the machine area 133
  - influences 205
- Rock types 229
  - for cyclical and continuous advance 230 ff.
- Rockbolts, *see* anchors
- Roller assembly 32 f.
- Roller bearing 32
- Rolling 125 f.
- Roof shields 22, 111, 149
- RQD, *see* Rock Quality Designation
- Safety 103 ff.
  - coordinators 104
  - excavation classes 205
  - integrated 103
  - integrated safety plan 106
  - occupational 103
  - safety aims 107
  - safety plan 104, 107
  - safety planning 103 ff.
- Safety and health plan (*SiGe plan*) 105
- San Pellegrino tunnel 320 ff.
- Screw conveyor muck removal 165 ff.
- Sealing bands 292
- Section joints 300
- Segment systems
  - rhomboidal 275
  - trapezoidal 275
- Segmental lining 137
  - pre-loading 271
- Segments 18 f., 111, 137, 236, 269 ff.
  - block segments with right-angled plan 271
  - cam and pocket segments 288
  - cast iron segments 269
  - concrete segments 137
  - construction types 271
  - construction variants 271
  - damage 296 ff.
  - dimensional tolerances 295
  - expanding segments 276
  - hexagonal or honeycomb segments 274
  - invert segments 18, 137
  - production 295
  - segment reinforcement 137
  - spiral segment 274
  - steel fibre concrete 289
  - steel segments 269
- Shaft boring 63 ff.
  - BorPak 66
  - drill stem-led 63 ff.
  - without drill stem 63 ff.
  - without pilot hole 63 ff.
- Shaft boring process 62 ff.
- Shaft raising equipment 62
- Shearing off theory 33
- Shield 22
  - contra-rotation 125
- Shield bearing force 123
- Shield cladding friction 123
- Shield friction 74Shield pipe jacking 172
- Shield tail 19
- Shielded TBM 22
- Shields with screw conveyor muck removal 165 f.
  - closed mode 167

- EPB mode 169
- machine types 167
- open mode 167
- working principle 165
- Shotcrete construction method 177 ff.
- Shotcrete in the machine area 19
- Shotcrete support 129, 142
  - in the backup area 143
  - in the machine area 142
- SIGMA 218
- Single clamping 20
- Single shield TBM 22, 155
- Sink (downward) boring 61
- Site electricity supply 108
- Sliding shoe 67
- Slurry shield machines 163
  - working principle 163
- Soil consolidation 31
- Soil investigations 26
- Special machines for non-circular sections 23
- Special processes 177
- Special types of TBM 55 ff.
- Spiral segment 274
- Splitting process of rock 33
- Stability index 218
- Stackers 82 f.
- Stalling moment 52
- Standards 223
- Steel arch support 133 ff.
- Steel fibres 140
- Steel ring equipment 118
- Steel segments 269
- Steering 119 ff.
  - gripper TBM with single clamping 119
  - gripper TBM with X-type bracing 122
  - single shield TBM 122
- Stress reduction factor SRF (Q system) 217
- Stresses, primary 200
- Structural investigations 302
- Structural stability 221 f.
- Supply trailer 92 f.
- Support 22, 108
  - final 22, 265
  - localised 144
  - temporary 19, 22
- Support classes 210
- Support measures 18, 222, 235 ff.
  - evaluation 233
- Support of the crown 19
- Support system 18, 130
- Surveying 126 f.
- Surveying errors 125
- Surveying systems 126
- Synthetic resin injections 147
- Tail shield 19
- Target chamber 62
- TBM
  - closed shield 23
  - open 19 ff.
  - with cutter head shield 22
  - with roof shield 22
  - with roof shield and side steering shoes 20 f.
  - with shield 19, 22
- TBM tunnelling
  - advantages 15
  - disadvantages 15
  - system groups 16
- TBM with roof shield and side steering shoes 20, 150
- TCI cutters 32, 38
- Telescopic jacks 22, 159
- Telescopic joint 22, 159
- Telescopic shield 159
- Telescopic shield TBM 22
- Tender evaluation 244
- Tendering 243 ff., 263
- Tendering phase 266
- Third band spectrum 113
- Thrust 67
  - with gripper clamping 67
  - with shield TBM 74
- Thrust force 67
- Thrust jacks, twisting 74
- Thrust ring 157
- Thrust system 17
- Torque 51 ff.
- Torque, loss of 29
- Trackless operation 81
- Trailing buckets 30 f.
- Trailing finger roof 111, 150
- Train timetable 80
- Transfer chutes 18
- Transport chutes 31, 75
- Transport equipment 108
- Tunnel boring machines (TBM) 15
  - application possibilities 15
  - basic principles 16
  - development history 1 ff.
  - development tendencies 12 f.

- innovation route 12
- machine systems 20
- shielded 157
- with full-face excavation 20 ff.
- with partial-face excavation 23
- Tunnel systems, water draining 271
- Tunnel waterproofing
  - drained 267 f.
  - for tunnel boring machines 222 ff.
  - pressure water-resistant 267 f.
- Tunnelling classes 227, 235 f., 239
  - according to ÖNORM 237
  - for shield machines 225 ff.
  - matrix 230, 235
  - with full-face excavation 226
- Tunnelling cost 131 f.
- Tunnelling machines 20
- Tunnelling works 237
- Turbo couplings, hydraulic clutches 51
- Two-phase boring 175 f.
- Underground ventilation 99 ff., 108
- Ventilation 99 ff.
- Ventilation schemes 99
- Ventilation systems 99
- Vertical shafts, Swiss classification 237
- Vertical steering 123 f.
- Vibration 111 ff.
- Walking blade gripper TBM, expanding 153 f.
- Waterproofing measures 291
- Wear 41 ff., 242
- Wear forecast formula 48
- Wear index 219
- Wear tests 42
- Wedge lock system 34
- Work accidents 103
- Working areas 236 f.
- X-type gripping 67 ff.
- Yieldable lining systems 281 ff.
- Zürich–Thalwil two-track tunnel 317 ff.