

Index

a

aberration, chromatic/spherical 329
 ablation process, laser 83–86
 absorbance 158
 – differential 197
 – gold–silver alloy 174
 – optical 179
 absorption
 – light quanta 13
 – optical 150
 – UV 147–149
 absorption spectra, photochromic materials 196
 additive technologies 3
 adiabatic coagulation 27
 adsorption
 – enthalpy 315
 – Langmuir isotherm 314–317
 Aerosil®, index of refraction 148
 aerosol process, flame 92–103
 agglomerates, fractal 94–95
 agglomeration 71
 – coated particles 104–105
 – in laser ablation process 85
 – platelets 284
 alloy, gold–silver 174
 alumina particles, spherical 314
 aluminum
 – nanocrystalline 247
 – surface energy 42
 anisotropic lattices 26
 anisotropy
 – energy of 114–116
 – magnetic 114–115, 129
 annealing 57, 179
 – X-ray diffraction pattern 322
 annealing temperature 198

antiferroelectric–paraelectric transformation 58
 antiferromagnetism 110–111, 122
 aperture, numerical 327
 arc, electric 304
 armchair-type carbon nanotubes 292
 array, gas sensing elements 18
 Ashby–Verall mechanism 246–248
 atoms, energy levels 152
 Auger electrons 335

b

ballistic conductivity 212–213
 band energy 153
 band gap 154
 barrier, energy 13
 beam, electrons 331–334
 BET (Brunauer, Emmett and Teller) method 314–319
 BET surfaces, nanopowders 319
 biologically functionalized nanoparticles 11
 bleaching process 204
 Bloch walls 109–112, 141–142
 blocking temperature 113, 119
 blue shift 148–158, 166, 175, 181–182, 204–207
 Bohr magneton 116, 124
 Bohr radius, excitons 150
 Bose–Einstein statistics 43
 “bottom-up” approach 1–3
 boundaries, grain 22
 Bragg’s law 320
 bremsstrahlung 335
 “bricks-and-mortar” structure 257
 bright-field imaging 332–333
 Brownian molecular movement 270
 Brunauer, *see* BET method

- bulk metallic materials 236–253
- Burgers vector 242
- burnable organic liquids 102–103
- c**
- cadmium sulphide (CdS) nanorods
 - photoluminescence spectrum 223
 - surface 224
- cadmium telluride (CdTe) nanoparticles 175–179
- calibration curves, gas sensors 19
- cancer cells, luminescence staining 163
- capacity, heat, *see* heat capacity
- carbon, supercooled 304
- carbon black 92
- carbon nanotube-based composites 228–229, 262–265
- carbon nanotubes 288–300
 - armchair-type 292
 - debundling 230
 - electrical conductivity 216–221
 - electron field emission characteristics 295
 - single-wall 263, 265
 - zigzag type 291–292, 294
- catalyst particles 305–306
- cavity, resonant microwave 87
- CCD devices 325
- CD player systems 272
- cell separation, magnetic 133
- cells, cancer 163
- ceramic-coated ceramic nanoparticles 104
- ceramic core 164–165, 180–183, 185–186
- ceramic materials, mechanical properties 236–253
- ceramic/polymer nanocomposites, photoluminescence 164
- ceria (CeO₂) nanoparticles, faceted 26
 - I*–*V* characteristics 213–215, 217–220
 - imogolite 288
- charge carrier transport 200
- charge transfer 189
- chemical analysis, localized 334–340
- chemical reactions
 - gas-phase 34–35, 71–108
- chemical vapor synthesis processes 79–83
- chemisorption 314
- chemistry, colloid 71
- chirality vector 291
- chromatic aberration 329
- Clausius–Clapeyron law 33
- clusters, fractal 5
- coagulation 71
 - adiabatic 27
 - and phase transformations 54–55
 - gold particles 28
 - relaxation time 37
- coated particles
 - agglomeration 104–105
 - gas-phase synthesis 103–107
- coating, nanoparticles 9–10
 - nanoparticles 19
- coercitivity 110–112, 137, 300–303
 - superparamagnetism 119
- collision parameter 74, 78
 - influence of electrical charge 77
- collision probability 72
- colloid chemistry 71
- coloring/bleaching process 204
- composites, *see* nanocomposites
- condensation 71
- condensation process, inert gas 78–79
- condensor 330
- conductance 211
 - cadmium sulphide (CdS) 225
- conductivity
 - ballistic 212–213
 - diffusive 211–212
 - electrical, *see* electrical conductivity
 - thermal 268–269
- confinement, quantum 149–161
- contraction, lattice 32
- contrast enhancement
 - ferrofluidic 276
 - NMR 134
- cooling, rapid 86
- copper ferrite (CuFe₂O₄) platelets 281–282
- core, ceramic, *see* ceramic core
- corona discharge 101
- correlation length 137
- coverage of surface 317
- crystal
 - one-dimensional 286–288, 301
- crystal field, magnetic 132
- crystal model, linear 42
- crystallization, metal nanoparticles 51
- crystallographic planes 25–26
- cubic–tetragonal transformation 323
- Curie temperature 59
- current 211
 - density at failure 216
 - current–voltage characteristics 213–215, 217–220
 - imogolite 288
- curvature, surfaces 35–36
- curvature-dependence, vapor pressure 36
- d**
- dark-field imaging 332–333
- DeBroglie relationship 150, 328

- debundling, carbon nanotubes 230
 - defoliated platelets 258–259
 - deformation
 - mode 235
 - nanocrystalline aluminum 247
 - density distribution, electrons 151
 - diamagnetism 109
 - diamond structure 300
 - dielectric constant 59
 - differential absorbance 197
 - differential transmittance 202–203
 - diffraction
 - selected area 326
 - X-ray/electron 319–326
 - diffusion coefficient, volume 245
 - diffusion scaling law 13–19
 - diffusive conductance 211–212
 - dimensionless surface/volume ratio 21
 - dipole–dipole interactions 121–122
 - discharge, corona 101
 - dislocation climbing/gliding 240–241
 - displays, field emission 295–296
 - distortion, pseudotetragonal 58
 - domains, magnetic 109–110
 - drift movement of electrons 211
 - DVD player systems 272
 - dynamic viscosity 269
- e**
- EELS, *see* electron energy loss spectroscopy
 - elastic scattering 329
 - electric arc 304
 - electric quadrupole splitting 128
 - electrical charge, influence on collision parameter 77
 - electrical conductivity
 - carbon nanotubes 216–221
 - gold nanowire 213–214
 - nanocomposites 225–230
 - nanotubes and nanorods 211–216
 - PFO coating 297
 - electrical current, *see* current
 - electrical properties, nanoparticles 211–231
 - electrical resistance, carbon nanotubes
 - 216–220
 - resistance quantum 213
 - electrochromic materials 194, 200–204
 - transmittance 201–203
 - electrodes, plate and needle 100–102
 - electroluminescence 188–194
 - electromigration 37–38
 - electron beam, interaction with specimen 331–334
 - electron energy loss spectroscopy (EELS) 331, 338–339
 - electron field emission characteristics, carbon nanotubes 295
 - electron microscopy 326–331
 - localized chemical analysis 334–340
 - scanning transmission 340–341
 - electron shells 336–337
 - electrons
 - density distribution 151
 - diffraction 319–326
 - free 153
 - mean free path length 88
 - oscillations 169–171
 - wavelength 329
 - elongated gold nanoparticles 170
 - embryos 63–65
 - emission spectra 154–155
 - CdTe quantum dots 177
 - Emmett, *see* BET method
 - energy
 - Fermi 153, 188
 - of anisotropy 114–116
 - solid–liquid interface 51
 - strain 31–32
 - surface, *see* surface energy
 - energy bands 153
 - energy barrier 13
 - energy levels
 - atoms 152
 - nucleus 128, 131
 - ensemble 67
 - enthalpy
 - adsorption 315
 - free, *see* free enthalpy
 - Gibb's free 41
 - monoclinic–tetragonal transformation 54
 - of melting 42, 50
 - entropy 41
 - equations, *see* laws and equations
 - exchange-coupled magnetic nanoparticles 136–142
 - excimer lasers 84
 - excitation, lumophores 183–184
 - excitons 149–150
 - Bohr radius 150
 - extended X-ray absorption fine structure (EXAFS) 323
- f**
- faceted nanoparticles 26
 - Faraday effect 204–206
 - feed-throughs 272–273
 - Fermi energy 153, 188
 - ferrimagnetism 111
 - ferrites 115, 120–121, 123, 126–127, 129–130, 140–142, 206–207

- ferroelectric material 56–57
 - ferrofluids 135, 270–277
 - applications 272–277
 - contrast enhancement 276
 - viscosity 271–274
 - ferrohydrodynamics 270
 - ferromagnetism 109–110
 - FET, *see* field-effect transistor
 - Fick's laws 13–14
 - field
 - inhomogeneous magnetic 271
 - magnetic crystal 132
 - reduced magnetic 117
 - field-effect transistor (FET) 220–221
 - field emission characteristics, carbon nanotubes 295
 - field emission displays 295–296
 - filled polymer composites 253–265
 - films
 - thick-film layer 18
 - thin, *see* thin films
 - FITC, *see* fluorescein isothiocyanate
 - flame aerosol process 92–103
 - flames, silica-producing 94
 - fluctuations
 - structural 64–68
 - thermal 125
 - fluids, nano-, *see* nanofluids
 - fluorescein isothiocyanate (FITC) 161–162
 - fluorescence 163, 181
 - formation, nanorods and nanoplates 283–285
 - formulae, *see* laws and equations
 - fractal agglomerates 94–95
 - fractal clusters 5
 - Frank–Reed source 241–242
 - free enthalpy 65–66
 - Gibb's 41
 - nanocrystalline bodies 248
 - of formation 29
 - free path length, mean 72–73
 - mean 88
 - free electrons 153
 - frequency, "kitchen" 89
 - industrial 92
 - friction coefficient 303–304
 - fullerenes 279, 288–291, 293, 300, 302–305
 - multiwall 300–302
 - nested 291
- g**
- gallium nitride (GaN) nanorods 304, 306
 - gap, band 154
 - gas condensation process, inert 78–79
 - gas-phase reactions 34–35
 - gas-phase synthesis 71–108
 - coated particles 103–107
 - flame aerosol process 92–103
 - inert gas condensation process 78–79
 - laser ablation process 83–86
 - microwave plasma process 86–92
 - physical/chemical vapor synthesis processes 79–83
 - gas pressure, reaction chamber 84
 - gas sensors
 - general layout 15
 - nanoparticles 15–17
 - gases, kinetic theory 73
 - gearwheel, nanometer-sized 282
 - germanium nanorods 307–309
 - Gibb's free enthalpy 41
 - gold nanoparticles
 - coagulation 28
 - elongated 170
 - melting temperature 68
 - phase diagram 63
 - spheroidal 169
 - gold nanorods 172
 - gold nanowire, electrical conductivity 213–214
 - gold platelets 281
 - gold–ruby–glass 7, 172–174
 - gold–silver alloy, absorbance 174
 - grain boundaries, polycrystalline material 22
 - grain growth 27–29
 - grain size 238–251
 - zirconia (ZrO₂) powder 5
 - graphene 217–220, 289, 291–293, 307
 - electron microscopy 339
 - graphite, structure 289
- h**
- HAADF, *see* high-angle annular dark-field detector
 - Hall–Petch relationship 239–240, 243–245
 - hard magnetic materials 136–138
 - hardness
 - Vickers 244, 246–247
 - heat capacity
 - nanoparticles 42–45
 - sintered metallic nanocrystalline materials 44
 - heat capacity ratio 267–268
 - heat release rate 261–262
 - heat transfer, nanofluid improved 267–270
 - hexamethyl disiloxane (HMDSO) 93, 95
 - high-angle annular dark-field (HAADF) detector 340–341
 - high-power lasers, pulsed 83
 - holes 153, 189, 195

- homogenization time, relative 14
 - Hooke's law 234–235
 - hydrostatic pressure 24, 30–32
 - hydroxide layer 90
 - hypostoichiometric state 195
 - hysteresis 110–111, 116–117, 127
- i**
- illumination hole 198–199
 - imaging, bright-/dark-field 332–333
 - imogolite ($\text{Al}_2\text{SiO}_3(\text{OH})_4$) 286–288
 - improved heat transfer 267–270
 - index of refraction, adjustment 145–149
 - indium tin oxide (ITO) 186–187, 190, 297–298
 - inelastic scattering 329, 334–335
 - HAADF Detector 340
 - inert gas condensation process 78–79
 - up-scaling 80
 - inhomogeneous magnetic field 271
 - instability, thermal 113
 - interface energy, solid–liquid 51
 - inverse Hall–Petch relationship 244–245
 - ionization, partial 78
 - iron oxide (Fe_2O_3) powder
 - gas-phase synthesis 81–82
 - nanoparticulate 6
 - iron oxide particles, superparamagnetic 107
 - ITO, *see* indium tin oxide
- k**
- Kelvin formula 33
 - Kerr effect 204
 - kinetic theory of gases 73
 - “kitchen frequency” 89
- l**
- Landau's order parameter 60–61
 - Langmuir's formula 116, 118, 123, 125
 - Langmuir adsorption isotherm 314–317
 - Langmuir's formula 314
 - laser ablation process 83–86
 - lasers 83–84
 - lateral limits, structuring processes 4
 - lattices
 - anisotropic 26
 - contraction 32
 - spin 111
 - laws and equations
 - Bragg's law 320
 - Clausius–Clapeyron law 33
 - DeBroglie relationship 150, 328
 - diffusion scaling law 13–19
 - Fick's 13–14
 - Hall–Petch relationship 239–240, 243–245
 - Hooke's law 234–235
 - Kelvin (Thomson) formula 33
 - Langevin's formula 116, 118, 123, 125
 - Langmuir's formula 314
 - Moseley's law 336
 - Ohm's law 211, 213–215
 - Pauli's principle 152
 - Planck's equation 212
 - Scherrer formula 322–323
 - Tauc relationship 155–157
 - Thomson's law 47
 - layered silicate 260
 - layered structures 3, 285–286
 - compounds 288–311
 - light
 - absorption 13
 - scattering 146–147
 - limits, lateral 4
 - linear crystal model 42
 - liquids, burnable organic 102–103
 - localized chemical analysis 334–340
 - loudspeaker, ferrofluidic 273
 - luminescence 279–280
 - cancer cell staining 163
 - electro- 188–194
 - nanocomposites 180–187
 - photo- 160, 164–166
 - spectra 182, 186–187
 - lumophores 161–169
 - excitation 183–184
- m**
- magnetic anisotropy 114–115, 129
 - magnetic cell separation 133
 - magnetic crystal field 132
 - magnetic domains 109–110
 - magnetic field
 - inhomogeneous 271
 - reduced 117
 - magnetic materials
 - hard/soft 136–138
 - ultrasoft 140
 - magnetic moment, molecular 110
 - magnetic nanoparticles, exchange-coupled 136–142
 - magnetic particle size 124
 - magnetic properties, nanoparticles 109–143
 - magnetic pumping system 274
 - magnetic refrigeration 135
 - magnetic susceptibility 125–132
 - magnetization
 - remanent 298
 - saturation 111, 120–121, 137, 185

- thermal fluctuation 125
 - magnetization curve 110–111, 116–119, 121–124, 140–142
 - magneto-optic applications 204–207
 - mass increase, relativistic 328
 - mass susceptibility 126
 - matrices, transparent 169–180
 - matrix, nanocomposites 6–9
 - mean free path length 72–73
 - electrons 88
 - mechanical properties, nanoparticles 235–266
 - melting, nanoparticles 60–64
 - melting enthalpy 42, 50
 - melting temperature
 - gold nanoparticles 68
 - reduction 47–51
 - metal nanoparticles, crystallization 51
 - metallic materials
 - mechanical properties 236–253
 - sintered nanocrystalline 44
 - metallic nanoparticles, transparent matrices 169–180
 - microscopy, electron 326–331
 - microwave cavity, resonant 87
 - microwave plasma process 86–92
 - Miller indices 320–321, 323, 332
 - molar surface energy 22
 - molecular magnetic moment 110
 - molecular movement, Brownian 270
 - molybdenum sulphide (MoS₂) nanotubes 300–303
 - monoclinic phase 29–30, 29–30
 - monoclinic–tetragonal transformation 52–53
 - enthalpy 54
 - Moseley's law 336
 - Mössbauer spectrum 127–130, 132
 - mother-of-pearl 254, 257–258
 - multilayer system 191–192
 - multiwall nanotubes 216–220, 293–294, 298–301, 307
 - EELS spectra 340
- n**
- nacre 254, 257–258
 - nanocomposites 5–11
 - carbon nanotube-based 262–265
 - carbon nanotube–epoxy 228–229
 - electrical conductivity 225–230
 - filled polymer 253–265
 - matrix 6–9
 - photoluminescence 164–166
 - platelet-filled polymer-based 257–262
 - special luminescent 180–187
 - nanocrystalline aluminum, deformation 247
 - nanocrystalline materials
 - sintered metallic 44
 - yield stress 237
 - nanofluids 267–277
 - improved heat transfer 267–270
 - thermal conductivity 268–269
 - nanomaterials
 - and nanocomposites 5–11
 - characterization 313–342
 - consequences of particle size 11–19
 - surfaces 21–40
 - nanometer-sized gearwheel 282
 - nanomotors 37–39
 - nanoparticles 5
 - biologically functionalized 11
 - cadmium telluride (CdTe) 175–179
 - ceria (CeO₂) 26
 - coated 103–107
 - coating 9–10, 19
 - electrical properties 211–231
 - elongated gold 170
 - exchange-coupled magnetic 136–142
 - gas-phase synthesis 71–108
 - gas sensors 15–17
 - heat capacity 42–45
 - iron oxide (Fe₂O₃) powder 6
 - magnetic properties 109–143
 - magneto-optic applications 204–207
 - mechanical properties 235–266
 - melting 60–64
 - melting temperature 68
 - metallic and semiconducting 169–180
 - optical properties 145–209
 - phase diagram 63–64
 - phase transformations 41–69
 - semiconducting 169–180
 - spheroidal gold 169
 - structure 55–60
 - surface 11–12
 - suspensions, *see* nanofluids
 - thermal phenomena 12–13
 - thermodynamics 41–42
 - zirconia (ZrO₂) 27–28
 - , *see* also particles
 - nanoplates 279–311
 - formation 283–285
 - nanopowders, BET surfaces 319
 - , *see* also powder
 - nanorods 3, 5
 - cadmium sulphide (CdS) 223
 - electrical conductivity 211–216
 - formation 283–285

- gallium nitride (GaN) 304, 306
- germanium 307–309
- gold 172
- nanotubes and nanoplates 279–311
- non-carbon 300–303
- photoconductivity 222–225
- synthesis 303–311
- zinc sulphide (ZnS) 191–193
- nanostuctures, compounds with layered structures 288–311
- , *see also* layered structures
- nanotubes 3, 5
- carbon, *see* carbon nanotubes
- electrical conductivity 211–216
- multiwall 216–220
- nanorods and nanoplates 279–311
- non-carbon 300–303
- relation to nanorods and nanoplates 279–311
- single-wall carbon 263, 265
- synthesis 303–311
- tungsten sulphide (WS₂) 300–303
- zinc oxide (ZnO) 309–311
- nanowire, gold 213–214
- Nd-YAG lasers 84
- needle electrodes 100–102
- Néel-superparamagnetism 127, 129
- nested fullerenes 291
- non-carbon nanotubes/-rods 300–303
- nuclear magnetic resonance (NMR) 133–134, 276
- nucleation 71
- nucleus
- energy levels 128, 131
- numerical aperture 327

o

- Ohm's law 211, 213–215
- one-dimensional crystals 286–288
- one-dimensional nanoparticles 279
- “onion” crystal 301
- “onion” molecules 291
- optical absorbance 179
- optical absorption 150
- optical properties
- nanoparticles 145–209
- relation to quantum confinement 149–161
- optical transmission, PFO 297–298
- optoelectronics 222
- order parameter, Landau's 60–61
- organic light-emitting diodes (OLEDs) 296
- organic liquids, burnable 102–103
- oscillations, electrons 169–171

- oxide/PMMA nanocomposites, photoluminescence 165–166

p

- paraelectric–antiferroelectric transformation 58
- paramagnetism 109–110
- partial ionization 78
- particle-filled polymers 253–256
- “particle in a box” problem 150–151
- particle size
- elementary consequences 11–19
- influence on thermodynamic behavior 41–68
- magnetic 124
- particle size distribution, zirconia (ZrO₂) powder 75
- zirconia (ZrO₂) powder 91
- particles
- pseudocrystalline 63–64
- , *see also* nanoparticles
- path length
- mean free 72–73, 88
- Pauli's principle 152
- percolation threshold 225–226, 230
- perovskite structure 56–57
- PFO 297–298
- phase, monoclinic 29–30
- sphalerite 178
- tetragonal 29–30
- wurtzite 178
- phase diagram, gold nanoparticles 63
- phase transformations
- and coagulation 54–55
- nanoparticles 41–69
- phonons 169
- photochromic materials 194–200
- absorption spectra 196
- photoconductivity, nanorods 222–225
- photoluminescence 160
- nanocomposites 164–166
- spectrum of CdS nanorods 223
- physical vapor synthesis processes 79–83
- physisorption 314
- Planck's equation 212
- planes, crystallographic 25–26
- plasma process, microwave 86–92
- plasmon peaks 339
- plasmons 153, 169–171
- plasticity, super-, *see* superplasticity
- plate and needle electrodes 100–102
- platelet-filled polymer-based nanocomposites 257–262
- platelets

- copper ferrite (CuFe₂O₄) 281–282
- gold 281
- PMMA, *see* polymethylmethacrylate
- polarization plane 204–205
- poly(2,7-9,9-(di(oxy-2,5,8-trioxadecane))
fluorene), *see* PFO
- polycrystalline material, grain boundaries 22
- polymer nanocomposites
 - filled 253–265
 - photoluminescence 164
- polymerization, PMMA 165
- polymers, particle-filled 253–256
- polymethyl methacrylate (PMMA) 10, 106–107
- index of refraction 147–148
- nanocomposite photoluminescence 165–166
- special luminescent nanocomposites 180–186
- stress–strain diagram 256
- porosity 236–238
- powder
 - BET surfaces 319
 - iron oxide (Fe₂O₃) 6, 81–82
 - titania (TiO₂) 96, 98
 - zirconia (ZrO₂) 75, 91
 - zirconia (ZrO₂) powder 5
- pressure
 - gas 84
 - hydrostatic 24, 30–32
 - vapor 34–35
- probability, particle collisions 72
- pseudocrystalline particles 63–64
- pseudotetragonal distortion 58
- pulsed high-power lasers 83
- pumping system, magnetic 274
- Q-value 142

- q**
- quadrupole splitting, electric 128
- quantum confinement, relation to optical properties 149–161
- quantum dots 161–169
 - CdTe 177
- electroluminescence 190
- quenching 86

- r**
- rapid cooling 86
- reaction chamber, gas pressure 84
- reactions, chemical, *see* chemical reactions
- reduced magnetic field 117
- reduction of melting temperature 47–51
- Reed, *see* Frank–Reed source
- refraction, index of 145–149
- refrigeration, magnetic 135
- relative homogenization time 14
- relativistic mass increase 328
- relaxation time, coagulation 37
- remanence 110–112
- remanent magnetization 298
- resistance, electrical, *see* electrical resistance
- resolution, sub-Ångström 330
- resonant microwave cavity 87
- rupture 234

- s**
- SAD, *see* selected area diffraction
- saturation magnetization 111, 120–121, 137, 185
- scaling law, diffusion 13–19
- scanning transmission electron microscopy 340–341
- scattering of light 146–147
- Scherrer formula 322–323
- selected area diffraction (SAD) 326
- self-lubricating solid films 303
- self-organization processes 7
- semiconducting nanoparticles, transparent matrices 169–180
- sensitivity, gas sensors 17
- sensors
 - gas 15–17
 - vibration 275
- separation, magnetic cell 133
- shear stress 242
- silica-producing flame 94
- silicates, layered 260
- single-wall carbon nanotubes (SWNT) 263, 265, 293
 - EELS spectra 340
- sintered metallic nanocrystalline materials, heat capacity 44
- sintering 35–36
- size, particle, *see* particle size
- small particle size, elementary consequences 11–19
- “soccer ball” molecule 290
- soft magnetic materials 137–138
- solid films, self-lubricating 303
- solid–liquid interface energy 51
- sonication 229
- specific surface area 313–319
- spectra
 - absorption 196
 - EELS 338–339
 - emission 154–155, 177
 - luminescence 182

- Mössbauer 127–130, 132
 - photoluminescence 223
 - sphalerite phase 178
 - spherical aberration 329
 - spherical alumina particles 314
 - spheroidal gold nanoparticles 169
 - spin-canting phenomena 130
 - spin lattices 111
 - splitting, electric quadrupole 128
 - statistics, Bose–Einstein 43
 - strain, *see* stress–strain diagram
 - strain energy 31–32
 - strand of carbon nanotubes 264–265
 - stress
 - surface 23–24
 - yield, *see* yield stress
 - stress–strain diagram 233–235, 238, 248, 259–260, 263–264
 - filled polymer composites 254–256
 - superplastic materials 251–253
 - structural fluctuations 64–68
 - structure
 - layered, *see* layered structures
 - nanoparticles 55–60
 - perovskite 56–57
 - structuring processes, lateral limits 4
 - sub-Ångström resolution 330
 - subtractive technologies 3
 - supercooled carbon 304
 - superferromagnetism 112
 - superparamagnetic materials 113–135
 - applications 132–135
 - ferrofluids 270–277
 - iron oxide particles 107
 - luminescence spectra 186
 - magnetic susceptibility 125–132
 - superparamagnetism
 - Néel- 127, 129
 - superplasticity 251–253
 - surface area, specific 313–319
 - surface energy 22–39, 283
 - molar 22
 - solid and liquid aluminum 42
 - technical consequences 33–39
 - surface stress 23–24
 - surfaces
 - cadmium sulphide (CdS) nanorods 224
 - coverage 317
 - curvature 35–36
 - nanomaterials 21–40
 - nanoparticles 11–12
 - surface/volume ratio 12, 21
 - susceptibility
 - magnetic 125–132
 - mass 126
 - suspensions of nanoparticles, *see* nanofluids
 - SWNT, *see* single-wall carbon nanotubes
 - synthesis
 - gas-phase 71–108
 - nanotubes/-rods 303–311
- t**
- Tauc relationship 155–157
 - technical consequences, surface energy 33–39
 - technologies, additive/subtractive 3
 - Teller, *see* BET method
 - temperature
 - annealing 198
 - blocking 113, 119
 - melting 47–51, 68
 - tetragonal–cubic transformation 323
 - tetragonal–monoclinic transformation 52–54
 - tetragonal phase 29–30
 - thermal conductivity, nanofluids 268–269
 - thermal fluctuation, magnetization 125
 - thermal instability, superparamagnetic materials 113
 - thermal phenomena, nanoparticles 12–13
 - thermodynamics, nanoparticles 41–42
 - thick-film layer 18
 - thin films 3, 5
 - Thomson formula 33
 - Thomson’s law 47
 - threshold
 - percolation 225–226, 230
 - titania (TiO₂) powder 96, 98
 - “top-down” approach 1–3
 - transformation
 - monoclinic–tetragonal 52–54
 - paraelectric–antiferroelectric 58
 - tetragonal–cubic 323
 - transistor, field-effect 220–221
 - transmission, optical 297–298
 - transmission electron microscopy, scanning 340–341
 - transmittance
 - differential 202–203
 - electrochromic materials 201–203
 - transparent matrices, metallic and semiconducting nanoparticles 169–180
 - transport, charge carriers 200
 - tribological properties 303–304
 - tungsten sulphide (WS₂) nanotubes 300–303
 - twinning 62, 332
 - two-dimensional nanomaterials, *see* thin films
 - two-dimensional nanoparticles 279

u

ultimate strength 234
 ultrasoft magnetic material 140
 unit cell volume 56
 up-scaling, inert gas condensation process
 80
 UV-absorbing materials 147–149

v

van der Waals bonds 289, 300, 302
 van der Waals forces 285
 vapor deposition 305
 vapor pressure 34–35
 vapor synthesis processes, physical and
 chemical 79–83
 Verall, *see* Ashby–Verall mechanism
 Verdet constant 205
 vibration sensor 275
 Vickers hardness 244, 246–247
 viscosity
 – dynamic 269
 – ferrofluids 271–274
 voltage 211
 – *I*–*V* characteristics 213–215, 217–220
 volume
 – expansion 33
 – surface/volume ratio, *see* surface/volume
 ratio
 – unit cell 56
 volume diffusion coefficient 245

w

Waals, *see* van der Waals
 wavelength of electrons 329
 wurtzite phase 178

x

X-ray diffraction 319–326

y

yield stress 233–234, 243
 – nanocrystalline aluminum 247
 – nanocrystalline copper and palladium 237
 Young's modulus 234, 236–239, 260–265
 yttria-doped zirconia 252–253

z

zero-dimensional nanomaterials, *see*
 nanoparticles
 zigzag type carbon nanotubes 291–292, 294
 zinc oxide (ZnO) nanotubes 309–311
 zinc sulphide (ZnS) nanorods 191–193
 zirconia (ZrO₂)
 – index of refraction 148
 – yttria-doped 252–253
 zirconia (ZrO₂) nanoparticles 27–28
 zirconia (ZrO₂) powder
 – grain size 5
 – particle size distribution 91
 – size distribution 75
 zirconium nitride (ZrN) particles 92