

## Index

### a

- acceptor molecules 108
- adsorption 4f., 71
  - desorption hysteresis 5
- aerosols 195ff.
  - absorption 200ff.
  - accumulation mode 241f.
  - aethalometer 202
  - agglomerates 239, 242
  - air particulate matter (PM) 196f., 200f., 268ff.
  - atmospheric aging 195
  - atmospheric cycling 196
  - atmospheric interaction 195f., 198
  - black carbon (BC) 199ff.
  - brown carbon 202
  - carbonaceous components 199ff.
  - climate and health effects 198, 205, 216ff.
  - cloud condensation and ice nuclei (CCN/IN) 196, 205, 211ff.
  - cloud processing 196
  - coarse mode 241f.
  - collection efficiency curves 240
  - combustion 199f., 203
  - composition 195f., 199ff.
  - Cunningham slip correction factor 238, 241
  - deliquescence relative humidity (DRH) 213, 215
  - diesel exhaust particulate matter (DPM) 211
  - dry deposition 196
  - efflorescence relative humidity (ERH) 213, 215
  - electrical mobility 241
  - elemental carbon (EC) 199ff.
  - equal settling velocity 239
  - exhaust plumes 196
    - filter 202
    - gas-particle interactions 206ff.
    - humic-like substances (HULIS) 205, 208f.
    - hygroscopic growth 206, 212ff.
    - inertia 239
    - integrating-plate techniques 202
    - integrating-sphere techniques 202
    - interaction with water vapor 212ff.
    - kinetic model framework by Pöschl, Rudich and Ammann (PRA) 207f.
    - lifetimes 196, 243
    - low-volatility organic compounds (LVOCs) 203f.
    - macromolecular fraction of water-soluble organic carbon (MWSOC) 200f.
    - mass spectrometers 256ff.
    - mechanical mobility 238, 241
    - morphology 239
    - non-volatile organic compounds (NVOCs) 203f.
    - nucleation mode 241f.
    - organic aerosol (OA) 202
    - organic air particulate matter (OPM) 202ff.
    - organic carbon (OC) 199ff.
    - particle mass concentration 197f.
    - particle size 195ff.
    - particle size distribution 241ff.
- aerosol particle sizing instrumentation 248ff.
  - APS (aerodynamic particle sizer) 249f.
  - DMS (differential mobility spectrometer) 249ff.
  - EDB (electrical diffusion battery) 249f.
  - EEPS (engine exhaust particle sizer) 254
  - ELPI (electrical low-pressure impactor) 249f., 258, 261
  - FMPS (fast mobility particle sizer) 249f., 254f.
  - Moudi 249f.

- nano-Moudi 249f.
- nano-SMPS (nano-scanning mobility particle sizer) 249f.
- OPC (optical particle counter) 249f.
- SMPS (scanning mobility particle sizer) 244, 249ff.
- aerosol
  - phase transition 212f., 215
  - photoacoustic spectroscopy 202
  - polycyclic aromatic hydrocarbon (PAH) 209ff.
  - primary organic aerosol (POA) 202, 204
  - secondary organic aerosol (SOA) 203ff.
  - semi-volatile organic compounds (SVOCs) 203, 206, 208
  - solar radiation 206, 208
  - surface-to-volume ratio 129, 206
  - terminal settling velocity 238f.
  - total carbon (TC) 199ff.
  - transformation 195f., 198, 205ff.
  - volatile organic compounds (VOCs) 203f., 208
  - water-soluble organic carbon (WSOC) 200f.
  - wet deposition 196
  - yellow carbon 202
- Agency for Toxic Substances and Disease Registry (ATSDR) 127
- antibacterial 25f.
  - activity 39ff.
  - effect 38
  - evaluation 39
  - inactivation 41
  - surfaces 48f.
  - tiles 113
- antifungal growth 33
- antimicrobial effect 17, 40f.
- antipollution 17
- antisoiling 33
- approach
  - bottom-down 7
  - bottom-up 4, 182, 184
  - top-down 182
- automobile
  - diesel particulate filter 211
  - exhaust 128f., 132, 211, 276, 293
  - emission control 129
  - gold catalyst 129f.
  - three-way catalyst 129, 147
- auto-oxidation 25, 28f.
  
- b**
- batch slurry reactors 81f.
- biodegradation 55, 131
- Bohr radius 99
  
- Brownian motion 236f.
- building block 4
  
- c**
- CaCO<sub>3</sub> 43, 45f., 49
- carbon
  - activated 4, 113
  - microsphere (CM)-encapsulated 168
  - nanofibers 151f.
  - spherical mesocarbon microbeds (MCMB) 169f.
- carbon nanotubes (CNTs) 4f., 151ff.
  - applications 152
  - aspect ratio 151f.
  - -based composites 170f.
  - -oxide composite 6
  - catalyst supports 153ff.
  - -based composite 170
  - copolymerized 5
  - electrical conductivity 152
  - electrical resistance 4
  - functionalized 5, 153
  - multi-walled (MWNs) 5, 152ff.
  - purification 5
  - sensors 4
  - single-wall (SWNTs) 152, 158
  - solubility 11
  - synthesis 152, 154
  - TiO<sub>2</sub> 7, 11
  - thermal conductivity 152
  - toxicity 11
  - water-soluble 6
- catalyst deposition 152
  - chemical impregnation 152
  - colloidal techniques 153
  - electrodeposition 152f.
  - electroless 152
  - microwave techniques 152f.
  - sputtering 153
- catalyst
  - electro- 149ff.
  - gold 129f.
  - nano- 3f.
  - nanoparticulate 3
- catalyst poisons
  - organosulfur compounds 154
- catalyst
  - Pt nanoparticle 150ff.
  - PtRu bimetallic nanoparticle 150f., 154
  - quaternary 151
  - ternary 151
  - three-way 129, 147
  - zeolite 132
- catalytic

- activity 2
  - converter 129
  - dechlorination 132
  - decomposition 155
  - catalytic gold nanoparticles 129f.
    - patents 129f.
  - cementitious materials 33ff.
    - burn off 33, 35
    - concrete 34
    - dye fade 34
    - Eco-cements 33, 47f.
    - fading rate 33
    - photocatalyst 33ff.
    - Rhodamine B dye 34
  - chalking 31, 34ff.
  - charge transfer rate 164
  - chemiluminescence detector system 44
  - chromophores 28
  - coagulation 10
  - coatings 3, 11, 30, 34, 43
    - automotive 25
    - carbonization 168
    - efficacy 43
    - organic 28
    - paint 43, 49
    - polymeric 28, 168
    - porous 43
    - reactive surface 128
    - surface 20
    - thickness 44
    - TiO<sub>2</sub> 26, 30f., 113ff.
  - composite 147, 153f., 165ff.
    - anode material 165f.
    - carbon nanotube-based 170
    - cathods 154
    - Si nano- 169f.
    - Nafion 153
  - contaminants
    - chemical destruction 4
    - organic 9
    - photchemical destruction 4
    - toxic 53
  - contamination monitoring, *see* nanoparticle characterization techniques
  - crop fertilization 53
- d**
- dense non-aqueous phase liquid (DNAPL) 9f.
    - contamination 10
  - Department of Energy (DOE) 53, 158
  - depollution 42ff.
  - desgin for the environment (DFE) 178
  - dichalkogenides
    - layered structure 98f.
    - quantum confinement 98f.
    - quantum size effect 98
  - diffusion
    - carrier 86
    - oxygen 31
  - dispersion effect 30, 40
  - DNA technique 128
  - dye
    - cementitious materials 34
    - sensitization 81ff.
- e**
- ecotoxicology 11
  - electrocatalysts 149ff.
    - Pt nanoparticles 150f., 164f.
  - electron-hole 25ff.
    - pair 27, 58, 66, 69f., 130
    - photoinduced 27
    - recombination 25, 31, 80, 86, 109, 130f.
    - separation 90, 109, 130
    - surface trapping 130
  - electron transfer (ET) 108f.
    - acceptor 109, 164
    - MoS<sub>2</sub> 108
  - electronic excitation 25
  - emission 33, 44ff.
  - energy cost 3
  - energy efficiency 3
  - environmental
    - applications 3, 10
    - contamination 53
    - engineering 1
    - health and safety (EHS) 188f.
    - monitoring 125f.
    - nanotechnological technique 9
    - pollutants 51, 54
  - environmental protection
    - agency (EPA) 52, 125, 186, 209ff.
    - regulations 52, 125
  - environmental remediation 51ff.
    - advantages 68
    - applications of photocatalysts 68ff.
    - approach 55
    - dissolved oxygen 65f.
    - economic considerations 57
    - recycling 54
    - regeneration 54
    - risk 1f., 10
  - environmental remediation techniques 55, 127ff.
    - advanced oxidation processes (AOPs) 56
    - air stripping 55
    - biological degradation 55, 131
    - carbon adsorption 55

- end-of-pipe 131
- incineration 55
- oxidation through chlorination 55f.
- oxidation through ozonization 55
- photocatalysis 131
- photocatalytic degradation 131f.
- photo-oxidation 56, 131
- sedimentation 55
- semiconductor-based photocatalysis 131
- total mineralization 132
- transfer methods 55
- ultrafiltration 55
- UV photon catalysis 131
- epidemiological study 267ff.
- Air Pollution and Health: a European Approach (APHEA) 272
- cardiovascular disease 275f.
- design 267, 269
- diseases of the Central Nervous System 279ff.
- entry routes into human body 270ff.
- environmental air pollution 268, 271ff.
- European Prospective Investigation on Cancer and Nutrition (EPIC) 278f.
- inhalation 270f.
- International Agency for Research on Cancer (IARC) 279, 282
- Long-Term studies 272f.
- metabolism 270f.
- National Mortality Morbidity Air Pollution Study (NMMAPS) 272
- Observatoire National des Asthmes Professionnels (ONAP) 284
- odds ratio (OR) 269f.
- particulate air pollution 267ff.
- particulate matter (PM) 268ff.
- relative risk (RR) 269f.
- respiratory disease 276ff.
- risk factor profile deterioration 276
- Short-Term studies 272
- workplaces 281ff.
- excitonic peak 99ff.
- excitons 30f., 69f., 98f.
  - bulk 100
  - effective mass model (EMM) 70, 100
  - hydrogen-like 100
- exhaust 128f.
  - aftertreatment 211
  - treatment of diesel 130, 211
  - treatment of gasoline 130
- f**
  - Fermi level 97
  - fuel cell 147ff.
    - catalyst support materials 148, 151ff.
    - direct methanol (DMFC) 149ff.
    - durability 150f.
    - electrical conductivity 151
    - electro-osmosis 150
    - high temperature 149
    - humidification level 150
    - low-temperature 148ff.
    - membrane electrolyte assembly (MEA) 154
    - molten carbonate 149
    - nanoparticle catalysts 150f.
    - operating temperature 149
    - phosphoric acid 149
    - polymer electrolyte membrane (PEMFC) 149ff.
    - proton exchange membrane 149f.
    - solid oxide 149
  - fullerene 5, 11, 152
    - dispersion state 5
    - sorbents 5
    - -type hemisphere 152
- g**
  - gas-phase
    - photocatalysis 113
    - photoreactors 112
  - gas purification of VOC 112
  - genetic engineering 128
  - genetically modified (MO) crops 188
  - graphite
    - -like carbon proportion 202
    - solid electrolyte interface (SEI) 171
  - green
    - chemistry 3
    - design approaches 178
  - groundwater
    - perchlorate-contaminated 133
    - remediation 7ff.
- h**
  - hazardous substances
    - chemical classes 127
    - transformation 127
  - high magnetic gradient separation (HGMS) 6
  - hydrocarbon (HC) 148f., 157
    - fuel 148f.
    - polycyclic aromatic (PAH) 209ff.
    - unburned 128f.
  - hydrogen 157ff.
    - bio- 3
    - carbon nanomaterials 158
    - combustion 199

- fuel 148
- pyrolysis 199
- reduction 150
- storage 3, 148, 157ff.
- hydrolysis 78
- hydroxyl functionality 32
- hydroxyl groups 30

**i**

- industrial ecology (iE) 177f.
  - application to nanotechnology 178f.
- industrial ecology concepts
  - corporate social responsibility (CSR) 179, 186ff.
  - life cycle assessment (LCA) 179ff.
  - material flow analysis (MFA) 179, 184
  - substance flow analysis (SFA) 179, 184ff.
- industrial ecology framework 177f.
- inorganic compounds 26
- interception 10
- interfacial charge transfer 130
- International Council on Nanotechnology (ICON) 189
- International Organization for Standardization (ISO) 180, 187
- irradiation 34, 37, 47, 64, 80

**k**

- Kelvin equation 213
- Köhler theory 213ff.

**l**

- life cycle
  - assessment (LCA) 179ff.
  - benefits 181f., 184, 187
  - engineering (LCE) 178
  - impact assessment (LCIA) 180f.
  - implications for nanotechnology 180
  - inventory (LCI) analysis 180ff.
  - performance 184
  - product 179, 181f., 184
  - stages 179f.
  - studies 181
- lithium ion batteries 148, 165ff.
  - anode nanomaterials 165ff.
  - capacity retention 167
  - carbon nanotubes 170f.
  - discharge capacity 168ff.
  - semiconductor electrolyte interface (SEI) 166, 171
  - Si nanocomposites 169f.
  - Sn nanoparticles 166ff.
  - storage capacity 166ff.

**m**

- membranes
  - hollow monolithic cylindrical 6
  - nanofiltration (NF) 4, 6
  - nanoporous alumina 163
  - nanoporous polycarbonate 163
  - polymer electrolyte, *see* fuel cells
  - polypeptide-based 133
  - proton exchange, *see* fuel cells
  - reverse osmosis 6
  - silver nanoparticle array 4
  - ultrafiltration 6
- metals
  - deposition 80ff.
  - removal 6
- methanol reduction 151
- mineralization 82, 114, 132
  - 4-chlorophenol 82
  - total 132
- mineralizing 55f.
  - complete 56, 59
  - partial 55
- molecules 4, 125
  - bio- 4
  - building 125
  - self-assembling 125
  - toxic 125
- MoS<sub>2</sub> 54, 72f., 86ff.
  - band structures 89f.
  - bulk properties 86, 91ff.
  - catalytic hydrodesulfurization (HDS) 87, 89, 97
  - crystal structure 89, 93, 98
  - electronic properties 86f., 89ff.
  - high-temperature lubricant 87, 89
  - molybdenite 86f.
- MoS<sub>2</sub> nanocluster 86, 91ff.
  - synthesis 92ff.
- MoS<sub>2</sub>
  - n-type 89f.
  - optical properties 89f., 93ff.
  - photocatalytic properties 90ff.
  - photocorrosion 88, 90
  - quantum size effect 98f.
  - semiconductor 89f., 95
  - size 88, 91, 93, 95, 98
  - solar photoelectrochemical electrode 89
  - surface to volume ratio (S/V) 92
- n**
- nanocluster
  - crystal structure 93f., 97
  - defects 93
  - growth 92f., 97f.

- magic sized 97
- metal-sulfide 74
- metallic properties 96f.
- MoS<sub>2</sub> 92ff.
- light adsorption 77
- optical properties 73, 93ff.
- oxidation potential 77
- photostability 72, 77
- platelet 97f.
- semiconductor 68, 74, 77
- size 93ff.
- solution-based 74
- surface properties 73, 93
- nanocluster synthesis 77, 92ff.
  - hydrophilic head group 92f.
  - hydrophobic tail group 92f.
  - inverse micelle 92f., 97
  - pulsed electric arc 97
  - surfactant molecules 92f.
  - ultrahigh vacuum methods 96
- nanocluster
  - triangular 96f.
  - WS<sub>2</sub> 97
- nanomaterials
  - applications 147ff.
  - aspect ratio 147, 151f.
  - carbon 151ff.
  - composites 147, 153
  - graphite nanofibers 158
  - Li ion storage 166
  - nanotubes 147f., 151ff.
  - nanowires 147f., 151, 163f.
  - non-carbon-based 159
  - production 296
  - surface area 147, 158, 163
  - surface reactivity 159
  - synthesis 163f.
  - use 296
- nanoparticle
  - adsorbents 4f.
  - agglomeration 10, 230f.
  - air-borne, *see* aerosols
  - bioavailability 10
  - by-product 230
- nanoparticle characterization techniques 74ff.
  - aerosol particle sizing instrumentation, *see* aerosol
  - AFM (atomic force microscopy) 235, 258
  - AFS (atomic fluorescence spectroscopy) 142
  - ANC (Aitken nucleus counter), *see* CPC
  - catalytic surface oxidation 126
  - chemical analysis of fine particles 140
    - CNC (condensation nucleus counter), *see* CPC
    - cost effective 126
    - Coulter Counter 235f.
    - CPC (condensation particle counter) 243ff.
    - cyclone, *see* impactor
    - DLS (dynamic light scattering) 77, 236f.
    - EDX (energy-dispersive-X-ray) analysis 235, 259
    - EIS (electrochemical impedance spectroscopy) 164
    - electrometer 246, 248
    - ELR (electron spin resonance) 111
    - ESP (electrostatic precipitator) 258f.
    - filtration 235
    - flame ionization devices 126
    - GC-MS (gas chromatography-mass spectrometry) 76, 126
    - GFAAS (graphite furnace atomic adsorption spectroscopy) 142
    - HGAAS (hydride generation atomic adsorption spectroscopy) 142
    - HRTEM (high-resolution transmission electron microscopy) 93f., 202
    - ICP-AES (inductively coupled plasma atomic emission spectroscopy) 142
    - ICP-MS (inductively coupled plasma mass spectroscopy) 142
    - impactor 239ff.
    - infrared spectroscopy 126
    - off-line 235, 258
    - on-line 235, 243, 256f.
    - photoionization devices 126
    - Raman spectroscopy 202
    - Rayleigh scattering 236
    - SAD (selective area diffraction) 74, 93f.
    - SAXS (small-angle X-ray scattering) 74f.
    - SEC (size-exclusion chromatography) 75f.
    - SEM (scanning electron microscopy) 113, 235, 258f.
    - SMPS (scanning mobility particle sizer) 244, 249ff.
    - STM (scanning tunneling microscopy) 96f.
    - TEM (transmission electron microscopy) 74f., 86, 235, 258f.
    - TXRF (total reflection X-ray fluorescence) 258
    - wet chemistry methods 126
    - XPS (X-ray photoelectron spectroscopy) 74, 110
    - XRD (X-ray diffraction) 74, 202
    - XRF (X-ray fluorescence) 76, 97
- nanoparticle
  - CeO<sub>2</sub> 11

- concentration metrics 229f., 232f.
  - core-shell 164
  - nanoparticle detection, *see* nanoparticle characterization techniques
  - nanoparticle detection strategies 259ff.
  - nanoparticle diameter
    - aerodynamic 239
    - equivalent 239
    - Stokes 239
  - nanoparticle distribution 298ff.
    - ambient air 298f.
    - water 299ff.
  - nanoparticle
    - functionalized 10
    - inhalation 10
    - iron 7ff.
    - lifecycle 231
    - magnetic 4, 6
  - nanoparticle measurement techniques, *see* nanoparticle characterization techniques
  - nanoparticle
    - mobility 10, 232ff.
    - natural 230
    - non-magnetic 6
  - nanoparticle occurrence 233ff.
    - air 234
    - plant 233
    - soil 233
    - water 233
    - workplace environment 234f.
  - nanoparticle
    - persistence 10
    - pristine 10f.
    - Sn 166ff.
    - sorption capacity 2
    - sources 294f.
  - nanoparticle synthesis 73, 167f.
    - acid-catalyzed hydrolysis 73
    - base-catalyzed hydrolysis 73
    - gas-phase 73f.
    - high-temperature flame hydrolysis 73
    - manmade 230
    - MoS<sub>2</sub> 74
    - properties 229f.
    - sizes 229, 231
    - solution-based 73f.
    - TiO<sub>2</sub> 73, 78ff.
  - nanoparticle
    - toxicity 1, 3, 10f., 231, 301f.
    - ultrafine particles (UFPs) 229f., 234f., 243, 259, 273ff.
    - ZnO 11
  - nanotechnology applications
    - atomic-level synthesis 125
    - on-line sensitive sensors 125
  - nanotechnology firms 188f.
  - nanotechnology risk 188f., 292ff.
    - assessment 294ff.
    - communication 294
    - identification 292f.
    - management 292, 294
    - predicted environmental concentration (PEC) 295f.
    - predicted no-effect environmental concentration (PNEC) 295f.
  - National Science Foundation (NSF) 302
  - NO<sub>x</sub>
    - gas detection system 44
    - reduction 33, 44ff.
    - removal 42, 44f., 129
  - non-governmental organizations (NGO) 187f.
- O**
- O<sub>2</sub> reduction 151, 153
  - opacity, *see* TiO<sub>2</sub>
  - organic compounds 5
    - dechlorination rate 7
    - impurity 109
    - removal 6, 26
    - volatile, *see* VOCs
  - organometallic compounds 5
  - oxidants 113
  - ozone 209f.
    - decomposition 129
    - depletion 205
- P**
- paint
    - antibacterial 38f.
    - acrylic water-based 35
    - chalking 35f.
    - coatings 43
    - composition 35
    - degradation 45
    - depollution 43
    - durability 33, 36
    - Eco-paint films 39, 45, 47
    - fading 36
    - film 33ff.
    - gloss loss 33, 36f.
    - inorganic 36, 38
    - mass loss 33ff.
    - matrix 45
    - methylene blue-impregnated silicate 36
    - organic 35ff.
    - photoactivity 33
    - photocatalyst 39
    - photocatalytic effect 35f., 39, 43

- PVC-based alkylid 33
- shedding 36
- stability 35f.
- self-cleaning effect 33ff.
- translucency 45f., 49
- photoactivity tests
  - hydroxyl content 31ff.
  - oxygen consumption 32f.
  - 2-propanol oxidation 31f.
- photocatalysis 53f., 56ff.
  - heterogeneous 56, 60
  - light-activated 58f.
  - MoS<sub>2</sub> nanocluster 101ff.
  - pentachlorophenol (PCP) 106ff.
  - phenol 103ff.
  - TiO<sub>2</sub> 101ff.
  - WS<sub>2</sub> nanocluster 101ff.
- photocatalyst
  - application, *see* technological applications
  - CdS 107
  - charge separation 61
  - charge transfer 62
  - coupled semiconductor 109f.
  - heterogeneous
  - light intensity 66
  - material properties 71f., 77
  - metal dichalcogenides 86
  - MoS<sub>2</sub> 54, 72f., 86ff.
  - nanocluster photostability 72
  - nanomaterials 66ff.
  - pH of solution 62f.
  - photostability 83
  - preparation 54
  - presence of salts 62ff.
  - quantum confinement 68
  - semiconductor nanoclusters 68f., 74, 76f.
  - SnO<sub>2</sub> 73, 90
  - solvent 65f.
  - surface chemistry 71f.
  - surfactants 64f.
  - synthesis 54
  - Ta<sub>x</sub>N<sub>x</sub> 83ff.
  - TaON 83
  - TcS<sub>2</sub> 90
  - TiO<sub>2</sub> 7, 25ff.
  - TiO<sub>2-x</sub>N<sub>x</sub> 80, 84
  - WS<sub>2</sub> 83, 89ff.
  - WSe<sub>2</sub> 91, 98
  - ZnO 83f., 90
- photocatalytic 27f., 33
  - activity 20, 27f., 54, 62, 80, 91
  - bactericidal effect 39ff.
  - chemistry 26
    - degradation 114, 130
    - efficiency 27, 54, 61, 80
    - oxidation 57, 80
    - paints 35f., 43
    - selectivity 62
    - size effect 53
- photocatalytic surface 17ff.
  - chemistry 53
- photocatalytic water splitting 57, 59
- photochemical cancer treatment 26
- photodestruction
  - chemical waste 91
  - pentachlorophenol (PCP) 106ff.
  - phenol 103ff.
- photoelectrocatalytic generation of hydrogen 53
- photoexcitation 27, 59, 65, 70, 72, 82, 95, 98, 101
- photoluminescence (PL) 109, 137
- photolysis 206, 208
  - laser 59
- photolytic degradation 28, 111
- photooxidants 210
- photo-oxidation 6, 28, 48, 56, 61ff.
  - gas-phase 113
  - pentachlorophenol (PCP) 108
  - reactions 77, 111
- photo-oxidative degradation 28
- photo-reduction 31, 63, 80f.
- pigment 19f., 22ff.
  - Calgon milled 41
  - concentration 30, 40
  - crystallinity 42
  - dispersion 30, 40
  - effect 25
  - form 19
  - nanoparticle surface-treated rutile 25
  - porosity 41
  - rutile 19f., 25
  - surface 30f., 42
  - surface area 44, 49
  - TiO<sub>2</sub> 20, 22ff.
- platinum surface-catalyzed reaction 129
- pollutant
  - adsorption 4
  - degradation 6f.
  - elimination 125f.
  - herbicides 53, 56, 133
  - identification 126
  - inorganic 2, 26, 54
  - insecticides 132
  - organic 2, 6, 26, 54, 62, 130
  - persistent organic (POP) 132
  - pesticides 53, 55f., 131ff.

- plume 9
- quantification 126
- reduction 125
- removal 26
- secondary 55
- pollution control 129f.
- patents 130
- pollution
  - detection 1, 4
  - indoor air 127
  - prevention 1, 3
  - remediation 125
  - sensing 4, 125
  - treatment 125
- polymer 28f., 30f., 35
  - artificial protein 128
  - co- 10
  - cross-linked nanoporous 5
  - degradation 29
  - matrix 20
  - Nafion-type 149, 151, 153
  - photosensitized oxidation 29
  - polar organic 20
  - poly(ethylene)oxide (PEO) 165
- precursor 110
- protein engineering 128
- proton
  - conductor 149
  - hopping 149
- purification 4
  - air 26, 55
  - soil 55
  - water 26, 55
- q**
- quantum confinement 68, 70, 98ff.
- quantum dots 147
- quantum efficiency 112
- quantum size effect 27, 68, 71, 98ff.
  - dichalkogenides 98
  - MoS<sub>2</sub> 98f.
  - WSe<sub>2</sub> 98f.
- r**
- radicals 28ff.
  - alkoxy 29
  - free 28
  - hydroxy 29
  - hydroxyl 6, 27f., 30, 77, 79
  - OH 113
  - oxygen 29
  - perhydroxyl 30
  - peroxy 29
  - photogenerated 41
- reaction
  - Eley-Rideal 207
  - heterogeneous 203, 207
  - Langmuir-Hinshelwood 207, 209
  - multiphase 203, 207
  - radical-initiated polymerization 204
- redox
  - catalyst 91
  - potentials 27, 77, 108
  - reactions 25, 91, 109, 130
- remediation, *see* environmental remediation 51ff.
- resins 4
- Rydberg states 100
- Reynolds number 241
- s**
- self-cleanig
  - effects 33ff.
  - surfaces 33
  - tiles 115
- semiconductor 6, 68ff.
  - coupled systems 133
  - electrolyte interface (SEI) 166, 171
  - highest occupied molecular orbital (HOMO) 69, 95ff.
  - indirect 69
  - lowest occupied molecular orbital (LUMO) 69, 95f., 98
  - MoS<sub>2</sub> 89f., 95
- semiconductor nanocluster 68f., 74, 76f.
  - metal-sulfide 74
  - MoS<sub>2</sub> 72, 77
  - light adsorption 77
  - optical properties 73
  - oxidation potential 77
  - photostability 72, 77
  - solution-based 74
  - surface properties 73
  - synthesis 77
  - TiO<sub>2</sub> 6f., 82
  - WS<sub>2</sub> 77
- semiconductor
  - nanosized 91
  - n-type 89f.
  - photocatalytic efficiency 130
  - surface 130
- sensors 4, 133ff.
  - biosensors 134
  - chemical 4
  - detection of heavy metals in water 141f.
  - electrochemical 4, 134
  - flow-through Raman scattering 4
  - gas 138ff.

- mass 135ff.
- novel 140
- optical 137f.
- PEEBLE (probe encapsulated by biologically localized embedding) 137
- real-time chemical composition measurements 140
- solid-state 139
- ultrasensitive detection of pathogens 140f.
- silicon
  - amorphous 159
  - crystalline 159
  - microfabrication processes 4
  - nanocrystalline porous 137
  - polycrystalline 159
- sludge process 56
- solar cells 3, 148, 159ff.
  - application of nanomaterials 161ff.
  - counter electrodes 164f.
  - dye-sensitized (DSSCs) 148, 161ff.
  - efficiency 159ff.
  - materials 160
  - photovoltaic cells 159
  - spectral irradiance 87
  - terrestrial solar irradiance window 161
- spin-orbit splitting 100
- steady-state signal detection 46f.
- Stokes
  - law 238
  - number 241
  - particle diameter 239
- supercapacitors 148
- Superfund sites 52f.
- superhydrophilicity 26, 116
- surface
  - activity 3
  - depolluting 33
  - -normalized reaction rates 7
  - photocatalytic 17ff.
  - pigment 20
  - reactivity 5
  - self-cleaning 33
  - -to-volume ratio (S/V) 92, 129, 206
- surface water discharge 52
- surfactants 64f., 102, 163
  
- t**
- technological applications of photocatalysts
  - gas-phase photoreactors 112
  - gas purification of VOCs 112
  - indoor air purification 113f.
  - outdoor air purification 115, 127
  - PVC 116
  - self-cleaning tiles 115
  - TiO<sub>2</sub>-coated porous filter 114
- TiO<sub>2</sub> 7, 17ff.
  - activity 25f.
  - adsorbance 71, 81
  - agglomerates 20ff.
  - aggregates 20ff.
  - amorphous 78f.
  - anatase 17f., 24, 33, 36ff.
  - anatase-rutile phase 78f.
  - antibacterial 25f.
  - antiviral 26
  - brookite 17, 79
  - coating 30f., 82
  - colloids 78
  - conventional 22f.
  - crystal structure 17f., 79
  - dye sensitization 81ff.
  - deposition of metals 80ff.
  - doping 80
  - electronic properties 78f.
  - fungicidal 26
  - gas-to-particle conversion 23
  - films 115f.
  - flocs 20f.
  - impurities 79
  - light scattering 22, 24
  - modifications 17, 32
  - nanoparticles 22ff.
  - nanostructure 78, 163f.
  - nitrogen substitution 80, 85
  - opacity 17, 19f.
  - opalescent effect 25
  - optical behavior 24
  - particle size 20, 22ff.
  - photoactivity 25, 30ff.
  - photocatalysis 7, 25ff.
  - photocatalyst 7, 25f., 53f., 56ff.
  - photocatalytic activity 78, 80
  - photophysical 77
  - pigmentary 22ff.
  - pigments 17ff.
  - polymorphs 19
  - preparation 22f.
  - properties 17ff.
  - reflectance 20
  - refractive index 17ff.
  - rutile 17ff.
  - sulfur substitution 80
  - surface 79f.
  - surface area 23, 27, 80, 82
  - synthesis 78ff.
  - thin film 27
  - transformation 27
  - transparent 26f.

- ultrafine 22ff.
- Toxic Release Inventory (TRI) 51f., 127
- toxicity data 127
- treatment technologies, *see* environmental remediation
- transition metal
  - carbides 129
  - dichalkogenides 91, 98
  - oxycarbides 129
  - oxide catalyst system 129

**u**

- ultrasonication 6
- UV
  - absorption 19f., 25
  - efficiency 57
  - filter 25
  - ozonization 56
  - peroxidation 56
  - protection 24f.
  - radiation 20, 25, 31, 47
  - spectrum 25

**v**

- VOCs (volatile organic compounds)
  - monitoring 126f.
  - reduction 33, 47, 127
  - removal 42, 55

**w**

- waste
  - detection 125
  - heat 149
  - munitions 53
  - prevention 125
  - reduction 3
  - treatment 128
- wastewater treatment 6
- water purification 26, 62
- water splitting reaction 59
- water treatment 4, 6, 26
  - detection of heavy metals 141f.
  - drinking water production 6
  - ultrasensitive detection of pathogens 140f.
- wet-chemical process 22
- weatherometer
  - Atlas 34, 46
  - QUV 36f.

**z**

- zerovalent iron 7f.
  - bulk 7
  - corrosion 7
  - granular 7ff.
  - nanoscale (nZVI) 7ff.
  - reactive barrier 8f.
  - reactivity 7

