

Index

a

- acetone cyanohydrin 46
- acetylenic esters 104, 105
- achiral subunit 77
- acidic organic compounds 2–6
- acids
 - ¹⁸F-labeled amino acids 172
 - γ -methyl glutamic acid 167
 - phosphoglutamic acid derivatives 169
- acrylate, asymmetric aziridination 39
- activation, inorganic base-promoted 2–6
- addition reactions
 - asymmetric conjugated 36–39, 101–105
 - BINOL 129
 - enantioselective 103, 104
 - nucleophilic 5, 6
 - phase-transfer-catalyzed 6, 7
 - tandem Michael addition 37
- aeruginosin 298-A 123, 124
- alanine derivatives 168
- alanine ethyl ester, *p*-bromobenzoylation 92
- aldehydes
 - direct asymmetric aldol reactions 106, 107
 - γ -nitro 201
- aldol reactions 24, 25, 105, 106
 - direct asymmetric 5
 - Mukaiyama-type 192–194, 198
 - nitroaldol 199
- alkaloids
 - cinchona 9, 49, 50
 - monodeazacinchona 152, 153
 - natural cinchona 153, 154
- alkenylation, asymmetric 43–45
- α -alkyl- α -amino acids 19–21, 50
 - asymmetric synthesis 71–89
- alkyl chains, straight 81
- alkyl halides, optically enriched 86, 87
- α -alkylalanines, synthesis 20, 21
- alkylation 71–99
 - *tert*-butyl glycinate benzophenone Schiff base 14–16
 - diastereoselective 86, 87
 - enolates 182, 183
 - glycine-derived nickel(II) complex 171
 - glycine Schiff bases 9–19
 - non-cinchona-PTCs 136–150
 - non-linear effect 180
 - Schiff base-activated peptides 94–96
 - Schiff bases 19–21
 - side chain influence 178
 - Taddol-catalyzed 169
 - *N*-terminal 95
- alkylidenemalonates, asymmetric conjugate addition 101
- alkynylation 43–45
- allylation 83
- allylic alkylation 9–33
- Amberlite 193
- amides, Weinreb 85, 86
- α -amido sulfones 46, 110
- amine, tertiary 49
- amino acid derivatives, asymmetric synthesis 162
- amino acids
 - alanine derivatives 168
 - ¹⁸F-labeled 172
 - γ -methyl glutamic acid 167
 - synthesis 9–33
- α -amino acids
 - asymmetric synthesis 87–89
 - copper(salen) complexes 175
 - synthesis 9–29, 59
- β -amino acids, synthesis 29–30
- amino esters, α , α -disubstituted 176

- ammonium bifluorides, chiral quaternary, *see* quaternary ammonium bifluorides
- ammonium bromide, chiral quaternary, *see* quaternary ammonium bromide
- ammonium fluorides, chiral quaternary, *see* quaternary ammonium fluorides
- ammonium phenoxide, chiral 37
- ammonium salts
 - 2,2'-bimorpholinium 132
 - dimeric 49–70
 - protonated
- amprenavir, C(2) diastereomer 196
- anion addition, phase-transfer-catalyzed 6–7
- anthracene-linked dimeric PTCs 61, 62
- anti*-conformations, copper(salen) complexes 179
- aqueous base 73
- argon atmosphere 73
- S_N aromatic reaction, asymmetric 45
- aromatic substituent 72
- aromatic substitution, asymmetric 45
- asymmetric aldol reactions 39, 40
 - direct 5, 106, 107
 - enol silyl ethers 195
 - nitroaldol 199
- asymmetric alkenylation 43–45
- asymmetric alkylation 9–33, 42, 43, 132
 - alanine derivatives 168
 - *tert*-butyl glycinate benzophenone Schiff base 9, 10
 - glycine Schiff base 4
 - imines 148
 - mechanistic investigations 149, 150
- asymmetric alkylation 43–45
- asymmetric allylation 83
- asymmetric allylic alkylation 9–33
- asymmetric S_N aromatic reaction 45
- asymmetric aromatic substitution, fluorobenzenes 45
- asymmetric aziridination, acrylate 39
- asymmetric benzylation
 - enantioselectivity 81
 - fluorotetralone 43
- asymmetric C-benylation
 - *tert*-butyl 2-oxocyclopentane-carboxylate 138
 - glycine imine 144
- asymmetric carbon–carbon bond-forming reactions 197–204
- asymmetric conjugated addition 36–39, 101–105
- asymmetric cyclopropanation, cycloalkenones 39
- asymmetric Darzens condensation 162
- asymmetric Darzens reaction 35, 36
 - catalytic 128
- asymmetric diazo-aldol reaction 40
- asymmetric dihydroxylation 42
 - Sharpless 52
- asymmetric epoxidation 153
 - catalytic 108, 109
 - chalcone derivatives 41
 - crown ethers 166
 - polymeric cinchona-PTCs 63–67
 - transition state 67
 - α,β -unsaturated ketone 7
- asymmetric fluorination 46, 47
- asymmetric Michael addition
 - catalytic 129
 - crown ethers 163–165
 - malonate 38
 - *iso*-Nobin derivatives 173
- asymmetric monoalkylation 84
 - glycine amide Schiff bases 84–86
 - glycine ester Schiff bases 71–84
- asymmetric Mukaiyama-type aldol reactions 192–194, 198
- asymmetric nitroaldol reactions 199
- asymmetric oxidative cyclization 41
- asymmetric oxygen-functionalization 40–42
- asymmetric phase-transfer alkylation 115–134
 - catalytic 118, 119
 - cyanocarboxylates 98
 - protected glycine Weinreb amides 85, 86
- asymmetric phase-transfer Mannich-type reaction 122, 123
- asymmetric phase-transfer Michael addition 119–122
- asymmetric propargylation 83
- asymmetric PTCs 170–173
- asymmetric reactions, organocatalytic 193–197
- asymmetric synthesis
 - α -alkyl- α -amino acids 71–89
 - amino acid derivatives 162
 - α -amino acids 87–89
 - butenolides 38
 - α,α -dialkyl- α -amino acids 89–94
 - polymeric PTCs 49–70
 - quaternary ammonium fluorides 189–205
 - Strecker 45, 46
- aza-Henry reaction 25, 26
 - asymmetric 39, 40
- aziridination
 - asymmetric 39
 - reactions 27, 28

b

- Balactosin A 11
- base-promoted activation, inorganic 2–6
- bases 17
 - aqueous 73
 - BTPP 17, 18
 - glycine ester Schiff bases 71–84
 - inorganic base-promoted activation 2–6
- BEMP 17, 18, 100
- benzophenone imine glycine ester 50
- benzylation
 - *p*-bromobenylation 92
 - phase-transfer 73
 - Schiff bases 18, 19
- bifluorides, chiral quaternary ammonium,
 - see* quaternary ammonium bifluorides
- bimetallic–salen complexes 174
- 2,2'-bimorpholinium ammonium salt 132
- binaphthyl- and biphenyl-modified chiral PTCs 71–113
- binaphthyl subunit, chiral 76
- BINOL (1,10-bi-2-naphthol) 128–130
- biphasic systems, phase-transfer catalysis 1–8
- bis-ammonium salts 35–48
- bis(bromomethyl)-linker 53
- Brändström–Montanari modification 6
- bromide, chiral quaternary ammonium,
 - see* quaternary ammonium bromide
- p*-bromobenylation, alanine ethyl ester 92
- BTPP 17, 18
- butenolides, asymmetric synthesis 38
- tert*-butyl 2-oxocyclopentanecarboxylate,
 - asymmetric *C*-benzylation 138
- tert*-butyl glycinate benzophenone Schiff base 9, 10
 - alkylation 14–16

c

- carbanion species 2, 3
- carbon nucleophiles 37
- carbon–carbon bond-forming reactions,
 - asymmetric 197–204
- catalysis, phase-transfer 1–8
- catalysts
 - di-cation 127
 - mono-cation 127
 - monomeric 14–16
 - organocatalysts 197–204
 - recovery and reuse 126, 127
 - recyclable 87
 - second-/third-generation 10, 17
 - structure 73
 - TaDiAS, *see* tartrate-derived diammonium salt
 - catalytic asymmetric alkylation 132
 - catalytic asymmetric Darzens reaction 128
 - catalytic asymmetric epoxidation 108, 109
 - catalytic asymmetric Michael addition 129
 - catalytic asymmetric phase-transfer alkylation 118, 119
 - catalytic asymmetric phase-transfer Mannich-type reaction 122, 123
 - catalytic asymmetric phase-transfer Michael addition 127
 - enones 120–122
 - α,β -unsaturated esters 119, 120
 - catalytic efficiency, quaternary ammonium salts 140, 141
 - catalytic enantioselective Michael addition 150–152
 - catalytic enantioselective phase-transfer alkylation 80, 82
 - catalytic enantioselective synthesis 91
 - chalcone derivatives, asymmetric epoxidation 41
 - chiral ammonium phenoxide 37
 - chiral binaphthyl subunit 76
 - chiral cinchona-PTCs
 - asymmetric synthesis 9–70
 - stereoselectivity 50
 - chiral pentacyclic guanidine-type PTC, C_2 -symmetric 139, 140
 - chiral phase-transfer catalysts
 - binaphthyl- and biphenyl-modified 71–113
 - crown ethers 163–166
 - dimeric 50–60
 - Taddols 166–170
 - chiral polymeric cinchona-PTCs 49–70
 - chiral quaternary ammonium bifluorides,
 - see* quaternary ammonium bifluorides
 - chiral quaternary ammonium bromide,
 - see* quaternary ammonium bromide
 - chiral quaternary ammonium fluorides,
 - see* quaternary ammonium fluorides
 - chiral quaternary ammonium salts 9, 70
 - *N*-spiro 74, 75
 - chloroketones 36
 - cinchona alkaloids 9, 49, 50, 132
 - natural 153, 154
 - cinchona-derived monomeric catalysts 14–16
 - cinchona-PTCs
 - chiral 9–70
 - dimeric 50–60
 - polymeric 49–70
 - trimeric 62

- cinchonidine 50
 complexes
 – bimetallic–salen 174
 – copper(salen) 175–182
 – glycine-derived nickel(II) 171
 – heterobimetallic 200
 – Ni(salen) 173
 – salen-Cu(II) 147, 148
 compounds, acidic organic 2–6
 condensation, Darzens 162
 conformations, copper(salen) complexes 179
 conjugated addition, asymmetric 36–39
 copper(salen) complexes 175–182
 – α -amino acids 175
 – conformations 179
 – enantioselectivity 180
 (+)-CP-99,994 125, 126
 crown ethers 7
 – asymmetric epoxidation 166
 – asymmetric Michael addition 163–165
 – Darzens condensation 165, 166
 cyanoacetates, asymmetric conjugate addition 104, 105
 cyanocarboxylates, asymmetric phase-transfer alkylation 98
 cyanohydrin, acetone 46
 cyclization, asymmetric oxidative 41
 cycloalkenones, asymmetric cyclopropanation 39
 cyclodextrins, neutral 156
 cyclopropanation 29–30
 – asymmetric 39
 (+)-cylindricine 124, 125
- d**
 Darzens condensation
 – asymmetric 162
 – crown ethers 165, 166
 – diastereocontrolled 183
 – metal(salen) complexes 183, 184
 Darzens reaction 35–48
 – catalytic asymmetric 128
 di-cation catalyst 127
 α,α -dialkyl- α -amino acids
 – asymmetric synthesis 89–94
 – enantioselective synthesis 148, 149
 diammonium salt, tartrate-derived,
 see tartrate-derived diammonium salt
 diastereocontrolled Darzens condensation 183
 C(2) diastereomer, amprenavir 196
 diastereoselective alkylation, glycine Schiff bases 86, 87
 diazo-aldol reaction, asymmetric 40
 1,5-dienes 41
 dihydroxylation, asymmetric 42, 52
 dimeric ammonium salts 49–70
 dimeric chiral cinchona-PTCs 50–60
 – anthracene-linked 61, 62
 – enantioselectivity 55
 – general structure 52
 – 2,7-naphthyl-linked 57–60
 – 1,3-phenyl-linked 57–60
 – phenyl linker 51–56
 dimeric quaternary ammonium salts, cinchona-derived 53
 dimerization effects, Sharpless asymmetric dihydroxylation 52
 dimethyl-linker 53
 1,3-dinitro compounds, stereocenters 203
 dipeptides, stereoselective *N*-terminal alkylation 95
 direct asymmetric aldol reactions 5
 – aldehydes 106, 107
 direct asymmetric alkylation 44
 disease, Parkinson's 88
 α,α -disubstituted amino esters 176
 double bonds, electrophilic C=X 5, 6
- e**
 efficiency, catalytic 140, 141
 electronically modified phenyl linker 56
 electrophilic C=X double bonds 5, 6
 enantioselective Michael addition
 – β -keto esters 103, 104
 – silyl nitronates 202
 enantioselective phase-transfer alkylation 80, 82
 enantioselective synthesis
 – aeruginosin 298-A 123, 124
 – catalytic 91
 – α,α -dialkyl- α -amino acids 148, 149
 enantioselectivity 10, 20, 24
 – asymmetric benzylation 81
 – copper(salen) complexes 180
 – dimeric cinchona-derived chiral PTCs 55
 enol silyl ethers 195, 201–202
 enolate alkylation 182, 183
 enones 119, 120
 epoxidation
 – catalytic asymmetric 108, 109
 – chiral PTCs 152–156
 esters
 – acetylenic 104, 105
 – alanine ethyl 92
 – amino 176
 – benzophenone imine glycine 50

- α,β -unsaturated 119, 120
- ethers
- enol silyl 195, 201, 202
- extraction mechanism, Starks 2
- ^{18}F -labeled amino acids, synthesis 172

f

- fluorides
 - chiral quaternary ammonium, *see* quaternary ammonium fluorides
- fluorination, asymmetric 46, 47
- fluorobenzenes, asymmetric aromatic substitution 45
- fluorotetralone, asymmetric benzylation 43
- formal synthesis
 - (+)-CP-99,994 125, 126
 - (–)-lepadiformine 124, 125
- gauche*-conformations, copper(salen) complexes 179
- in-situ* generation 189–193

g

- glutamic acid, γ -methyl 167
- glycinate benzophenone Schiff bases, *tert*-butyl, *see tert*-butyl glycinate benzophenone Schiff base
- glycine amide Schiff bases, asymmetric monoalkylation 84–86
- glycine derivatives 198
- glycine-derived nickel(II) complex, alkylation 171
- glycine ester, benzophenone imine 50
- glycine ester Schiff bases, asymmetric monoalkylation 71–84
- glycine imine, asymmetric *C*-benzylation 144
- glycine Schiff bases 4, 5
 - diastereoselective alkylation 86, 87
 - monoalkylation 9–19
- glycine Weinreb amides, protected 85, 86
- glycolate, asymmetric alkylation 42
- green chemistry 35
- guanidine-type PTC, C_2 -symmetric chiral pentacyclic 139, 140
- guanidinium salt 140

h

- halides, alkyl 86, 87
- α -haloamides 128
- Henry, *see* aza-Henry reaction
- heterobimetallic complexes 200
- HIV protease inhibitor 39
- hydroxylation 156, 157

i

- imine glycine ester, benzophenone 50
- imines
 - asymmetric alkylation 148
 - glycine 144
- inorganic base-promoted activation, acidic organic compounds 2–6
- interfacial mechanism, Makosza 2
- isomannide 143
- isosorbide 143

k

- β -keto esters 97, 98
 - asymmetric alkylation 43
 - enantioselective Michael addition 103, 104

l

- ^{18}F -labeled amino acids, synthesis 172
- β -lactam 170
- lactonization, chiral ammonium phenoxide 37
- (–)-lepadiformine 124, 125
- linkers
 - anthracene 61, 62
 - bis(Bromomethyl)- 53
 - dimethyl- 53
 - electronically modified 56
 - naphthalene 57
 - phenyl 51–56

m

- Makosza interfacial mechanism 2
- malonate, asymmetric Michael addition 38
- Mannich-type reactions 29, 106, 107, 122, 123
- mechanistic aspects, phase-transfer catalysis 1–8
- mechanistic investigations, asymmetric alkylation 149, 150
- l*-menthol-derived quaternary ammonium salts 142
- metal salts 6, 7
- metal(salen) complexes 174–184
 - Darzens condensation 183, 184
 - enolate alkylation 182, 183
 - square planar 183, 184
- γ -methyl glutamic acid 167
- α -methyl phenylalanine, synthesis 173
- Michael addition 62, 99–105
 - asymmetric 99–105
 - tandem 37
- Michael reaction, glycinate benzophenone Schiff bases 22, 23
- mono-cation catalyst 127

- monoalkylation, glycine Schiff bases 9–19
 - monodeazacinchona alkaloid derivatives 152–153
 - monomeric catalysts, cinchona-derived 14–16
 - monomeric PTCs 51
 - Montanari, *see* Brändström–Montanari modification
 - Mukaiyama-type aldol reactions, asymmetric 192–194, 198
- n**
- naphthalene linker 57
 - 1,10-bi-2-naphthol, *see* BINOL
 - 2,7-naphthyl-linked dimeric PTCs 57–60
 - natural cinchona alkaloids 153, 154
 - Neber rearrangement 106–108
 - (–)-nemonapride 125, 126
 - neutral cyclodextrins 156
 - nickel(II) complex, glycine-derived 171
 - nickel(salen) complexes 174, 175
 - α -methyl phenylalanine 173
 - γ -nitro aldehydes, optically active 201
 - nitroaldol reactions
 - asymmetric 199
 - transition state 200
 - nitroalkanes, asymmetric conjugate addition 101
 - nitronates, silyl 202, 203
 - Nobin 145, 170–173
 - iso-Nobin derivatives, asymmetric Michael additions 173
 - non-cinchona-PTCs, alkylation 136–150
 - non-linear effect, alkylation 180
 - nucleophiles, carbon 37
 - nucleophilic addition reactions 5, 6
 - nucleophilic substitution reactions 4, 5
- o**
- onium carbanion
 - reactive species 2, 3
 - reactivity 3, 4
 - stability 3
 - optically active γ -nitro aldehydes 201
 - optically enriched alkyl halides 86, 87
 - organic compounds, acidic 2–6
 - organic synthesis, phase-transfer catalysis 1–8
 - organocatalysts 197–204
 - asymmetric reactions 193–197
 - oxidative cyclization, asymmetric 41
 - oxygen-functionalization, asymmetric 40–42
- p**
- Parkinson's disease 88
 - pentacyclic guanidine-type PTC, C₂-symmetric chiral 139, 140
 - peptides
 - dipeptides 95
 - Schiff base-activated 94–96
 - peroxidative hydroxylation 156, 157
 - phase-transfer alkylation
 - catalytic enantioselective 80, 82
 - α, α -dialkyl- α -amino acids 91
 - phase-transfer benzylation 73
 - phase-transfer catalysis (PTC), basic
 - principals 1–8
 - phase-transfer catalysts (PTCs)
 - binaphthyl- and biphenyl-modified 71–113
 - cinchona-derived 9–70
 - crown ethers 7
 - metal(salen) complexes 174–184
 - Nobin 170–173
 - polymeric and dimeric 49–70
 - C₂-symmetric chiral pentacyclic guanidine-type 139, 140
 - L-tartrate-derived 151
 - phase-transfer Mannich-type reaction 122, 123
 - phase-transfer Michael addition 119–122, 127
 - phenoxide, *see* chiral ammonium phenoxide
 - 1,3-phenyl-linked dimeric PTCs 57–60
 - phenyl linker 51–56
 - electronically modified 56
 - 1-phenylcyclohexene, asymmetric epoxidation 154
 - phosphazene bases 17
 - phosphoglutamic acid derivatives, synthesis 169
 - phosphonium salts 1, 137
 - planar metal(salen) complexes 183, 184
 - polymeric cinchona-PTCs
 - asymmetric epoxidation 63–67
 - chiral 49–70
 - propargylation, asymmetric 83
 - protected glycine Weinreb amides, asymmetric phase-transfer alkylation 85, 86
 - protonated ammonium salts 154
 - PTC, *see* phase-transfer catalysis
 - PTCs, *see* phase-transfer catalysts

q

- quaternary ammonium bifluorides,
 - chiral 197–204
- quaternary ammonium bromide, chiral 77, 78, 84
- quaternary ammonium fluorides
 - chiral 189–205
 - *in-situ* generation 189–193
- quaternary ammonium salts 1–8, 51
 - catalytic efficiency 140, 141
 - chiral 9, 70
 - cinchona-derived dimeric 53
 - *l*-menthol-derived 142
 - *N*-spiro chiral 74, 75
- quaternary stereocenter 97, 98, 104
- quinine 9, 50

r

- radical reaction 28, 29
- reaction mechanisms, phase-transfer catalysis 1–8
- reactions
 - asymmetric allylation 83
 - asymmetric benzylation 81
 - asymmetric conjugated addition 35–48
 - asymmetric Darzens reaction 35, 36
 - asymmetric dihydroxylation 52
 - asymmetric epoxidation 7, 63–67
 - asymmetric Mukaiyama-type aldol 192–194, 198
 - asymmetric propargylation 83
 - asymmetric S_N aromatic reaction 45
 - aza-Henry 25, 26, 39, 40
 - aziridination 27, 28
 - carbon–carbon bond-forming 197–204
 - catalytic asymmetric Darzens reaction 128
 - catalytic asymmetric epoxidation 108, 109
 - cyclopropanation 29, 30
 - Darzens 35–48
 - Darzens condensation 162, 165, 166
 - Mannich-type 29, 106, 107, 122, 123
 - Michael 22, 23
 - Neber rearrangement 106–108
 - nucleophilic substitution 4, 5
 - organocatalytic asymmetric 193–197
 - *p*-bromobenylation 92
 - phase-transfer benzylation 73
 - radical 28, 29
 - Sharpless asymmetric dihydroxylation 52
 - Strecker 27, 109, 110
- reactive onium carbanion species, generation 2, 3

reactivity

- onium carbanion 3, 4
 - phase-transfer benzylation 73
- recovery, catalyst 126, 127
- recyclable reagents 87
- reuse, catalyst 87, 126, 127

s

- salen-Cu(II) complexes 147, 148
- salts
 - ammonium, *see* (quaternary) ammonium salts
 - 2,2'-bimorpholinium ammonium 132
 - bis-ammonium 35–48
 - chiral 9
 - chiral quaternary ammonium bromide, *see* quaternary ammonium bromide
 - dimeric ammonium 49–70
 - guanidinium 140
 - metal 6, 7
 - phosphonium 1, 137
 - quaternary ammonium bifluorides 197–204
 - quaternary ammonium fluorides 189–205
- Schiff base-activated peptides, alkylation 94–96
- Schiff bases 9–33
 - alkylation 19–21
 - benzylation 18, 19
 - *tert*-butyl glycinate benzophenone 9, 10
 - glycinate benzophenone 22, 23
 - glycine amide 84–86
 - glycine ester 71–84
- second-generation catalyst 10
- second-generation synthesis, TaDiAS 118
- selectivity, phase-transfer benzylation 73
- Sharpless asymmetric dihydroxylation, dimerization effects 52
- short synthesis, (+)-cylindricine 124, 125
- side chains, influence on alkylation 178
- silyl ethers, enol 195, 201, 202
- silyl nitronates, enantioselective Michael addition 202, 203
- solid-phase synthesis 87
- solvent, phase-transfer benzylation 73
- solvent base 14–16
- N*-spiro chiral quaternary ammonium salt 74, 75
- square planar metal(salen) complexes 183, 184
- stability, onium carbanion 3
- Starks extraction mechanism 2, 6

- stereocenters 87
 - 1,3-dinitro compounds 203
 - quaternary 97, 98, 104
 - stereoselective *N*-terminal alkylation, dipeptides 95
 - stereoselectivity 11, 18–20, 25
 - cinchona-PTCs 50
 - sterically hindered tertiary amine 49
 - straight alkyl chains, number 81
 - Strecker reaction 27, 109, 110
 - Strecker synthesis, asymmetric 45, 46
 - substituent, aromatic 72
 - substitution reactions
 - asymmetric aromatic 45
 - nucleophilic 4, 5
 - subunit
 - achiral 77
 - binaphthyl 76
 - sulfones, α -amido 46, 110
 - C_2 -symmetric chiral pentacyclic guanidine-type PTC 139–140
 - synthesis
 - aeruginosin 298-A 123, 124
 - α -alkylalanines 20, 21
 - amino acids 9–33
 - α -amino acids 9–29, 59
 - β -amino acids 29, 30
 - asymmetric Strecker synthesis 45, 46
 - catalytic enantioselective 91
 - (+)-CP-99,994 125, 126
 - (+)-cylindricine 124, 125
 - α, α -disubstituted amino esters 176
 - ^{18}F -labeled amino acids 172
 - β -lactam 170
 - (–)-lepadiformine 124, 125
 - α -methyl phenylalanine 173
 - (–)-nemonapride 125, 126
 - organic 1–8
 - phosphoglutamic acid derivatives 169
 - solid-phase 87
 - TaDiAS 118
 - two-center PTCs 115–118
 - synthetic applications, two-center PTCs 123–126
- t**
- Taddol-catalyzed alkylation 169
 - Taddols 117, 145, 166–170
 - tandem Michael addition, chiral ammonium phenoxide 37
 - tartrate-derived diammonium salt (TaDiAS) 116–127, 130
 - second-generation synthesis 118
 - structure 116, 121
 - L*-tartrate-derived PTCs 151
 - tartrate-derived two-center PTCs 130–132
 - N*-terminal alkylation, stereoselective 95
 - tertiary amine, sterically hindered 49
 - tetraalkylammonium fluoride 197–204
 - tetraalkylammonium salts 1
 - tetrabutylammonium bromide 11, 17
 - tetrabutylammonium fluoride 190
 - third-generation catalyst 10, 17
 - total synthesis, (–)-nemonapride 125, 126
 - transition state
 - asymmetric epoxidation 67
 - nitroaldol reactions 200
 - trimeric cinchona-PTCs 62
 - two-center chiral PTCs 115–134
 - two-center PTCs
 - BINOL 129
 - design and synthesis 115–118
 - synthetic applications 123–126
 - TaDiAS, *see* tartrate-derived diammonium salt
 - tartrate-derived 130–132
- u**
- α, β -unsaturated esters 119, 120
- v**
- van der Waals forces 67
- w**
- Weinreb amides, protected glycine 85, 86
- y**
- yield 14–16