

Index

a

- Abrus precatorius* L. (jequirity bean) 804
 absinth 516
 absorption spectrophotometry (AS) 652–656, 668–671
 ACE (angiotensin converting enzyme)
 inhibitors
 – GC-MS 161
 acebutolol
 – HPLC 457
 acenocoumarol 303
 – HPLC 305
 acephate
 – ADI value 596
 – MAK value 596
 – TLC 594
 aceprometazine
 – TBPE test 179
 acetaldehyde (ethanal)
 – headspace-GC 171, 173
 acetamidoflunitrazepam
 – HPLC 355
 acetaminophen, *see also* paracetamol
 – antidote 857
 – clinical interpretation 205
 – elimination half-life 204, 841
 – extraction 190
 – GC 198
 – GC-MS 109, 112, 116
 – HPLC 109, 112, 116, 193
 – immunoassay 203
 – intoxication 144
 – medical assessment 204
 – metabolism 206
 – plasma/serum concentration 841
 – serum concentration 204
 – toxic hemorrhagic disorder 751
 acetazolamide
 – acid-base balance 752
 – BAT value 520, 853
 – blood concentration 520
 – clinical interpretation 522
 – headspace-GC 171, 173, 519
 – medical assessment 520
 – toxicity 522
 acetonitrile
 – headspace-GC 171, 173
 – hepatotoxicity 749
 – protein precipitation 119
 acetorphine 867
 acetylcholinesterase (AChE)
 – BAT value 853
 – determination 760
 – enzyme stability 763
 – half-life of inhibited AChE 762
 – metabolite binding 702
 acetylcholinesterase (AChE) inhibitor
 – BAT value 853
 acetyldigoxin 336
 – elimination half-life 841
 – plasma/serum concentration 841
 acetylmethadol 867
 6-acetylmorphine
 – elimination half-life 247
 – GC-MS 247
 – pharmacokinetics 247
 N-acetylprocainamide
 – clinical interpretation 281
 – elimination half-life 281
 – immunoassay 781
 – medical assessment 281
 – metabolism 281
 – serum concentration 281
 acetylsalicylic acid 209
 – clinical interpretation 213
 – elimination half-life 841
 – extraction 190

- GC 198
- HPLC 193
- intoxication 144
- medical assessment 212
- metabolism 209
- plasma/serum concentration 841
- serum concentration 212
- acids 804
- aconitine
 - TBPE test 180
- Aconitum napellus* L. (monkshood) 785–786
- acrolein
 - headspace-GC 171, 173
- acrylonitrile
 - hepatotoxicity 749
- Adamsite 734
- ADI (acceptable daily intake) value 561
- Aesculus hippocastanum* L. (horse chestnut) 804
- aflatoxin 748
- ajmaline 177
 - elimination half-life 841
 - GC 274
 - HPLC 273
 - plasma/serum concentration 841
 - TBPE test 179
- alcohols
 - anemia 751
 - clinical interpretation 522
 - headspace-GC 517
 - highly volatile 511–523
 - medical assessment 520
- aldicarb 564
 - ADI value 574
 - blood/serum concentration 574
 - clinical interpretation 574
 - LD₅₀ value 573
 - MAK value 574
 - medical assessment 573
 - toxicity 574
- aldrin 578
 - ADI value 580
 - blood/plasma/serum concentration 581
 - clinical interpretation 581
 - MAK value 580
 - medical assessment 580
 - poisoning 581
 - TLC 579
 - toxicity 580
 - toxicokinetics 580
- alfentanil 873
 - elimination half-life 841
 - plasma/serum concentration 841
- algae
 - toxic 830
 - toxin detection 830
- alimemazine
 - TBPE test 179
- alkaloid 804
 - clavinet 806
 - plant 158
 - pyrrolizidine 748
- allobarbital 873
 - immunoassay 346
- allopurinol
 - elimination half-life 841
 - plasma/serum concentration 841
- allylprodine 867
- alphacetylmethadol 867
- alphameprodine 867
- alphamethadol 867
- alphaprodine 867
- alprazolam 873
 - elimination half-life 841
 - GC–MS 408
 - metabolism 359
 - plasma/serum concentration 841
- aprenolol
 - HPLC 457
 - TBPE test 180
- aluminium
 - BAT value 853
- Amanita pantherina* 813
- Amanita phalloides* 751, 811, 819
 - antidote 857
- α-amanitin
 - ELISA 159
- amanitin 812, 817
 - analytical strategy 821
 - therapy 821
- amatoxin 811, 816
 - antidote 857
 - clinical interpretation 820
 - HPLC 819
 - LC–MS 819
 - immunoassay 817
 - intoxication 820
 - medical assessment 819
 - nephrotoxicity 749
 - screening procedure 816
 - syndrome 811
 - toxic hemorrhagic disorder 751
- Ambrosia artemisiifolia* 788
- ambroxol
 - HPLC 136
- amezine
 - TBPE test 180
- amfepramone 873

- amfetamine 873
- amfetaminil 871
- amikacin
 - elimination half-life 841
 - immunoassay 781
 - plasma/serum concentration 841
- amineptin 871
- ε-aminocaproic acid
 - creatine kinase activity 750
- aminocarb
 - TLC 572
- 7-aminoflunitrazepam
 - HPLC 355
- aminoglycosides
 - acid-base balance 752
- aminophenazone
 - extraction 190
 - GC 198
 - HPLC 193
- aminorex 871
- 5-aminosalicylic acid
 - elimination half-life 841
 - plasma/serum concentration 841
- aminothiol 699
 - GC-MS 700
- amiodarone
 - clinical interpretation 275
 - elimination half-life 275, 841
 - GC 274
 - GC-MS 109, 112, 116
 - HPLC 109, 112, 116, 273
 - medical assessment 275
 - metabolism 276
 - plasma/serum concentration 841
 - serum concentration 275
 - TBPE test 179
- amisulpride
 - GC-MS 408
- amitriptyline 414, 432–434
 - clinical interpretation 432–434
 - elimination half-life 841
 - GC 405
 - GC-MS 109, 112, 116, 408
 - HPLC 109, 112, 116, 136, 397, 401
 - immunoassay 781
 - medical assessment 432–434
 - metabolism 433
 - overdose 434
 - plasma/serum concentration 841
 - serum concentration 414, 435
 - TBPE test 179
- amitriptyline-*N*-oxide
 - GC-MS 408
 - TBPE test 179
- amlodipine
 - elimination half-life 841
 - plasma/serum concentration 841
- amobarbital 873
 - elimination half-life 841
 - immunoassay 346
 - plasma/serum concentration 841
- amphetamine 463–470, 873
 - clinical interpretation 469
 - creatine kinase activity 750
 - drug-induced seizure 750
 - elimination half-life 841
 - GC-MS 109, 112, 116, 158, 467
 - HPLC 109, 112, 116, 467–469
 - immunoassay 466
 - medical assessment 469
 - metabolism 464
 - minimal concentration to be detected 75
 - plasma/serum concentration 841
 - TBPE test 179
- amphotericin B
 - acid-base balance 752
 - elimination half-life 841
 - plasma/serum concentration 841
- ampicillin
 - elimination half-life 841
 - plasma/serum concentration 841
- amrinone
 - elimination half-life 841
 - plasma/serum concentration 841
- amygdalin 806
- iso*-amyl acetate (*iso*-pentyl acetate)
 - headspace-GC 172, 174
- n*-amyl acetate (pentyl acetate)
 - headspace-GC 172, 174
- analgesics 215–265
 - acid-base balance 752
 - group immunoassay 216
 - analgesics, nonopioid 189–214
 - GC-MS 158
- analysis, toxicological
 - chemicals 8
 - devices 5
 - impact 1, 96
 - management 7
 - methods 6
 - personnel 8
 - technical requirements 7
- analytical assessment 77
- analytical result
 - assessment 77–79
- analytical toxicological report 81–86
 - delivery 86
- anemia

- associated drug 751
- anesthetics
 - acid-base balance 752
 - drug-induced seizure 750
 - local 158
- angel's trumpet (*Brugmansia sanguinea* L.) 785–786
- angiotensin receptor blockers
 - GC-MS 161
- anileridine 867
- aniline
 - BAT value 853
 - headspace-GC 171, 174
- aniline derivative
 - anemia 751
- animal
 - diagnosis of poisoning caused by
 - animal 825
 - marine 826
 - terrestrial 831
 - venomous and poisonous 825–834
- antazoline
 - TBPE test 179
- anticoagulants 301–311
 - anemia 751
 - GC-MS 161
 - HPLC 303
 - mechanism of action 302
 - screening method 302
 - toxic hemorrhagic disorder 751
- anticonvulsants 287–300
 - GC-MS 158
 - HPLC 289
 - immunoassay 288
- antidepressants 393–452
 - color test 394
 - drug-induced seizure 750
 - GC-MS 158
 - group assay 393
 - HPLC 396
 - immunoassay 393
 - intoxication 139
 - tricyclic
 - antidote 433, 857
 - intoxication 432
 - minimal concentration to be detected 75
 - poisoning 753
 - tetracyclic
 - minimal concentration to be detected 75
- antidiabetics 613–621
 - drug-induced seizure 750
 - GC-MS 161
 - HPLC-MS 615
 - LC-MS 618–619
 - oral 615–619
 - poisoning 753
- antidote 857–859
 - monitoring 754
- antidysrhythmic agent 271–284
 - GC-MS 158
 - HPLC 273
 - immunoassay 272
- antihistamines (H1 antagonists)
 - antidote 857
 - drug-induced seizure 750
 - GC-MS 158
- anti-inflammatory drug
 - nonsteroidal 751
- antimalarial agent
 - anemia 751
- antimony
 - hepatotoxicity 749
 - nephrotoxicity 749
- antineoplastic drugs
 - IA, HPLC, LC-MS 159
- antiparkinsonian agents
 - antidote 857
 - GC-MS 158
- antipsychotics
 - drug-induced seizure 750
- antipyrine, *see also* phenazone
 - clinical interpretation 208
 - elimination half-life 207, 841
 - GC 198
 - GC-MS 113
 - HPLC 113, 193
 - medical assessment 207
 - metabolism 208
 - plasma/serum concentration 841
 - serum concentration 207
- antirheumatics 189–214
 - antirheumatics, nonsteroidal
 - GC-MS 161
- Apocynum cannabinum* (dog bane) 806
 - aprobarbital
 - elimination half-life 841
 - immunoassay 346
 - plasma/serum concentration 841
- Areca catechu* (betel nut) 799
- Argyrea nervosa* (Hawaiian baby wood rose) 806
- Arisaema* spp. 789–790
 - aripiprazole
 - elimination half-life 841
 - GC-MS 408
 - plasma/serum concentration 841
- aromatics (BTEX) 523–531
 - GC 523

- headspace-GC 526
- arsenic
 - antidote 857
 - liver toxin 748
 - nephrotoxicity 749
- arsine
 - anemia 751
 - hepatotoxicity 749
 - nephrotoxicity 749
- assessment of analytical results 77
 - analytical 77
 - biological 78
 - nosological 79
- Artemisia absinthium* L. 804
- astemizole
 - TBPE test 179
- atenolol 458
 - elimination half-life 841
 - GC-MS 109, 112, 116
 - HPLC 109, 112, 116, 457
 - metabolism 458
 - plasma half-life 458
 - plasma/serum concentration 458, 841
- atomic absorption spectrometry (AAS) 664
- Atropa belladonna* L. (deadly nightshade) 785
 - antidote 857
 - atropine 791
 - elimination half-life 842
 - plasma/serum concentration 842
- autumn crocus (*Colchicum autumnale*) 785
- azathioprine
 - elimination half-life 842
 - plasma/serum concentration 842
- azinphos-ethyl/ethylguthion
 - LD₅₀ value 596
 - TLC 594
- azinphos-methyl
 - ADI value 596
 - LD₅₀ value 596
 - MAK value 596
 - TLC 594
- b**
- baclofen
 - drug-induced seizure 750
 - elimination half-life 842
 - plasma/serum concentration 842
- bambuterol
 - elimination half-life 842
 - plasma/serum concentration 842
- barbital 873
 - elimination half-life 842
 - immunoassay 346
 - plasma/serum concentration 842
- barbiturates 339–350
 - GC-MS 158, 161
 - minimal concentration to be detected 75
 - poisoning 753
- BDB (benzodioxazolybutanamine) 463–464
- Begonia* spp. 789–790
- bendiocarb
 - ADI value 574
 - LD₅₀ value 573
 - MAK value 574
- benomyl
 - ADI value 574
 - MAK value 574
- benperidol
 - GC 405
 - GC-MS 408
 - HPLC 397
 - TBPE test 180
- benzaldehyde
 - headspace-GC 171, 174
- benzalkonium chloride
 - TBPE test 179
- benzbromarone
 - elimination half-life 842
 - HPLC 305
 - plasma/serum concentration 842
- benzene
 - BAT value 527
 - blood concentration 530
 - chlorinated 749
 - clinical interpretation 530
 - headspace-GC 171, 173, 526
 - hepatotoxicity 749
 - intoxication 530
 - medical assessment 527
 - metabolism 528
- benzethidine 867
- benzfetamine 867
- benzodiazepines 351–364, 415
 - antidote 857
 - clinical interpretation 356
 - GC 356
 - GC-MS 158
 - HPLC 352
 - immunoassay 351
 - medical assessment 356
 - metabolism of 1,4-benzodiazepine 360
 - minimal concentration to be detected 75
 - poisoning 753
- benzodioxazolybutanamine, *see* BDB
- 3,4-benzopyrene
 - nephrotoxicity 749
- benzoylecgonine
 - elimination half-life 843

- GC–MS 485
- benzyl alcohol
 - headspace-GC 171, 174
- 1-benzylpiperazine (BZP, A2, Frenzy, Nemesis) 465
- beryllium
 - hepatotoxicity 749
 - nephrotoxicity 749
- beta-receptor blocking agents 455–462
 - antidote 859
 - clinical interpretation 457
 - drug-induced seizure 750
 - GC 457
 - GC-MS 158
 - HPLC 455
 - medical assessment 457
- betacetylmethadol 867
- betameprodine 867
- betamethadol 867
- betaprodine 867
- betaxolol
 - elimination half-life 842
 - HPLC 457
 - plasma/serum concentration 842
- betel nut (*Areca catechu*) 799
- bevoniummetil sulphate
 - TBPE test 180
- bezitramide 867
- biguanides
 - acid-base balance 752
- biochemical investigation 104, 745–769
- biological exposure indices (BEI) value 563
- biological tolerance (BAT) value 563
- biperiden
 - elimination half-life 842
 - plasma/serum concentration 842
 - TBPE test 179
- biphenyls
 - chlorinated 749
 - polybrominated (PBB) 749
 - polychlorinated (PCB) 748–749
- 3,3'-bis-chloropropyl sulfide 703
- bismuth
 - hepatotoxicity 749
 - nephrotoxicity 749
- bisnortilidine
 - GC–MS 261
- bisoprolol
 - elimination half-life 842
 - HPLC 457
 - plasma/serum concentration 842
- N,O-bis-(trimethylsilyl) trifluoro acetamide 695
- blister(ing) agent 703–729
 - blood agent 732
 - blue-ringed octopus 830
 - borate
 - liver toxin 748
 - bradycdysrhythmia
 - antidote 857
 - brain death 104
 - brallobarbital
 - elimination half-life 842
 - plasma/serum concentration 842
 - broadbean 800
 - brodifacoum 308
 - half-life 310
 - pharmacokinetics 310
 - serum concentration 311
 - toxicity 310
 - brofamfetamine 867
 - bromadiolone 308
 - serum concentration 311
 - toxicity 310
 - bromazepam 873
 - elimination half-life 842
 - GC–MS 408
 - HPLC 136
 - metabolism 359
 - plasma/serum concentration 842
 - bromide
 - clinical interpretation 380
 - elimination half-life 842
 - ISE 159
 - medical assessment 380
 - plasma/serum concentration 842
 - serum concentration 380
 - bromisoval
 - extractability 369
 - elimination half-life 842
 - bromoacetone 734
 - bromodichloromethane
 - headspace-GC 548
 - bromofom, *see* tribromomethane
 - 4-bromophenacyl bromide 695
 - bromophos
 - ADI value 596
 - blood/plasma/serum concentration 597
 - MAK value 596
 - TLC 594
 - toxicity 597
 - bromophos-ethyl 592
 - ADI value 596
 - MAK value 596
 - TLC 594
 - bromperidol
 - GC 405
 - GC–MS 408

- HPLC 397
 - bronchodilator 313–316
 - group assay 313
 - brotizolam 873
 - elimination half-life 842
 - plasma/serum concentration 842
 - brucine
 - TBPE test 179
 - Brugmansia sanguinea* L. (angel's trumpet) 785–786
 - Brugmansia suaveolens*
 - antidote 857
 - BSTFA 695
 - BTEX, *see* aromatics
 - bumetanide
 - acid-base balance 752
 - bunitrolol
 - elimination half-life 842
 - HPLC 457
 - plasma/serum concentration 842
 - bupivacaine
 - elimination half-life 842
 - plasma/serum concentration 842
 - TBPE test 179
 - bupranolol
 - TBPE test 179
 - buprenorphine 216, 873
 - clinical interpretation 218
 - elimination 217
 - elimination half-life 842
 - GC–MS 109, 112, 116, 217
 - HPLC 109, 112, 116
 - HPLC–DAD 217
 - immunoassay 216
 - medical assessment 217
 - plasma/serum concentration 842
 - serum concentration 217
 - bupirone
 - GC–MS 408
 - butabarbital
 - elimination half-life 842
 - immunoassay 346
 - plasma/serum concentration 842
 - butalbital 871
 - elimination half-life 842
 - immunoassay 346
 - plasma/serum concentration 842
 - 1,4-butandiol
 - GC 534
 - 1-butanol
 - BAT value 853
 - headspace-GC 171, 173
 - iso-butanol
 - headspace-GC 171, 173
 - tert*-butanol
 - headspace-GC 171, 173, 519
 - 2-butanone
 - BAT value 853
 - butocarboxim
 - TLC 568
 - butocarboxim sulfoxide
 - TLC 568
 - butoxycarboxim
 - TLC 568
 - butriptyline
 - elimination half-life 842
 - plasma/serum concentration 842
 - n*-butyl acetate
 - headspace-GC 171, 173
 - tert*-butyl-dimethylsilyl chloride (tBDMSC) 695
 - i*-butyl methylphosphonic acid (iBMPPA) 689
 - GC–MS/MS 698
 - LC–MS 694
 - n*-butyl methylphosphonic acid (nBMPPA) 689
 - LC–MS 694
 - p*-*tert*-butylphenol
 - BAT value 853
 - butyrophenones neuroleptics 415, 434
 - antidote 858
 - clinical interpretation 434
 - GC 405
 - GC–MS 112, 158
 - HPLC 112, 397
 - medical assessment 434
 - serum concentration 415
 - butyrylcholinesterase (BChE) 755
 - enzyme stability 763
 - plasma 755, 761, 764
 - variability 763
 - BZ, *see* 3-quinuclidinyl benzilate
 - BZP, *see* 1-benzylpiperazine
- c**
- C-peptide 613
 - immunoassay 613–614
 - cadmium
 - acid-base balance 752
 - antidote 857
 - nephrotoxicity 749
 - caffeine
 - clinical interpretation 314
 - elimination half-life 842
 - GC–MS 109, 112, 116, 314
 - HPLC 109, 112, 116, 313
 - immunoassay 313
 - medical assessment 314
 - plasma/serum concentration 842

- Caladium* spp. 789–791
- calcium channel blockers 317–325
 - antidote 857
 - GC-MS 161
- calcium oxalate 791–798
- camazepam 873
 - elimination half-life 842
 - metabolism 359
 - plasma/serum concentration 842
- camphochlor 578
- camphor
 - drug-induced seizure 750
 - elimination half-life 842
 - plasma/serum concentration 842
- cannabinoids 470–479
 - clinical interpretation 478
 - GC-MS 109, 112, 475
 - HPLC 109, 112, 475
 - immunoassay 470
 - medical assessment 478
 - minimal concentration to be detected 75
 - THC (Δ^9 -tetrahydrocannabinol)
 - metabolism 472
 - TLC 471
- Cannabis* spp. (hemp) 806
- canrenone
 - elimination half-life 842
 - plasma/serum concentration 842
- capillary electrophoresis (CE) 54
 - injection 54
 - UV 694
- capsaicin 791
- Capsicum* spp. 787–791
- captopril
 - elimination half-life 842
 - plasma/serum concentration 842
- carazolol
 - elimination half-life 842
 - HPLC 457
 - plasma/serum concentration 842
 - TBPE test 180
- carbachol
 - antidote 857
- carbamazepine
 - clinical interpretation 294
 - elimination half-life 842
 - GC-MS 109, 112, 116, 292–294
 - HPLC 109, 112, 116, 136, 289
 - immunoassay 288
 - medical assessment 294
 - metabolism 295
 - plasma/serum concentration 842
 - serum concentration 295
- carbamazepine-10,11-epoxide
 - HPLC 289
 - GC-MS 292–294
 - metabolism 295
 - serum concentration 295
- carbamates (pesticides) 564–576
 - antidote 575, 857
 - clinical interpretation 574–576
 - elimination half-life 842
 - GC-MS 112
 - general unknown analysis 565
 - HPLC 112
 - medical assessment 573
 - plasma/serum concentration 842
 - poisoning 575
 - TLC 565–573
- carbaryl 564
 - ADI value 574
 - blood/plasma/serum concentration 574
 - clinical interpretation 574
 - LD₅₀ value 573
 - MAK value 574
 - medical assessment 573
 - poisoning 574
 - TLC 568–572
- carbendazim
 - ADI value 574
 - MAK value 574
- carbenoxolone
 - elimination half-life 842
 - plasma/serum concentration 842
- carbofuran 564
 - ADI value 574
 - blood concentration 575
 - clinical interpretation 575
 - intoxication 575
 - LD₅₀ value 573
 - MAK value 574
 - medical assessment 573
 - TLC 568–572
- carbon disulfide
 - BAT value 853
 - nephrotoxicity 749
- carbon monoxide 623
 - acid-base balance 752
 - antidote 857
 - AS 159
 - BAT value 853
 - creatine kinase activity 750
 - drug-induced seizure 750
 - clinical interpretation 626
 - intoxication 624, 627
 - nephrotoxicity 749
 - poisoning 753
- carbon tetrabromide, *see* tetrabromomethane

- carbon tetrachloride, *see* tetrachloromethane
- carbophenothion
 - ADI value 596
 - MAK value 596
- carboplatin
 - elimination half-life 842
 - plasma/serum concentration 842
- carbosulfan
 - TLC 568
- carboxyhemoglobin 623
 - BAT value 626
 - clinical interpretation 626
 - elimination half-life 627
 - medical assessment 626
 - oximetry 624
 - spectrophotometry 625
- carbromal 380
 - clinical interpretation 380
 - elimination half-life 380, 842
 - extractability 369
 - GC 375
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 371
 - medical assessment 380
 - metabolism 380
 - plasma/serum concentration 842
 - quality assurance 64
 - serum concentration 380
- cardenolides 806
- cardiac glycosides 159, 327–336, 804, 806
 - antidote 857
 - IA, LC-MS 159
- carfentanil 868
- carteolol
 - elimination half-life 842
 - plasma/serum concentration 842
- cassava 800, 806
- castor bean 806
- castor oil plant (*Ricinus communis* L.) 785
- catecholamines
 - acid-base balance 752
 - HPLC determination 53
- Catha edulis* (khat) 466, 799
- cathine 873
- cathinone 868
- celiprolol
 - HPLC 457
- cesium-137
 - antidote 857
- cetobemidone 871
- cetylpyridinium chloride
 - TBPE test 179
- chemical warfare agents (CWA) 679–734
 - classification 679–680
 - toxicity 679, 681
- chill-X 479
- chinese VX (CVX) 683
- Chiracanthium punctatorum* (yellow sack spider) 831
- Chironex fleckeri* 827
- chlorthalidone
 - TBPE test 179
- chlorfenotane, *see* DDT
- chloral hydrate 381
 - clinical interpretation 381
 - elimination half-life 381, 842
 - Fujiwara reaction 542–543
 - GC–MS 109, 112
 - HPLC 109, 112
 - medical assessment 381
 - metabolism 381
 - plasma/serum concentration 842
 - serum concentration 381
- chlorambucil
 - drug-induced seizure 750
- chloramphenicol
 - elimination half-life 842
 - plasma/serum concentration 842
- chlorbutadiene
 - hepatotoxicity 749
- chlordanes 578
 - ADI value 580
 - blood/plasma/serum concentration 581
 - clinical interpretation 582
 - MAK value 580
 - medical assessment 580
 - poisoning 581
 - toxicity 580
 - toxicodynamics 581
 - toxicokinetics 580
- chlordiazepoxide 136, 873
 - elimination half-life 842
 - GC–MS 408
 - metabolism 359
 - plasma/serum concentration 842
- chlorfenvinphos
 - ADI value 596
 - blood/plasma/serum concentration 597
 - LD₅₀ value 596
 - MAK value 596
 - TLC 594
 - toxicity 597
- chlorinated hydrocarbons 576–582
 - clinical interpretation 581
 - cyclic 576
 - drug-induced seizure 750
 - general unknown analysis 579
 - liver toxin 748

- medical assessment 580
- TLC 579
- chlormephos
 - TLC 594
- chlormethiazole, *see* clomethiazole
- chloroacetophenone (CN) 734
- chlorobenzene
 - BAT value 853
 - headspace-GC 171, 173
- o*-chlorobenzylidene malonodinitrile 734
- 2-chloroethanol, *see* ethylene chlorohydrin
- chloroform, *see* trichloromethane
- chloronaphthalene
 - liver toxin 748
- chlorophacinone 308
 - HPLC 305
 - serum concentration 311
 - toxicity 310
- chloropicrin 730, 732
- chloroquine
 - antidote 857
 - clinical interpretation 638
 - elimination half-life 842
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 136
 - intoxication 639
 - medical assessment 638
 - metabolism 639
 - plasma elimination half-life 638
 - plasma/serum concentration 842
 - serum concentration 638
 - TBPE test 180
 - TLC 635
 - toxicity 638
- 2-chlorovinylarsonous acid (CVAA) 726
 - GC–MS 727
- chlorpheniramine
 - elimination half-life 842
 - plasma/serum concentration 842
- chlorpromazine
 - elimination half-life 842
 - GC–MS 408
 - plasma/serum concentration 842
 - TBPE test 179
- chlorpropamide 616
 - blood/plasma/serum concentration 620
 - LC–MS 619
 - metabolism 616
- chlorprothixene 416, 434
 - clinical interpretation 437
 - elimination half-life 843
 - GC 405
 - GC–MS 109, 112, 116, 408
 - HPLC 109, 112, 116, 136, 397
 - intoxication 437
 - medical assessment 434–437
 - metabolism 436
 - plasma/serum concentration 843
 - serum concentration 416, 435
 - TBPE test 179
- chlorpyrifos
 - blood/plasma/serum concentration 597
 - LD₅₀ value 596
 - TLC 594
 - toxicity 597
- chlorpyrifos-methyl
 - ADI value 596
 - MAK value 596
 - TLC 594
- chlorthalidone
 - elimination half-life 843
 - plasma/serum concentration 843
- chlorthion
 - TLC 594
- chlorthiophos
 - TLC 594
- CHMPA, *see* cyclohexyl methylphosphonic acid
- choking agent, *see* lung-damaging agent
- cholinesterase 755
 - determination 757
 - Ellman assay 757
 - physiological function 756
 - presence of reversible inhibitor 761
- cholinesterase inhibitors 761
 - drug-induced seizure 750
- chromate (VI)
 - antidote 857
- chromium
 - nephrotoxicity 749
- Chrysanthemum* spp. 787
- ciclonium bromide
 - TBPE test 179
- ciclosporin
 - drug-induced seizure 750
 - elimination half-life 843
 - immunoassay 781
 - plasma/serum concentration 843
- Cicuta douglasii* 788
- Cicuta maculate* 788
- Cicuta* spp. (water hemlock) 787–788
- Cicuta virosa* L. 804
- cicutoxin 804
- ciguatera 829
- cimetidine
 - elimination half-life 843
 - plasma/serum concentration 843
- Cimicifuga racemosa* 799
- cincol 793

- ciprofloxacin
 - HPLC 136
- citalopram 416, 437
 - clinical interpretation 437
 - elimination half-life 437, 843
 - GC–MS 408
 - intoxication 437
 - medical assessment 437
 - plasma/serum concentration 843
 - serum concentration 416, 435
- Clark I, *see* diphenylarsine chloride
- Clark II, *see* diphenylarsine cyanide
- clenbuterol
 - elimination half-life 843
 - plasma/serum concentration 843
 - TBPE test 180
- clindamycin
 - elimination half-life 843
 - plasma/serum concentration 843
- clinical toxicological analysis
 - practicability 59–62
- clinical toxicological investigation
 - strategy 95–105
- clinical toxicological requirements 102
- Clitocybe clavipes* 811
- clobazam 873
 - elimination half-life 843
 - GC–MS 109, 112, 116, 408
 - HPLC 109, 112, 116
 - immunoassay 781
 - plasma/serum concentration 843
- clobutinol
 - TBPE test 180
- clofencyclane
 - TBPE test 179
- clofibrate
 - creatine kinase activity 750
 - elimination half-life 843
 - plasma/serum concentration 843
- clomethiazole (chlormethiazole) 416
 - clinical interpretation 382
 - elimination half-life 382, 843
 - extractability 369
 - GC 375
 - GC–MS 109, 112, 116, 158, 408
 - HPLC 109, 112, 116, 136, 371
 - medical assessment 382
 - metabolism 383
 - plasma/serum concentration 843
 - serum concentration 382
- clomipramine 416, 437
 - acute poisoning 438
 - clinical interpretation 438
 - elimination half-life 843
 - GC 405
 - GC–MS 109, 112, 116, 408
 - HPLC 109, 112, 116, 136, 397, 401
 - immunoassay 781
 - medical assessment 437
 - plasma half-life 438
 - plasma/serum concentration 843
 - serum concentration 416, 435
 - TBPE test 179
- clonazepam 873
 - antidote 357
 - clinical interpretation 357
 - elimination half-life 357, 843
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 136
 - immunoassay 781
 - medical assessment 357
 - metabolism 358–359
 - plasma/serum concentration 357, 843
- clonidine
 - elimination half-life 843
 - plasma/serum concentration 843
 - TBPE test 180
- clonitazen 868
- clopenthixol
 - TBPE test 179
- clorazepate 873
 - elimination half-life 843
 - metabolism 359
 - plasma/serum concentration 843
- clotiazepam 873
 - elimination half-life 843
 - GC–MS 408
 - plasma/serum concentration 843
- cloxacillin
 - elimination half-life 843
 - plasma/serum concentration 843
- cloxazolam 873
- clozapine 417, 438
 - clinical interpretation 438
 - elimination half-life 843
 - GC 405, 407
 - GC–MS 109, 112, 116, 408
 - HPLC 109, 112, 116, 136, 397, 401
 - HPLC–MS 432
 - intoxication 438
 - medical assessment 438
 - metabolism 439
 - plasma half-life 438
 - plasma/serum concentration 843
 - serum concentration 417, 435
 - TBPE test 180
- CMPA, *see* cyclohexyl methylphosphonic acid
- Cnidaria 826

- cobra 833
- cocaine 480–488
 - clinical interpretation 486
 - elimination half-life 843
 - drug-induced seizure 750
 - GC–MS 109, 112, 116, 483
 - HPLC 109, 112, 116, 482
 - immunoassay 481
 - medical assessment 486
 - metabolism 481
 - minimal concentration to be detected 75
 - plasma/serum concentration 843
- codeine 177, 241
 - antidote 858
 - elimination half-life 247, 843
 - GC–MS 109, 112, 116, 247
 - HPLC 109, 112, 116
 - metabolism 242
 - pharmacokinetics 247
 - plasma/serum concentration 843
 - TBPE test 179
- D₃-codeine
 - GC–MS 247
- codoxime 868
- colchicine
 - elimination half-life 843
 - nephrotoxicity 749
 - plasma/serum concentration 843
- Colchicum autumnale* (autumn crocus, meadow saffron) 785
- color test 175
- cone snail shell 830
- Conium maculatum* L. (poison hemlock) 785–788
- Conus* spp. 830
- Convallaria majalis* L. 804, 806
- copper
 - antidote 857
 - liver toxin 748
- coprine syndrome 811
- Coprinus atramentarius* 811
- coral snake 833
- Cortinarius orellanus* 812
- cotinine 640
 - clinical interpretation 641
 - GC–MS 195, 640
 - HPLC 190–194, 640
 - immunoassay 640
 - medical assessment 641
 - metabolism 641
 - plasma elimination half-life 641
 - serum concentration 641
 - toxicity 641
- coumaphos
 - TLC 594
- coumarins 302, 309, 794
 - antidote 857
 - HPLC 305
 - toxic hemorrhagic disorder 751
- coumatetralyl 308
 - HPLC 305
 - toxicity 310
- Crassula* spp. 787
- cresol
 - hepatotoxicity 749
- Crotalus* spp. (rattlesnake) 833
- curare
 - antidote 857
- Cyanea capillata* 826
- cyanide 630, 646
 - absorption spectrophotometry 652–656
 - acid-base balance 752
 - antidote 660, 754, 857–858
 - blood concentration 660
 - clinical interpretation 660–661
 - elimination half-life 843
 - indicator tube method 647–650
 - intoxication 660–661
 - medical assessment 659
 - paper strip 650–652
 - plasma/serum concentration 843
 - poisoning 753
 - potentiometry 656–659
- Cycas circinalis* (false sago palm) 799
- cyclobarbitol 871
 - elimination half-life 843
 - plasma/serum concentration 843
- cyclohexane
 - BAT value 853
 - headspace-GC 171, 173
- cyclohexanol
 - headspace-GC 171, 174
- cyclohexanone
 - headspace-GC 171, 174
- cyclohexyl methylphosphonic acid (CHMPA, CMPA) 689
 - CE – UV 694
 - GC – MS 697
 - GC – MS/MS 698
 - LC – MS 694
 - LC – MS/MS 694
- cyclophosphamide
 - elimination half-life 843
 - plasma/serum concentration 843
- cyclosarin (GF) 683
 - GC–MS 687
- cyfluthrin 600
 - ADI value 602

- LD₅₀ value 602
- cyhalothrin
 - ADI value 602
 - LD₅₀ value 602
- λ-cyhalothrin 600
- cypermethrin 600
 - ADI value 602
- cyproheptadine
 - TBPE test 179
- d**
- dantrolene
 - elimination half-life 843
 - plasma/serum concentration 843
- Daphne mezereum* L. 805
- dapsone
 - elimination half-life 843
 - plasma/serum concentration 843
- Datura stramonium* L. (jimsonweed, thorn apple) 785–789, 791
 - antidote 858
- DDT (dichlorodiphenyltrichloroethane, chlofenotane) 576, 578
 - ADI value 580
 - blood/plasma/serum concentration 581
 - clinical interpretation 582
 - hepatotoxicity 749
 - liver toxin 748
 - MAK value 580
 - medical assessment 580
 - nephrotoxicity 749
 - poisoning 581
 - TLC 579
 - toxicity 580
 - toxicodynamics 581
 - toxicokinetics 580
- DDVP, *see* dichlorvos
- deadly nightshade (*Atropa belladonna* L.) 785
- deanol
 - GC–MS 408
- decane
 - headspace-GC 171, 174
- deferoxamine
 - elimination half-life 843
 - plasma/serum concentration 843
- delorazepam 873
- deltamethrin 600
 - ADI value 602
 - LD₅₀ value 602
- demethyl diazepam, *see* nordazepam
- demethyl doxepin
 - HPLC-DAD 143
- demeton
 - TLC 594
- demeton-S-methyl
 - LD₅₀ value 596
- demeton-S-methylsulfon
 - TLC 594
- demeton sulfoxide
 - TLC 594
- demoxepam
 - elimination half-life 843
 - metabolism 359
 - plasma/serum concentration 843
- desalkylflurazepam
 - plasma/serum concentration 845
- N*-desethylamiodarone
 - elimination half-life 841
 - plasma/serum concentration 841
- designer drug 463
- designer drugs, amphetamine type
 - GC-MS 158
- designer drugs, phencyclidine type
 - GC-MS 158
- designer drugs, phenethylamine type
 - GC-MS 158
- designer drugs, piperazine type
 - GC-MS 158
- desipramine, *see also* imipramine 418, 440
 - clinical interpretation 432, 440
 - elimination half-life 843
 - GC 405
 - GC–MS 109, 112, 116, 408
 - HPLC 109, 112, 116, 397, 401
 - HPLC-DAD 143
 - immunoassay 781
 - medical assessment 432, 440
 - metabolism 441
 - plasma half-life 440
 - plasma/serum concentration 843
 - serum concentration 435
 - TBPE test 179
- desmedipham
 - TLC 572
- desmethyldiazepam, *see* nordazepam
- desomorphine 868
- detajmium
 - GC 274
 - HPLC 273
- dexamfetamine 873
- dexmethylphenidate 874
- dextromethorphan
 - elimination half-life 843
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116
 - plasma/serum concentration 843
 - TBPE test 179
- dextromoramide 871

- dextropropoxyphene, *see also* propoxyphene
 - 218, 871
 - antidote 858
 - clinical interpretation 222
 - elimination half-life 843
 - GC–MS 109, 112, 116, 221
 - HPLC 109, 112, 116, 219
 - immunoassay 219
 - medical assessment 221
 - metabolism 218
 - plasma/serum concentration 843
 - serum concentration 221
 - TBPE test 179
- diamorphine
 - elimination half-life 247
 - metabolism 242
 - pharmacokinetics 247
- diampromide 868
- diazepam 874
 - antidote 358
 - clinical interpretation 358
 - elimination half-life 358
 - GC–MS 109, 112, 116, 408
 - HPLC 109, 112, 116, 136, 355
 - HPLC-DAD 143
 - intoxication 139
 - medical assessment 358
 - metabolism 359
 - plasma/serum concentration 358, 843
- diazinon (dimpylate) 592
 - ADI value 596
 - blood/plasma/serum concentration 597
 - LD₅₀ value 596
 - MAK value 596
 - TLC 594
 - toxicity 597
- diazomethane 695
- diazoxide
 - elimination half-life 843
 - plasma/serum concentration 843
- dibenzepin
 - elimination half-life 843
 - GC–MS 408
 - HPLC 136
 - plasma/serum concentration 843
 - TBPE test 179
- dibenzodioxin
 - chlorinated 749
- dibromochloromethane
 - headspace-GC 548
- dibromomethane
 - Fujiwara reaction 543
- dichloroacetic acid
 - Fujiwara reaction 542
- 1,2-dichlorobenzene
 - BAT value 853
 - headspace-GC 171, 174
- 1,2-dichloroethane
 - clinical interpretation 551
 - headspace-GC 171, 173
- dichloromethane (methylene chloride) 548
 - BAT value 549
 - clinical interpretation 551
 - headspace-GC 171, 173, 548
 - MAK value 549
 - medical assessment 548–549
- 1,2-dichloropropane
 - hepatotoxicity 749
- α,α -dichlorotoluene
 - Fujiwara reaction 542
- dichlorvos/DDVP
 - ADI value 596
 - blood/plasma/serum concentration 597
 - LD₅₀ value 596
 - MAK value 596
 - TLC 594
 - toxicity 597
- diclofenac 199
 - clinical interpretation 200
 - elimination half-life 199, 843
 - extraction 190
 - GC 198
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 193
 - medical assessment 199
 - metabolism 200
 - plasma/serum concentration 843
 - serum concentration 199
- dicoumarol
 - elimination half-life 844
 - HPLC 305
 - plasma/serum concentration 844
- dicycloverine
 - TBPE test 179
- didehydrofalcinarinol 794
- Dieffenbachia* (dumb cane) 786–789, 792
- dieldrin 578
 - ADI value 580
 - blood/plasma/serum concentration 581
 - clinical interpretation 581
 - MAK value 580
 - medical assessment 580
 - poisoning 581
 - TLC 579
 - toxicity 580
 - toxicokinetics 580
- diethyl ether
 - headspace-GC 171, 173

- diethylene glycol 531
 - clinical interpretation 538
 - GC 534
 - intoxication 538
 - medical assessment 535
 - metabolism 536
 - nephrotoxicity 749
- diethylene glycol monobutyl ether
 - GC 534
- diethylene glycol monoethyl ether
 - GC 534
- diethylene glycol monomethyl ether
 - GC 534
- diethylpentenamide
 - elimination half-life 844
 - plasma/serum concentration 844
- diethylthiambutene 868
- difenacoum 308
 - serum concentration 311
 - toxicity 310
- difenoxin 871
- differential diagnosis 90
- Digitalis purpurea* L. (foxglove) 786, 804, 806
- digitoxin 327
 - clinical interpretation 329
 - elimination half-life 844
 - GC–MS 109, 112
 - HPLC 109, 112
 - immunoassay 328, 782
 - medical assessment 329
 - plasma/serum concentration 844
 - quality assurance 64
 - serum concentration 329
- digoxin 331
 - clinical interpretation 333
 - elimination half-life 844
 - GC–MS 109, 112
 - HPLC 109, 112
 - immunoassay 332, 782
 - medical assessment 333
 - plasma/serum concentration 844
 - poisoning 753
 - quality assurance 64
 - serum concentration 333
- dihydrocodeine 241, 874
 - antidote 858
 - elimination half-life 247, 844
 - GC–MS 109, 112, 116, 247
 - HPLC 109, 112, 116
 - pharmacokinetics 247
 - plasma/serum concentration 844
 - TBPE test 179
- dihydroergotamine
 - elimination half-life 844
 - plasma/serum concentration 844
 - TBPE test 179
- dihydromorphine
 - GC–MS 247
- dihydropyridines
 - GC–MS 161
- diisopropyl ether
 - headspace-GC 171, 173
- diisopropyl fluorophosphates (DFP) 683
- diltiazem
 - elimination half-life 844
 - GC 274
 - HPLC 273
 - plasma/serum concentration 844
 - TBPE test 180
- dimenoxadol 868
- dimepheptanol 868
- dimetan
 - TLC 569
- dimethamphetamine
 - TBPE test 179
- dimethoate
 - ADI value 596
 - LD₅₀ value 596
 - MAK value 596
 - TLC 594
- N,N*-dimethylacetamide
 - BAT value 853
- dimethylformamide
 - BAT value 853
- dimethyl nitrosamine
 - liver toxin 748
- dimethyl sulphate
 - hepatotoxicity 749
- dimethylthiambutene 868
- dimetilan
 - TLC 569–572
- dimpylate, *see* diazinon
- dinitrobenzene
 - liver toxin 748
- dinitrophenol
 - hepatotoxicity 749
- dioxacarb
 - TLC 572
- 1,4-dioxane
 - headspace-GC 171, 173
- dioxaphethyl butyrate 868
- dioxins
 - hepatotoxicity 749
- diphenhydramine 177, 383
 - clinical interpretation 384
 - elimination half-life 383, 844
 - extractability 369

- GC 375
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 136, 371
 - intoxication 138
 - medical assessment 384
 - metabolism 383
 - plasma/serum concentration 844
 - serum concentration 383
 - TBPE test 179
 - diphenol laxatives
 - GC-MS 158
 - diphenoxylate 872
 - diphenylarsine chloride (Clark I) 734
 - diphenylarsine cyanide (Clark II) 734
 - dipipanone 868
 - dipyronone, *see also* metamizole
 - clinical interpretation 203
 - elimination half-life 202, 844
 - extraction 190
 - GC 198
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 193
 - medical assessment 202
 - metabolism 203
 - plasma/serum concentration 844
 - serum concentration 202
 - diquat 583
 - nephrotoxicity 749
 - disclaimer XXXI, 86
 - disopyramide
 - clinical interpretation 277
 - elimination half-life 277, 844
 - GC 109, 112, 116, 274
 - HPLC 109, 112, 116, 273
 - immunoassay 781
 - medical assessment 277
 - metabolism 277
 - plasma/serum concentration 844
 - serum concentration 277
 - disulfiram
 - drug-induced seizure 750
 - elimination half-life 844
 - plasma/serum concentration 844
 - disulfoton
 - ADI value 596
 - LD₅₀ value 596
 - MAK value 596
 - TLC 594
 - diterpene ester 793
 - diuretics
 - GC-MS 161
 - dixyrazine
 - TBPE test 180
 - dodecane
 - headspace-GC 171, 174
 - domperidone
 - elimination half-life 844
 - plasma/serum concentration 844
 - dosulepin
 - elimination half-life 844
 - GC–MS 408
 - plasma/serum concentration 844
 - TBPE test 179
 - dothiepin, *see* dosulepin
 - doxepin 417, 439
 - clinical interpretation 439
 - elimination half-life 844
 - GC 405
 - GC–MS 109, 112, 116, 408
 - HPLC 109, 112, 116, 136, 397, 401
 - HPLC-DAD 143
 - immunoassay 781
 - medical assessment 439
 - metabolism 439
 - overdose 440
 - plasma half-life 435, 440
 - plasma/serum concentration 844
 - serum concentration 417
 - TBPE test 179
 - doxepin metabolite
 - HPLC-DAD 143
 - doxylamine 384
 - clinical interpretation 384
 - elimination half-life 384, 844
 - extractability 369
 - GC 375
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 371
 - medical assessment 384
 - metabolism 384
 - plasma/serum concentration 844
 - serum concentration 384
 - TBPE test 179
 - drofenine
 - TBPE test 179
 - dronabinol 874
 - elimination half-life 844
 - plasma/serum concentration 844
 - drotebanol 868
 - drugs of abuse 463–507
 - duloxetine
 - GC–MS 408
 - dumb cane (*Dieffenbachia*) 786–789, 792
 - dyshemoglobin 623–633
- e**
- Echiichthys* spp. (weeverfish) 827
 - ecstasy 463

- EDAPA
 - GC–MS/MS 698
- elderberry 806
- electrochemical method 46–53
 - calibration 48
 - detection for HPLC 50
 - inverse voltammetry 49
- Ellman method 757
 - application 766
 - instrumentation 765
- emetine 794
 - TBPE test 179
- enalapril
 - elimination half-life 844
 - plasma/serum concentration 844
- endrin 578
 - ADI value 580
 - MAK value 580
 - medical assessment 580
 - TLC 579
 - toxicity 580
- enoxacin
 - elimination half-life 844
 - plasma/serum concentration 844
- Ephedra* spp. 466, 789, 792
- Ephedra vulgaris* 799
- ephedrine 792
 - drug-induced seizure 750
 - elimination half-life 844
 - plasma/serum concentration 844
 - TBPE test 180
- epichlorohydrin
 - hepatotoxicity 749
- Epipremnum* spp. 787–789, 793
- eprazinone
 - TBPE test 179
- ergoline derivative 806
- Erythroxylum coca* 800
- Eschscholtzia californica* ingredients
 - GC-MS 158
- estazolam 874
- etacrynic acid
 - acid-base balance 752
- ethanal (acetaldehyde)
 - headspace-GC 171, 173
- ethanol
 - acid-base balance 752
 - BAT value 520
 - blood concentration 514–515
 - clinical interpretation 515
 - creatine kinase activity 750
 - elimination half-life 844
 - enzymatic determination 512
 - headspace-GC 171, 173, 514, 519
 - hepatotoxicity 749
 - intoxication 515
 - liver toxin 748
 - medical assessment 514, 520
 - plasma/serum concentration 844
 - poisoning 753
 - quality assurance 64
 - serum concentration 514–516
- ethchlorvynol 872
- ethinamate 872
 - elimination half-life 844
 - plasma/serum concentration 844
- ethiofencarb
 - ADI value 574
 - MAK value 574
 - medical assessment 573
 - TLC 568–572
- ethion
 - ADI value 596
 - LD₅₀ value 596
 - MAK value 596
- ethoprophos/ethoprop
 - TLC 594
- ethorphine 874
- ethosuximide
 - clinical interpretation 295
 - elimination half-life 295, 844
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 289
 - immunoassay 288
 - medical assessment 295
 - metabolism 296
 - plasma/serum concentration 844
 - serum concentration 295
- 2-ethoxyacetic acid
 - elimination half-life 537
- ethyl acetate
 - headspace-GC 171, 173
- ethylbenzene
 - BAT value 527
 - clinical interpretation 530
 - headspace-GC 171, 173, 526
 - medical assessment 527
 - metabolism 528
 - poisoning 530
- ethylbromide
 - hepatotoxicity 749
- ethyl diethanolamine (EDEA) 724
- ethylene chlorohydrin (2-chloroethanol)
 - hepatotoxicity 749
- ethylene glycol 531
 - acid-base balance 752
 - antidote 536, 539, 754, 858
 - BAT value 537

- blood concentration 536
 - clinical interpretation 538
 - creatine kinase activity 750
 - GC 534
 - intoxication 538
 - medical assessment 536
 - metabolism 536
 - nephrotoxicity 749
 - plasma half-life 536
 - poisoning 753
 - ethylene glycol dinitrate
 - BAT value 854
 - ethylene glycol monobutyl ether
 - BAT value 537
 - ethylene glycol monoethyl ether
 - BAT value 537
 - (2-ethylhexyl) methylphosphonic acid (EHMPA) 689
 - ethylloflazepate 874
 - ethyl methyl ketone
 - headspace-GC 171, 173
 - ethyl methylphosphonic acid (EMPA) 689
 - CE-UV 694
 - GC-FPD 697
 - GC-MS 697
 - GC-MS/MS 697–698
 - GC-NICI-MS 697
 - GC-NICI-MS/MS 697
 - ion chromatography 694
 - LC-MS 694
 - LC-MS/MS 694
 - ethylmethylthiambutene 868
 - ethylmorphine
 - TBPE test 179
 - ethylsilicate
 - hepatotoxicity 749
 - eticyclidine 868
 - etilamfetamine 872
 - etodroxizine
 - TBPE test 179
 - etomidate
 - elimination half-life 844
 - plasma/serum concentration 844
 - etonitazene 868
 - etoxeridine 868
 - etrimfos
 - TLC 594
 - etryptamine 868
 - Eucalyptus* spp. 789, 793
 - Euphorbia* spp. 786–789, 793
 - eye irritant 733–734
 - exposure monitoring 766
 - extrelut extraction 119
- f**
- falcarinol 794
 - famotidine
 - elimination half-life 844
 - plasma/serum concentration 844
 - felbamate
 - elimination half-life 844
 - plasma/serum concentration 844
 - felodipine
 - elimination half-life 844
 - plasma/serum concentration 844
 - fencamfamine 872
 - TBPE test 179
 - fenetylline 874
 - fenfluramine
 - elimination half-life 844
 - plasma/serum concentration 844
 - fenitrothion
 - ADI value 596
 - blood/plasma/serum concentration 597
 - LD₅₀ value 596
 - MAK value 596
 - TLC 594
 - toxicity 597
 - fenpropathrin 600
 - ADI value 602
 - LD₅₀ value 602
 - fenproporex 874
 - fentanyl 222, 874
 - clinical interpretation 227
 - drug-induced seizure 750
 - elimination half-life 844
 - GC-MS 109, 112, 116, 224
 - HPLC 109, 112, 116, 224
 - immunoassay 223
 - medical assessment 227
 - metabolism 222
 - plasma/serum concentration 844
 - serum concentration 227
 - fenthion
 - ADI value 596
 - MAK value 596
 - TLC 594
 - fenvalerate 600
 - ADI value 602
 - LD₅₀ value 602
 - fexofenadine
 - elimination half-life 844
 - plasma/serum concentration 844
 - Ficus benjamina* (weeping fig) 787–789, 794
 - fish 827
 - poisoning 829
 - tetrodotoxic 829
 - toxin detection 829

- FK-506
 - elimination half-life 844
 - plasma/serum concentration 844
 - flecainide
 - clinical interpretation 278
 - elimination half-life 278, 844
 - GC 274
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 273
 - medical assessment 278
 - plasma/serum concentration 844
 - serum concentration 278
 - TBPE test 179
 - flocoumafene 308
 - toxicity 310
 - fluanisone
 - TBPE test 179
 - flucloxacillin
 - elimination half-life 844
 - plasma/serum concentration 844
 - flucytosine
 - elimination half-life 844
 - plasma/serum concentration 844
 - fludiazepam 874
 - flumazenil
 - elimination half-life 844
 - plasma/serum concentration 844
 - flunarizine
 - TBPE test 179
 - flunitrazepam 874
 - antidote 360
 - clinical interpretation 358
 - elimination half-life 358, 844
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 136, 355
 - medical assessment 358
 - metabolism 359, 362
 - plasma/serum concentration 360, 844
 - fluoride 661, 699
 - antidote 858
 - BAT value 854
 - clinical interpretation 664
 - medical assessment 663
 - plasma elimination half-life 663
 - plasma/serum concentration 663
 - poisoning 663–664
 - potentiometry 661–663
 - toxicity 663
 - fluoroorganophosphates 700
 - GC–MS 702
 - 5-fluorouracil
 - elimination half-life 844
 - plasma/serum concentration 844
 - fluoxtine
 - elimination half-life 844
 - GC–MS 109, 112, 116, 409
 - HPLC 109, 112, 116, 136
 - HPLC–DAD 146
 - plasma/serum concentration 844
 - serum concentration 435
 - flupentixol
 - GC–MS 409
 - TBPE test 179
 - fluphenazine
 - elimination half-life 844
 - GC–MS 409
 - plasma/serum concentration 844
 - flurazepam 177, 874
 - elimination half-life 845
 - metabolism 359
 - plasma/serum concentration 845
 - TBPE test 179
 - fluspirilene
 - GC–MS 409
 - flvoxamine
 - elimination half-life 845
 - GC–MS 409
 - plasma/serum concentration 845
 - folate
 - drug-induced seizure 750
 - fomepizole (4-methylpyrazole) 523, 536, 539
 - fonofos
 - TLC 594
 - forensic aspects 93f.
 - formetanate
 - TLC 568–572
 - formic acid
 - antidote 858
 - foxglove (*Digitalis purpurea* L.) 786
 - furanocoumarins 804
 - furathiocarb
 - TLC 572
 - furethidine 869
 - furfural
 - headspace–GC 171, 174
 - furosemide
 - acid–base balance 752
 - elimination half-life 845
 - plasma/serum concentration 845
- g**
- gabapentin 296
 - elimination half-life 296, 745, 845
 - GC–MS 109, 112
 - HPLC 109, 112
 - plasma/serum concentration 845
 - Galerina marginata* 811

- antidote 858
- gallopamil
 - elimination half-life 845
 - plasma/serum concentration 845
- ganciclovir
 - elimination half-life 845
 - plasma/serum concentration 845
- gas chromatography 35–38, 151
 - headspace analysis, *see* headspace-gas chromatography
 - injection 35
 - detection 36
- gas chromatography-mass spectrometry (GC-MS) 38–39, 152
 - data evaluation 153
 - full scan mode 39
 - instrumentation 38
 - ionization 38
 - procedure 153
 - quality assurance 154
 - screening 195
- gas chromatography–flame photometric detection
 - (GC – FPD) 688
- gas chromatography–N–P detector (GC–NPD) 688
- gas chromatography–negative ion chemical ionization (GC-NICI-MS) 697
- gases, irritant
 - antidote 858
- 'general unknown' analysis 6, 107–182
 - color test 175
 - gas chromatography 151
 - GC headspace analysis 165
 - GC – mass spectrometry 152
 - HPLC 108
- gentamicin
 - elimination half-life 845
 - immunoassay 781
 - plasma/serum concentration 845
- GHB (γ -hydroxybutyrate) 488–492
 - clinical interpretation 491
 - elimination half-life 845
 - GC–MS 489
 - immunoassay 488
 - medical assessment 491
 - plasma half-life 492
 - plasma/serum concentration 845
 - serum concentration 492
- glibenclamide 616
 - blood/plasma/serum concentration 620
 - elimination half-life 845
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116
- LC–MS 619
 - plasma/serum concentration 845
- glibornuride 616
 - blood/plasma/serum concentration 620
 - LC–MS 619
- gliclazide 617
 - blood/plasma/serum concentration 620
 - LC–MS 619
- glimepiride 617
 - blood/plasma/serum concentration 620
 - LC–MS 619
- glipizide
 - blood/plasma/serum concentration 620
 - LC–MS 619
 - metabolism 617
- glucocorticoide
 - anemia 751
- glutethimide 872
 - clinical interpretation 385
 - creatine kinase activity 750
 - elimination half-life 385, 845
 - extractability 369
 - GC 375
 - GC–MS 109, 112, 116
 - HPLC 109, 112, 116, 371
 - medical assessment 385
 - metabolism 385
 - plasma/serum concentration 845
 - serum concentration 385
- glycerol
 - nephrotoxicity 749
- glyceryl trinitrate
 - elimination half-life 845
 - plasma/serum concentration 845
- glycol ether 531
 - BAT value 537
 - clinical interpretation 539
 - elimination half-life 537
 - GC 534
 - intoxication 539
 - medical assessment 537
 - metabolism 537
- glycol monomethyl ether 537
- glycols 531–539
 - clinical interpretation 535
 - GC 532
 - medical assessment 535
 - poisoning 531
- glycosides 804
 - cardiac, *see* cardiac glycosides
 - cyanogenic 804, 806
 - digitalis 806
 - strophantidin 806
- gonyautoxin 828

- griseofulvin
 - elimination half-life 845
 - plasma/serum concentration 845
- guanoxon
 - TBPE test 179
- Gymnopilus spectabilis* 813
- Gyromitra esculenta* 812
 - antidote 858
- gyromitrin 812
- h**
- halazepam 874
 - metabolism 359
 - nordazepam elimination half-life 845
 - nordazepam plasma/serum concentration 845
- halothane
 - BAT value 854
- haloperidol 434
 - clinical interpretation 434
 - elimination half-life 845
 - GC 405
 - GC-MS 109, 116, 409
 - HPLC 109, 116, 397
 - intoxication 434
 - medical assessment 434
 - metabolism 436
 - plasma half-life 434
 - plasma/serum concentration 845
 - serum concentration 435
 - TBPE test 179
- haloxazolam 874
- hallucinogen
 - GC-MS 158
- Hapalochlaena* sp. 830
- hashish 475
- headspace-gas chromatography (headspace-GC) 40 – 43, 165
 - calibration 42
 - multiple headspace extraction 43
 - practicability 43
 - sample introduction 41
 - sample preparation 41
 - sampling 40
- heavy metals
 - AAS, ICP-MS, VM 159
- Hedeoma pulegioides* 799
- Hedera helix* 789, 794
- hemorrhagic disorder, toxic 751
- henbane (*Hyoscyamus niger* L.) 785–786
- heparin
 - antidote 858
- hepatotoxic chemicals 749
- heptabarbital
 - elimination half-life 845
 - plasma/serum concentration 845
- heptachlor 578
 - toxicokinetics 580
- n*-heptane
 - headspace-GC 171, 173
- 1-heptanol
 - headspace-GC 171, 174
- heptenophos
 - TLC 594
- heroin 241
 - antidote 858
 - creatine kinase activity 750
 - elimination half-life 247
 - GC-MS 112
 - HPLC 112
 - pharmacokinetics 247
- hexachlorobenzene 578, 582
 - BAT value 854
 - metabolite 582
 - nephrotoxicity 749
- hexachlorocyclohexane (HCH) 576–578
 - ADI value 580
 - MAK value 580
 - toxicokinetics 580
- γ -hexachlorocyclohexane (lindane) 576–578
 - ADI value 580
 - BAT value 854
 - blood/plasma/serum concentration 581
 - clinical interpretation 581–582
 - drug-induced seizure 750
 - MAK value 580
 - medical assessment 580
 - metabolite 582
 - poisoning 581
 - TLC 579
 - toxicity 580
 - toxicokinetics 580
- hexachloroethane
 - Fujiwara reaction 542–543
- n*-hexane
 - BAT value 854
 - headspace-GC 171, 173
- 1-hexanol
 - headspace-GC 171, 174
- 2-hexanone
 - BAT value 854
 - headspace-GC 171, 173
- hexobarbital
 - elimination half-life 845
 - immunoassay 346
 - plasma/serum concentration 845
- high – performance liquid chromatography, *see* HPLC

- homofenazine
 - TBPE test 179
 - hornet toxin
 - creatine kinase activity 750
 - HPLC (high-performance liquid chromatography) 32–35
 - background correction 128
 - condition 120, 149
 - dedicated system 400
 - design of spectra library 129
 - detection 33
 - electrochemical detection 50
 - gradient elution 125
 - impact of the mobile phase 127
 - impact of pH 127
 - isocratic system 123
 - library of absorption spectra 130
 - limits of identification 128
 - mechanized 148
 - packing material 32
 - photodiode array detector (DAD) 108
 - spectra library 126
 - Remedi 150
 - sample preparation 108
 - screening 190
 - spectra library 149
 - uniformity 128
 - HPLC-DAD 108
 - metabolite profiles 134
 - HPLC-MS 430–432
 - HPTLC (high-performance thin-layer Chromatography) 422–429
 - hydralazine
 - anemia 751
 - elimination half-life 845
 - plasma/serum concentration 845
 - hydrazine
 - antidote 858
 - hepatotoxicity 749
 - hydrocarbons
 - chlorinated, *see* chlorinated hydrocarbons
 - hydrochlorothiazide
 - elimination half-life 845
 - plasma/serum concentration 845
 - hydrocodone 241, 874
 - elimination half-life 845
 - plasma/serum concentration 845
 - TBPE test 179
 - hydrofluoric acid
 - antidote 858
 - hydrogen fluoride
 - BAT value 854
 - hydromorphanol 869
 - hydromorphone 241, 874
 - elimination half-life 845
 - plasma/serum concentration 845
 - γ -hydroxybutyrate, *see* GHB
 - N*-7-(2-hydroxyethyl thioethyl) guanine (HETEG) 723
 - hydroxypethidine 869
 - hydroxyzine
 - GC-MS 409
 - TBPE test 179
 - hyoscyamine 791
 - Hyoscyamus niger* L. (henbane) 785–786
 - antidote 858
 - hyperthermia
 - antidote 858
 - hypnotics 339–350, 351–364, 367–390
 - barbiturate 339–350
 - benzodiazepine 351–364
 - clinical interpretation 380
 - GC 372
 - GC-MS 158
 - HPLC 368
 - ion-selective electrode 376
 - medical assessment 380
 - photometry (color test) 377
 - hypo-osmolar infusion
 - drug-induced seizure 750
- i**
- ibotenic acid 813
 - ibuprofen
 - clinical interpretation 201
 - elimination half-life 201, 845
 - extraction 190
 - GC 198
 - GC-MS 109, 112, 116
 - HPLC 109, 112, 116, 193
 - medical assessment 201
 - metabolism 201
 - plasma/serum concentration 845
 - serum concentration 201
 - Ilex aquifolium* 787–789, 795
 - imipramine 177, 418, 432, 440
 - clinical interpretation 432, 440
 - elimination half-life 845
 - GC 405
 - GC-MS 109, 112, 116, 409
 - HPLC 109, 112, 116, 136, 397, 401
 - HPLC-DAD 143
 - immunoassay 781
 - medical assessment 432, 440
 - metabolism 441
 - overdose 440
 - plasma half-life 435, 440
 - plasma/serum concentration 845

- TBPE test 179
- imipramine metabolite
 - HPLC-DAD 143
- immunoassay 25–29
 - detection 28
- indicator tube method 647–650
- indometacin
 - anemia 751
 - elimination half-life 845
 - extraction 190
 - GC–MS 110, 113, 116
 - HPLC 110, 113, 116, 193
 - plasma/serum concentration 845
- INH
 - elimination half-life 845
 - plasma/serum concentration 845
- inhalant
 - abuse 553–555
 - clinical interpretation 555
 - GC 555
 - medical assessment 555
- insecticide carbamates, *see* carbamates
- insects 832
 - venom detection 832
- insence 479
- insulin 613
 - clinical interpretation 620
 - half-life 619
 - immunoassay 613–614
 - medical assessment 619
 - poisoning 753
- inverse voltammetry, *see* voltammetry
- iodine (radioactive)
 - antidote 858
- 1-iodobutane
 - headspace-GC 171, 173
- ion chromatography 694
- Ipomoea violacea* (morning glory) 806
- Iris germanica* 789, 795
- iron
 - antidote 858
 - anemia 751
 - nephrotoxicity 749
 - toxic hemorrhagic disorder 751
- isofenphos
 - blood/plasma/serum concentration 597
 - TLC 594
 - toxicity 597
- isolan
 - TLC 569
- isomethadone 872
- isoniazid
 - acid-base balance 752
 - antidote 858

- drug-induced seizure 750
- elimination half-life 845
- plasma/serum concentration 845

isopropanol, *see* 2-propanol

isothipendyl

- TBPE test 179

itraconazole

- elimination half-life 845
- plasma/serum concentration 845

j

- jellyfish 827
- jequirity bean 804
- jimsonweed, *see* *Datura stramonium* L.
- judgment
 - longitudinal 78
 - transverse 79

k

- kava 799
- kebutzone
 - extraction 190
 - GC 198
 - HPLC 193
- ketamine 492–493
 - clinical interpretation 493
 - elimination half-life 493, 845
 - GC–MS 492
 - HPLC 492
 - immunoassay 492
 - medical assessment 493
 - metabolism 493
 - plasma/serum concentration 845
 - serum concentration 493
- ketanserin
 - elimination half-life 845
 - plasma/serum concentration 845
- ketazolam 874
 - elimination half-life 845
 - metabolism 359
 - plasma/serum concentration 845
- ketobemidone
 - elimination half-life 845
 - plasma/serum concentration 845
 - TBPE test 180
- ketoconazole
 - elimination half-life 845
 - plasma/serum concentration 845
- ketones
 - clinical interpretation 522
 - headspace-GC 517
 - highly volatile 511–523
 - medical assessment 520
- ketoprofen

- elimination half-life 845
 - HPLC 193
 - plasma/serum concentration 845
 - khat (*Catha edulis*) 799
 - kraits 833
- I**
- labetalol
 - elimination half-life 845
 - HPLC 457
 - plasma/serum concentration 845
 - TBPE test 180
 - lacrimator 733
 - LADME (liberation, absorption, distribution, metabolism, and excretion) 776
 - lamotrigine 296
 - clinical interpretation 296
 - elimination half-life 296, 845
 - GC–MS 110, 113, 116, 292–294, 409
 - HPLC 110, 113, 116, 289
 - medical assessment 296
 - plasma/serum concentration 845
 - serum concentration 295
 - Lantana camara* L. 805
 - lanthanum trifluoride electrode 48
 - Lathyrus sativus* (chickling pea) 800
 - Latrodectus tredecimguttatus* (black widow spider) 831
 - laxatives, anthraquinone-type
 - GC–MS 161
 - laxatives, diphenol-type
 - GC–MS 158
 - LD₅₀ 560
 - lead
 - acid-base balance 752
 - antidote 858
 - drug-induced seizure 750
 - nephrotoxicity 749
 - lectins 797
 - lefetamine 869
 - Leonorus sibiricus* 479
 - lepidella syndrome 812
 - Lepiota helveola* 811
 - levacetylmethadol 874
 - levamfetamine 872
 - levodopa
 - elimination half-life 845
 - plasma/serum concentration 845
 - levomepromazine 418, 441
 - acute intoxication 442
 - antidote 858
 - clinical interpretation 442
 - elimination half-life 845, 846
 - GC 405
 - GC–MS 110, 113, 116, 409
 - HPLC 110, 113, 116, 397
 - medical assessment 442
 - metabolism 442
 - plasma half-life 441
 - plasma/serum concentration 845, 846
 - serum concentration 418, 435
 - levomethadone 874
 - elimination half-life 846
 - plasma/serum concentration 846
 - TBPE test 179
 - levomethorphan 869
 - levomoramide 872
 - levorphanol 872
 - elimination half-life 845
 - plasma/serum concentration 845
 - levophenacymorphan
 - elimination half-life 846
 - plasma/serum concentration 846
 - lewisite (L, 2-chlorovinylarsine dichloride) 703, 726
 - hemoglobin adduct 729
 - hydrolysis 726
 - LD₅₀ value 681
 - metabolite 727
 - toxicity 681
 - lidocaine 177
 - clinical interpretation 279
 - drug-induced seizure 750
 - elimination half-life 278, 846
 - GC 274
 - GC–MS 110, 113, 116
 - HPLC 110, 113, 116, 136, 273
 - immunoassay 781
 - medical assessment 278
 - metabolism 279
 - plasma/serum concentration 846
 - serum concentration 278
 - linamarin 806
 - lindane, *see* γ -hexachlorocyclohexane
 - lionfish (*Pterois* spp.) 827
 - liquid chromatography–mass spectrometry (LC – MS) 43–46
 - plasma 690–692
 - urine 693–694
 - lisinopril
 - elimination half-life 846
 - plasma/serum concentration 846
 - lithium
 - acid-base balance 752
 - AAS, FAES, ISE 159
 - drug-induced seizure 750
 - elimination half-life 846
 - plasma/serum concentration 846

- quality assurance 64
- liver toxin 748
- local anesthetics
 - GC–MS 158
- lofentanil 869
- lofepramine
 - elimination half-life 846
 - GC–MS 409
 - plasma/serum concentration 846
 - TBPE test 180
- Lophophora williamsii* 498
- loprazolam 874
 - elimination half-life 846
 - plasma/serum concentration 846
- lorazepam 361, 874
 - antidote 362
 - clinical interpretation 362
 - elimination half-life 361, 846
 - GC–MS 110, 113, 116, 409
 - HPLC 110, 113, 116
 - medical assessment 362
 - metabolism 359
 - plasma/serum concentration 361, 846
- lormetazepam 874
 - antidote 363
 - clinical interpretation 363
 - elimination half-life 362, 846
 - GC–MS 110, 113, 116
 - HPLC 110, 113, 116, 136
 - medical assessment 363
 - plasma/serum concentration 363, 846
- LSD (lysergic acid diethylamide) 463, 869
 - clinical interpretation 498
 - creatine kinase activity 750
 - elimination half-life 846
 - GC 498
 - GC–MS 110, 113
 - HPLC 110, 113, 495
 - immunoassay 494
 - medical assessment 498
 - metabolism 494
 - minimal concentration to be detected 75
 - plasma concentration 498
 - plasma half-life 498
 - plasma/serum concentration 846
- lung-damaging agent 729–732
- β-lyase 715
 - ESI-LC–MS/MS 708
 - GC–MS 708, 715–717
 - GC–MS/MS 708
 - LC–MS/MS 717
 - metabolite 708
- lysergic acid diethylamide, *see* LSD
- lysergide, *see* LSD

m

- Ma huang 799
- magnesium
 - nephrotoxicity 749
- MAK value 562
- malathion
 - ADI value 596
 - blood/plasma/serum concentration 597
 - LD₅₀ value 596
 - MAK value 596
 - nephrotoxicity 749
 - TLC 594
 - toxicity 597
- mamba 833
- manganese
 - hepatotoxicity 749
 - nephrotoxicity 749
- Manihot esculenta* (cassava) 800, 806
- maprotiline 418, 442
 - clinical interpretation 442
 - elimination half-life 846
 - GC 405
 - GC–MS 110, 113, 117, 409
 - HPLC 110, 113, 117, 397, 400, 401
 - intoxication 443
 - medical assessment 442
 - metabolism 443
 - overdose 442
 - plasma half-life 442
 - plasma/serum concentration 846
 - serum concentration 418, 435
 - TBPE test 179
- marihuana 479
- marijuana 475
- marine animal 826
- materials for investigation 11
 - containers 15
 - evaluation 20
 - identification
 - judicial preconditions 11,23
 - kind of materials
 - request form 19
 - sampling 11, 15
 - storage 22
 - transport 19
- maximum allowable concentration (MAC) 562
- maximum permissible concentration (MCP) 562
- mazindol 872
- MBDB (methylbenzodioxazolylbutanamine) 463–470
- MDA (3,4-methylenedioxyamphetamine) 463–470

- elimination half-life 846
- GC–MS 110, 113, 117
- HPLC 110, 113, 117
- plasma/serum concentration 846
- MDE
 - GC–MS 110, 117
 - HPLC 110, 117
- MDEA (3,4-methylenedioxyethylam-
phetamine, Eve) 463–470
 - metabolism 464
- MDMA (3,4-methylenedioxyetham-
phetamine, Adam) 463–470
 - elimination half-life 846
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117
 - metabolism 465
 - plasma/serum concentration 846
- mebendazole
 - elimination half-life 846
 - plasma/serum concentration 846
- mebhydrolin
 - TBPE test 179
- mecloqualone 869
- mecloxamine
 - TBPE test 179
- meclozine
 - TBPE test 180
- medazepam 874
 - elimination half-life 846
 - GC–MS 408
 - HPLC 136
 - metabolism 360
 - plasma/serum concentration 846
- medical interpretation 89–91
- mefenamic acid
 - drug-induced seizure 750
- mefenorex 872
- melitracene
 - elimination half-life 846
 - plasma/serum concentration 846
 - TBPE test 179
- melperone 418
 - elimination half-life 846
 - GC 405
 - GC–MS 408
 - HPLC 397
 - plasma/serum concentration 846
 - serum concentration 419
 - TBPE test 179
- mematine
 - GC–MS 408
- Mentha pulegium* 799
- meperidine (pethidine) 228, 874
 - antidote 858
 - clinical interpretation 230
 - drug-induced seizure 750
 - elimination half-life 229, 846
 - GC–MS 229
 - HPLC 229
 - immunoassay 228
 - medical assessment 228
 - metabolism 228
 - plasma/serum concentration 846
 - serum concentration 229
 - TBPE test 179
- mepindolol
 - HPLC 457
- mepivacaine
 - elimination half-life 846
 - plasma/serum concentration 846
 - TBPE test 180
- meprobamate 386, 872
 - clinical interpretation 386
 - elimination half-life 386, 846
 - extractability 369
 - GC 375
 - GC-MS 110, 113, 158
 - HPLC 110, 113, 371
 - medical assessment 386
 - plasma/serum concentration 846
 - serum concentration 386
- mequitazine
 - TBPE test 179
- mercaptodimethur
 - TLC 572
- 6-mercaptapurine
 - acid-base balance 752
 - elimination half-life 842
 - plasma/serum concentration 842, 846
- mercury
 - acid-base balance 752
 - antidote 858
 - BAT value 854
- mesalazine
 - elimination half-life 846
 - plasma/serum concentration 846
- mescaline 498
 - metabolism 499
 - plasma half-life 499
 - serum concentration 499
- mesitylene
 - headspace-GC 171, 174
- mesocarb 872
- mesoridazine
 - elimination half-life 850
 - plasma/serum concentration 850
- mesuximide
 - elimination half-life 846

- plasma/serum concentration 846
- metabolite
 - identification 131
 - shift of relative retention times 132
 - UV spectra 132
- metamfetamine 872
- metamizole, *see also* dipyrone
 - clinical interpretation 203
 - elimination half-life 202, 846
 - extraction 190
 - GC 198
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 136, 193
 - medical assessment 202
 - metabolism 203
 - plasma/serum concentration 846
 - serum concentration 202
- metazocine 869
- metformin
 - elimination half-life 846
 - plasma/serum concentration 846
- methadone 230, 874
 - antidote 858
 - clinical interpretation 239
 - creatine kinase activity 750
 - elimination half-life 846
 - GC–MS 110, 113, 117, 236
 - HPLC 110, 113, 117, 231
 - immunoassay 231
 - metabolism 240
 - minimal concentration to be detected 75
 - L- and D-Methadone 234
 - medical assessment 238
 - plasma concentration 238
 - plasma/serum concentration 846
- methamidophos
 - TLC 594
- methamphetamine
 - elimination half-life 846
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117
 - plasma/serum concentration 846
- methanol
 - acid-base balance 752
 - antidote 523, 754, 858
 - BAT value 520, 854
 - blood concentration 521
 - clinical interpretation 522
 - elimination half-life 521
 - headspace-GC 171, 173, 519
 - hepatotoxicity 749
 - intoxication 521–522
 - marker of alcoholism 522
 - medical assessment 521
 - nephrotoxicity 749
 - poisoning 753
 - serum concentration 521
- methanethinium bromide
 - TBPE test 179
- methaqualone 387, 872
 - clinical interpretation 387
 - elimination half-life 386, 846
 - extractability 369
 - GC 198, 375
 - GC–MS 113, 117
 - HPLC 113, 117, 136, 371
 - immunoassay 367
 - medical assessment 387
 - minimal concentration to be detected 75
 - plasma/serum concentration 846
 - serum concentration 386
- methemoglobin 628
 - clinical interpretation 630
 - medical assessment 630
 - oximetry 628
 - spectrophotometry 628–630
- methemoglobin-inducing agents 631
 - acid-base balance 752
 - methemoglobin measurement 159, 628–630
- methemoglobinemia 631
 - antidote 858
- methidathion
 - TLC 594
- methimazole
 - elimination half-life 846
 - plasma/serum concentration 846
- methiocarb
 - ADI value 574
 - MAK value 574
 - medical assessment 573
 - TLC 569
- methods for toxicological analysis
 - capillary electrophoresis 54
 - electrochemical detection for HPLC 50
 - electrochemical methods 46
 - gas chromatography 35
 - GC – mass spectrometry 38, 152
 - headspace GC 40
 - HPLC 32
 - high-performance TLC 422
 - immunoassay 25
 - inverse voltammetry 49
 - liquid chromatography – mass spectrometry 43
 - potentiometry 46
 - thin-layer chromatography 29
- methohexital 340

- clinical assessment 345
- elimination half-life 345
- GC 343
- GC–MS 110, 113, 117
- HPLC 110, 113, 117, 340
- immunoassay 346
- medical assessment 345
- methomyl 564
 - ADI value 574
 - blood concentration 575
 - clinical interpretation 575
 - LD₅₀ value 573
 - MAK value 574
 - medical assessment 573
 - poisoning 575
 - TLC 568
- methotrexate
 - antidote 858
 - immunoassay 781
- methotrimeprazine, *see* levomepromazine
- 2-methoxyacetic acid
 - elimination half-life 537
- methoxychlor 576, 582
 - ADI value 580
 - blood/plasma/serum concentration 581
 - MAK value 580
 - TLC 579
- methyl acetate
 - headspace-GC 171, 173
- 2-methyl-1-butanol
 - headspace-GC 171, 173
- 2-methyl-2-butanol
 - headspace-GC 171, 173
- N*-methyl-*N*-(*tert*-butyldimethylsilyl)-trifluoroacetamide (MTBSTFA) 695
- methyl cellulose
 - nephrotoxicity 749
- methyl chloride
 - hepatotoxicity 749
- methylchloroform, *see* 1,1,1-trichloroethane
- methyl-desorphan 869
- methyl diethanolamine (MDEAN) 724
- methyldihydromorphine 869
- methylenedioxyamphetamine
 - elimination half-life 846
 - plasma/serum concentration 846
- methylenedioxymethylamphetamine
 - elimination half-life 846
 - plasma/serum concentration 846
- β-methyldigoxin 336
- methyl-dopa
 - elimination half-life 846
 - plasma/serum concentration 846
- methyl ethyl ketone, *see* 2-butanone
- methyl isobutyl ketone, *see* 4-methyl – pentane-2-on
- 4-methyl-pentane-2-on (methyl isobutyl ketone)
 - BAT value 854
 - headspace-GC 172, 173
- 2-methyl-2-pentanol
 - headspace-GC 172, 173
- 4-methyl-2-pentanol
 - headspace-GC 171, 173
- methylphenidate 177, 419, 451, 872, 874
 - clinical interpretation 451
 - elimination half-life 846
 - GC–MS 408
 - medical assessment 451
 - plasma half-life 451
 - plasma/serum concentration 846
 - serum concentration 435
 - TBPE test 179
- methylphenobarbital 874
- methylphosphonic acid (MPA)
 - derivative 689
 - GC–FPD 698
 - GC–MS 697
 - ion chromatography 694
 - LC–MS 694
- 2-methyl-1-propanol
 - headspace-GC 171, 173
- methylpyrrolone 872
 - elimination half-life 846
 - extractability 369
 - plasma/serum concentration 846
- 4-methylpyrazole (fomepizole) 523, 536, 539
- methylxanthines
 - drug-induced seizure 750
 - GC-MS 158
- metildigoxin
 - elimination half-life 847
 - plasma/serum concentration 847
- metipranolol
 - elimination half-life 847
 - HPLC 457
 - plasma/serum concentration 847
 - TBPE test 180
- metixene
 - TBPE test 179
- metoclopramide
 - antidote 858
 - elimination half-life 847
 - plasma/serum concentration 847
 - TBPE test 179
- metofenazate
 - HPLC 136

- metopon 870
- metoprolol
 - elimination half-life 847
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 457
 - metabolism 459
 - plasma half-life 458
 - plasma/serum concentration 459, 847
 - TBPE test 180
- Metrology of Qualitative Chemical Analysis (MEQUALAN) 68
- metronidazole
 - drug-induced seizure 750
 - elimination half-life 847
 - plasma/serum concentration 847
- mevinphos/phosdrin
 - ADI value 596
 - LD₅₀ value 596
 - MAK value 596
 - TLC 594
- mexiletine
 - clinical interpretation 280
 - elimination half-life 280, 847
 - GC 274
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 273
 - medical assessment 280
 - metabolism 280
 - plasma/serum concentration 847
 - serum concentration 280
- mianserin
 - elimination half-life 847
 - GC–MS 408
 - plasma/serum concentration 847
 - TBPE test 179
- midazolam 874
 - antidote 364
 - clinical interpretation 364
 - elimination half-life 363, 847
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 136
 - medical assessment 364
 - metabolism 360, 364
 - plasma/serum concentration 363, 847
- minacide
 - TLC 569
- mirtazapine 419, 443
 - clinical interpretation 443
 - elimination half-life 443, 847
 - GC–MS 408
 - intoxication 444
 - medical assessment 443
 - plasma/serum concentration 847
 - serum concentration 419, 435
- moclobemide 419
 - elimination half-life 847
 - GC–MS 408
 - plasma/serum concentration 847
- modafinil 452
 - clinical interpretation 452
 - elimination half-life 452, 847
 - GC–MS 408
 - medical assessment 452
 - plasma/serum concentration 435, 847
- mollusca 830
- molsidomine
 - elimination half-life 847
 - plasma/serum concentration 847
- monitoring
 - therapeutic drug, *see* TDM
- monkshood (*Aconitum napellus* L.) 785–786
- monoamine oxidase inhibitor
 - toxic hemorrhagic disorder 751
- monocrotophos
 - blood/plasma/serum concentration 597
 - toxicity 597
- morazone
 - TBPE test 179
- morning glory 806
- morpheridine 870
- morphine 240
 - antidote 858
 - clinical interpretation 248
 - elimination half-life 247, 847
 - GC–MS 110, 113, 117, 244, 247
 - HPLC 110, 113, 117, 244
 - immunoassay 243
 - medical assessment 247
 - metabolism 242
 - pharmacokinetics 247
 - plasma/serum concentration 847
- D₃-morphine
 - GC–MS 247
- muscarine 812
- muscazon 813
- muscimol 813
- muscle relaxants
 - acid-base balance 752
 - central, GC–MS 158
 - peripheral, LC–MS 159
- mushroom
 - classification 810
 - detection of toxin 816
 - identification 815
 - poisonous 809–822
 - toxic 748–749
 - toxic hemorrhagic disorder 751
- myrophine 870

n

- nabilone 874
- nadolol
 - HPLC 457
- naftidrofuryl
 - TBPE test 179
- nalidixic acid
 - drug-induced seizure 750
- naloxone
 - elimination half-life 847
 - plasma/serum concentration 847
- naphthalene
 - chlorinated 749
 - hepatotoxicity 749
- Narcissus pseudonarcissus* 789, 796
- neostigmine
 - antidote 858
 - elimination half-life 847
 - plasma/serum concentration 847
- nephrotoxic compound 749
- Nerium oleander* (oleander) 806
- nerve agent 682–703
 - free 684–686
 - GC–MS 685, 695–699
 - LC–MS 690–694
 - metabolism 684
 - metabolite 686
- netilmicin
 - elimination half-life 847
 - plasma/serum concentration 847
- neuroleptics 393–452
 - clinical interpretation 432
 - color test 394
 - GC 404
 - GC–MS 112, 407
 - group assay 393
 - HPLC 112, 396
 - HPLC-MS 430–432
 - HPTLC 422–429
 - immunoassay 393
 - medical assessment 432
- nicocodine 872
- nicodicodine 872
- nicomorphine 870
- Nicotiana tabacum* L. 639, 806
- nicotine 639
 - clinical interpretation 641
 - elimination half-life 847
 - GC–MS 195, 640
 - HPLC 190–194, 640
 - immunoassay 640
 - medical assessment 641
 - metabolism 641
 - plasma elimination half-life 641
 - plasma/serum concentration 847
 - poisoning 641, 806
 - serum concentration 641
 - TBPE test 180
 - toxicity 641
- nicotinic acid
 - elimination half-life 847
 - plasma/serum concentration 847
- nifedipine 317
 - clinical interpretation 318
 - elimination half-life 847
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 318
 - medical assessment 318
 - metabolism 319
 - plasma/serum concentration 847
 - serum concentration 318
- niflumic acid
 - elimination half-life 847
 - plasma/serum concentration 847
- nimetazepam 874
- nitrazepam 874
 - elimination half-life 847
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 136
 - metabolism 360
 - plasma/serum concentration 847
- nitriles
 - antidote 858
- nitrobenzene
 - anemia 751
 - BAT value 854
 - headspace-GC 172, 174
 - hepatotoxicity 749
- nitrofurantoin
 - anemia 751
 - elimination half-life 847
 - plasma/serum concentration 847
- nitrogen mustard 723
 - antidote 858
 - DNA-adduct 725
 - guanine alkylated with HN-2 726
 - HN-1 (*N*-ethyl-2,2'-dichloroethyl amine) 703, 724
 - HN-2 (*N*-methyl-2,2'-dichloroethyl amine) 703, 724
 - HN-3 (tris-(2-chloroethyl amine) 703, 724
 - hydrolysis 723–724
 - LC–MS 725
 - LC–MS/MS 724
 - LD₅₀ value 681
 - metabolite 723
 - toxicity 681
- nitroglycerin

- elimination half-life 847
 - plasma/serum concentration 847
 - 1-nitropropane
 - headspace-GC 172, 173
 - nitroprusside
 - elimination half-life 847
 - plasma/serum concentration 847
 - nomifensine
 - elimination half-life 847
 - plasma/serum concentration 847
 - TBPE test 180
 - nonachlor 582
 - n*-nonane
 - headspace-GC 172, 173
 - noracymethadol 870
 - norclomipramine
 - HPLC 401
 - norclozapine
 - HPLC 401
 - HPLC – MS 432
 - plasma/serum concentration 843
 - norcodeine 870
 - nordazepam, 360, 874
 - elimination half-life 847
 - GC–MS 408
 - HPLC 143, 355
 - plasma/serum concentration 847
 - nordiaepam, *see* nordazepam
 - nordoxepin
 - HPLC 401
 - immunoassay 781
 - norflunitrazepam
 - HPLC 355
 - norfluoxetine
 - elimination half-life 844
 - HPLC-DAD 146
 - plasma/serum concentration 844
 - norlevorphanol 870
 - normethadone 874
 - normorphine 870
 - norpipanone 870
 - norpropoxyphene
 - plasma/serum concentration 843
 - nortilidine
 - GC–MS 261
 - TBPE test 179
 - nortriptyline, *see also* amitriptyline 414, 432–434
 - clinical interpretation 432–434
 - elimination half-life 841, 847
 - GC 405
 - GC–MS 110, 113, 117, 408
 - HPLC 110, 113, 117, 397, 401
 - immunoassay 781
 - medical assessment 432–434
 - metabolism 433
 - overdose 434
 - plasma half-life 434
 - plasma/serum concentration 841, 847
 - serum concentration 414, 435
 - TBPE test 179
 - nose and throat irritant 734
 - noxiptiline (noxiptyline)
 - HPLC 136
 - TBPE test 179
 - nutmeg ingredients
 - GC-MS 158
- o**
- 1-octanol
 - headspace-GC 172, 174
 - ofloxacin
 - TBPE test 180
 - olanzapine 419, 444
 - clinical interpretation 444
 - elimination half-life 444, 847
 - GC–MS 408
 - intoxication 444
 - medical assessment 444
 - plasma/serum concentration 847
 - serum concentration 419, 435
 - oleander 806
 - omethoate
 - LD₅₀ value 596
 - TLC 594
 - opiates 215–265
 - acid-base balance 752
 - antidote 858
 - clinical interpretation 248
 - GC-MS 158
 - group immunoassay 216
 - medical assessment 247
 - minimal concentration to be detected 75
 - pharmacokinetics 247
 - opioids 215–265
 - antidote 858
 - drug-induced seizure 750
 - GC-MS 158
 - group immunoassay 216
 - poisoning 753
 - opipramol 419, 432, 445
 - clinical interpretation 445
 - elimination half-life 847
 - GC 405
 - GC–MS 110, 113, 117, 408
 - HPLC 110, 113, 117, 136, 397
 - immunoassay 781
 - intoxication 445

- medical assessment 445
 - plasma half-life 445
 - plasma/serum concentration 847
 - serum concentration 420, 435
 - TBPE test 180
 - orellanine 812
 - orelline 812
 - organophosphorus compounds (OPC, pesticides) 591–599
 - ADI value 596
 - antidote 858
 - clinical interpretation 598
 - drug-induced seizure 750
 - enzyme complex 700
 - GC–MS 113
 - general unknown analysis 593
 - HPLC 113
 - intoxication 598
 - LD₅₀ value 596
 - MAK value 596
 - spectrophotometry 595
 - TLC 593–595
 - toxicity 595, 597
 - osmolal gap 747
 - oxalates 790–792
 - antidote 858
 - oxalic acid 791–797
 - nephrotoxicity 749
 - Oxalis acetosella* L. (wood sorrel) 804
 - oxamyl
 - ADI value 574
 - LD₅₀ value 573
 - MAK value 574
 - oxazepam 874
 - elimination half-life 847
 - GC–MS 408
 - HPLC 355
 - metabolism 360
 - plasma/serum concentration 847
 - oxazolam 874
 - metabolism 360
 - oxcarbazepine 297
 - elimination half-life 297, 847
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117
 - metabolism 297
 - plasma/serum concentration 847
 - serum concentration 295
 - oxprenolol 459
 - elimination half-life 847
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 457
 - plasma half-life 457
 - plasma/serum concentration 460, 847
 - TBPE test 180
 - oxychlorodane 582
 - oxycodone 241, 249, 874
 - clinical interpretation 252
 - elimination half-life 251, 847
 - GC–MS 250
 - HPLC 250
 - immunoassay 250
 - medical assessment 251
 - metabolism 251
 - plasma/serum concentration 847
 - serum concentration 251
 - oxydemeton-methyl
 - TLC 594
 - oxytocin
 - drug-induced seizure 750
 - oximetry 624
 - oxymorphone 241, 872
 - oxyphenonium bromide
 - TBPE test 180
- P**
- Panaeolus subalteatus* 503
 - pancuronium
 - elimination half-life 847
 - plasma/serum concentration 847
 - pancuronium bromide
 - TBPE test 180
 - Panaeolina foeniculii* 813
 - Panaeolina* spp. 813
 - pantherine syndrome 813
 - Papaver somniferum* 800
 - papaverine
 - elimination half-life 847
 - plasma/serum concentration 847
 - TBPE test 180
 - paper strip 650–652
 - paracetamol, *see also* acetaminophen
 - antidote 858
 - clinical interpretation 205
 - elimination half-life 204, 847
 - extraction 190
 - GC 110, 113, 117, 198
 - HPLC 110, 113, 117, 193
 - immunoassay 203
 - liver toxin 748
 - medical assessment 204
 - metabolism 206
 - plasma/serum concentration 847
 - poisoning 753
 - serum concentration 204
 - paraldehyde
 - acid-base balance 752
 - elimination half-life 848

- plasma/serum concentration 848
- paralytic shellfish poisoning (PSP) 828
- paraoxon
 - elimination half-life 848
 - plasma/serum concentration 848
 - toxicokinetics 597
- paraquat 582–591
 - clinical interpretation 591
 - color test 159, 583
 - GC–MS 113
 - general unknown analysis 583
 - half-life 591
 - HPLC 113
 - intoxication 591
 - LD₅₀ value 590
 - liver toxin 748
 - MAK value 590
 - medical assessment 590
 - nephrotoxicity 749
 - poisoning 588, 590
 - spectrophotometry 585–590
 - toxicity 591
- parasorbic acid 804
- parathion
 - ADI value 596
 - BAT value 854
 - blood/plasma/serum concentration 597
 - clinical interpretation 598
 - elimination half-life 848
 - intoxication 598
 - LD₅₀ value 596
 - MAK value 596
 - plasma/serum concentration 848
 - toxicity 597
 - toxicokinetics 597
- parathion-ethyl 592
 - TLC 594
- parathion-methyl
 - ADI value 596
 - LD₅₀ value 596
 - MAK value 596
- parkinsonian symptoms 858
- paroxetine
 - elimination half-life 848
 - GC–MS 110, 113, 117, 408
 - HPLC 110, 113, 117
 - plasma/serum concentration 848
- Paxillus involutus* (poison paxillus) 813
- PBB and PCB, *see* biphenyls
- PCP, *see* phencyclidine
- peace lily 789, 797
- Pelagia noctiluca* 826
- pemoline 874
 - GC–MS 408
- penbutolol
 - HPLC 457
 - TBPE test 179
- pennyroyal oil 799
- pentachloroethane
 - Fujiwara reaction 542
- pentafluorobenzyl bromide 695
- 1-pentanol
 - headspace GC 172, 173
- 2-pentanone
 - headspace GC 172, 173
- pentazocine 177, 252, 874
 - antidote 858
 - clinical interpretation 257
 - drug-induced seizure 750
 - elimination half-life 257, 848
 - GC–MS 110, 113, 117, 255
 - HPLC 110, 113, 117, 253
 - medical assessment 257
 - metabolism 253
 - plasma/serum concentration 848
 - serum concentration 257
 - TBPE test 179
- pentobarbital 874
 - elimination half-life 848
 - GC–MS 110, 113, 117, 346
 - HPLC 110, 113, 117, 345
 - immunoassay 345–346
 - plasma/serum concentration 848
- pentoxifylline
 - elimination half-life 848
 - plasma/serum concentration 848
- pentyl acetate
 - headspace-GC 172, 174
- iso-pentyl acetate
 - headspace-GC 172, 174
- perazine 420, 446
 - clinical interpretation 446
 - elimination half-life 848
 - GC 405
 - GC–MS 110, 113, 117, 408
 - HPLC 110, 113, 117, 136, 397
 - intoxication 446
 - medical assessment 446
 - plasma half-life 446
 - plasma/serum concentration 848
 - serum concentration 420, 435
 - TBPE test 179
- perchloroethylene, *see* 1,1,2,2-tetrachloroethene
- permethrin 600
 - ADI value 602
 - LD₅₀ value 602
- permissible exposure limit (PEL) 562

- perphenazine 177
 - GC–MS 408
 - TBPE test 179
- pesticides 559–603
 - ADI value 561
 - BAT value 563
 - BEI value 563
 - biological monitoring 562
 - classification 559–560
 - GC–MS 112, 113
 - HPLC 112, 113
 - poisoning 563
 - TLV 562
 - toxicity 560–561
- pethidine, *see* meperidine
- phallotoxin 811
- phenacetin
 - anemia 751
 - elimination half-life 848
 - extraction 190
 - GC 198
 - HPLC 193
 - plasma/serum concentration 848
- phenadozone 870
- phenampromide 870
- phenarsazine chloride (Adamsite) 734
- phenazocine 870
- phenazone, *see also* antipyrine
 - clinical interpretation 208
 - elimination half-life 207, 848
 - extraction 190
 - GC 198
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 193
 - medical assessment 207
 - metabolism 208
 - elimination half-life 848
 - plasma/serum concentration 848
 - serum concentration 207
- phencyclidine (1-phenylcyclohexylpiperidine, PCP) 177, 499–502, 870
 - clinical interpretation 502
 - creatine kinase activity 750
 - drug-induced seizure 750
 - elimination half-life 848
 - GC–MS 110, 113, 117, 500
 - HPLC 110, 113, 117, 500
 - immunoassay 499
 - intoxication 502
 - medical assessment 502
 - metabolism 500
 - minimal concentration to be detected 75
 - plasma/serum concentration 502, 848
 - TBPE test 179
 - toxic hemorrhagic disorder 751
- phenimetrazine 872
- phenformin
 - elimination half-life 848
 - plasma/serum concentration 848
- pheniramine
 - elimination half-life 848
 - plasma/serum concentration 848
 - TBPE test 179
- phenmedipham
 - TLC 568–572
- phenmetrazine 872
- phenobarbital 345, 874
 - antidote 754, 859
 - clinical interpretation 297, 347
 - drug-induced seizure 750
 - elimination half-life 347, 848
 - GC–MS 110, 113, 117, 292–294
 - HPLC 110, 113, 117, 289
 - immunoassay 288, 345–346
 - medical assessment 297, 347
 - metabolism 297, 346
 - pharmacokinetics 347
 - plasma/serum concentration 848
 - quality assurance 64
 - serum concentration 347
- phenol
 - drug-induced seizure 750
 - hepatotoxicity 749
- phenomorphan 870
- phenoperidine 870
- phenothiazine neuroleptics
 - antidote 858
 - GC–MS 158
- phenprocoumon 303
 - elimination half-life 848
 - GC–MS 113, 117
 - half-life 306
 - HPLC 113, 117, 305
 - pharmacodynamics 307
 - pharmacokinetics 306
 - plasma/serum concentration 848
 - serum concentration 307
- phenpromethamine 870
- phentermine 874
 - elimination half-life 848
 - plasma/serum concentration 848
- phenylbutazone
 - anemia 751
 - elimination half-life 848
 - extraction 190
 - GC 198
 - HPLC 136, 193
 - plasma/serum concentration 848

- p*-phenylenediamine
 - creatine kinase activity 750
- phenylephrine
 - elimination half-life 848
 - plasma/serum concentration 848
- phenylhydrazine
 - hepatotoxicity 749
- phenylphosphonic acid (PhPA) 689
- phenylpropylamine
 - creatine kinase activity 750
- phenytoin 298
 - clinical interpretation 298
 - drug-induced seizure 750
 - elimination half-life 848
 - GC–MS 110, 113, 117, 292–294
 - HPLC 110, 113, 117, 289
 - immunoassay 288
 - medical assessment 298
 - metabolism 298
 - plasma/serum concentration 848
 - quality assurance 64
 - serum concentration 295
- Philodendron* spp. 786–789, 796
- pholcodine 872
- Pholiotina (Conocybe) cyanopus* 813
- Pholiotina (Conocybe) filaris* 811
- phosalone
 - blood/plasma/serum concentration 597
 - TLC 594
 - toxicity 597
- phosdrin, *see* mevinphos
- phosgene 730
 - albumin adduct 731
 - globin adduct 730
 - LC–MS 731–732
 - LC–MS/MS 730–731
 - metabolite 730
- phosphamidon
 - TLC 594
- phosphonic acid ester 690
 - GC–MS 695–699
 - LC–MS 690–694
- phosphorus
 - hepatotoxicity 749
 - liver toxin 748
- phoxim
 - TLC 594
- Physalia physalis* 826
- physostigmine
 - antidote 859
 - drug-induced seizure 750
 - elimination half-life 848
 - plasma/serum concentration 848
- Phytolacca americana* (Virginian poke) 789, 797
- pimino-dine 870
- pimozide
 - GC–MS 408
- pinacolyl methylphosphonic acid (PMPA) 689
 - CE–UV 694
 - GC–FPD 697
 - GC–MS 697
 - GC–MS/MS 698
 - GC–NICI–MS 697
 - GC–NICI–MS/MS 697
 - ion chromatography 694
 - LC–MS 694
 - LC–MS/MS 694
- pinazepam 874
 - metabolism 360
- pindolol
 - elimination half-life 848
 - HPLC 457
 - plasma/serum concentration 848
- pindone
 - HPLC 305
- pipamperone 420, 446
 - acute poisoning 447
 - clinical interpretation 447
 - elimination half-life 848
 - GC 405
 - GC–MS 110, 113, 117, 408
 - HPLC 110, 113, 117, 397
 - medical assessment 446
 - plasma/serum concentration 848
 - serum concentration 420, 435
 - TBPE test 179
- Piper methysticum* (kava) 799
- Piper nigrum* 797
- piperazine
 - elimination half-life 848
 - plasma/serum concentration 848
- pipradol 874
- pirenzepine
 - elimination half-life 848
 - plasma/serum concentration 848
- pirimicarb
 - ADI value 574
 - MAK value 574
 - medical assessment 573
 - TLC 568–572
- pirimiphos-methyl
 - ADI value 596
 - MAK value 596
 - TLC 594
- piritramide 875

- piroxicam
 - elimination half-life 848
 - plasma/serum concentration 848
- plant, poisonous 785–806
- plant alkaloids (volatile)
 - GC-MS 158
- Pluteus salicinus* 813
- plutonium
 - antidote 859
- poison
 - detection 826
 - diagnosis 745
- poison hemlock (*Conium maculatum* L.) 785–786
- Poison Information Center (PIC) 90
 - telephone numbers 861–865
- poisoning
 - acid-base balance 752
 - biochemical investigation 745–769
 - creatine kinase activity 750
 - diagnosis 96, 745
 - diagnosis of poisoning caused by animals 825
 - epidemiology 95
 - fish 829
 - frequency 1
 - monitoring intoxicated patients 767
 - plant 788–806
 - first diagnostic step 800
 - identification of plant 801
 - macroscopic identification 802
 - microscopic identification 803
 - symptoms 97, 788
 - toxic agent 97
 - treatment 752
 - venomous and poisonous animal 825–834
- polonium
 - antidote 859
- polyene 804
- potentiometry 46, 656–659, 661–663
- practicability of toxicological analyses 59
- prajmaline 177
 - elimination half-life 848
 - GC 274
 - HPLC 273
 - plasma/serum concentration 848
- prajmalium bitartrate
 - TBPE test 179
- prazepam 875
 - elimination half-life 848
 - GC-MS 408
 - metabolism 360
 - plasma/serum concentration 848
- prazosin
 - elimination half-life 848
 - plasma/serum concentration 848
- prednisolone
 - elimination half-life 848
 - plasma/serum concentration 848
- primaquine
 - elimination half-life 848
 - plasma/serum concentration 848
- primidone 299
 - elimination half-life 299, 848
 - GC-MS 110, 113, 117, 292–294
 - HPLC 110, 113, 117, 289
 - immunoassay 288
 - medical assessment 299
 - metabolism 299
 - plasma/serum concentration 848
 - quality assurance 64
 - serum concentration 295
- probenecid
 - elimination half-life 848
 - plasma/serum concentration 848
- procainamide
 - clinical interpretation 281
 - elimination half-life 848
 - GC 110, 113, 117, 274
 - HPLC 110, 113, 117, 273
 - immunoassay 781
 - medical assessment 281
 - metabolism 281
 - plasma/serum concentration 848
 - serum concentration 281
 - TBPE test 180
- procaine
 - elimination half-life 848
 - plasma/serum concentration 848
 - TBPE test 180
- profenofos
 - blood/plasma/serum concentration 597
 - toxicity 597
- proheptazine 870
- proinsulin
 - immunoassay 613–614
- promazine
 - GC-MS 408
 - HPLC 136
- promecarb
 - TLC 572
- promethazine 420, 447
 - acute poisoning 447
 - clinical interpretation 447
 - elimination half-life 848
 - GC 405
 - GC-MS 110, 113, 117, 408
 - HPLC 110, 113, 117, 136, 397

- medical assessment 447
- plasma half-life 447
- plasma/serum concentration 848
- serum concentration 420, 435
- TBPE test 179
- propafenone
 - clinical interpretation 282
 - elimination half-life 282, 848
 - GC 274
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 136, 273
 - medical assessment 282
 - metabolism 282
 - plasma/serum concentration 282, 848
- propallylonal
 - elimination half-life 848
 - plasma/serum concentration 848
- 1-propanol
 - headspace-GC 172, 173
- 2-propanol (*iso*-propanol, propan-2-ol) 521, 700
 - BAT value 520, 854
 - blood concentration 521
 - clinical interpretation 522
 - creatine kinase activity 750
 - GC–FID 700
 - headspace-GC 173, 519
 - medical assessment 521
 - toxicity 522
- properidine 870
- propham
 - TLC 568–572
- propiram 872
- propofol 387
 - clinical interpretation 387
 - elimination half-life 387, 849
 - GC 375
 - HPLC 371
 - medical assessment 387
 - plasma/serum concentration 849
 - serum concentration 387
- propoxur 564
 - ADI value 574
 - blood concentration 575
 - clinical interpretation 575
 - LD₅₀ value 573
 - MAK value 574
 - medical assessment 573
 - poisoning 574–575
 - TLC 568–572
- propoxyphene, *see also*
 - dextropropoxyphene 218
 - drug-induced seizure 750
 - elimination half-life 849
 - metabolism 218
 - minimal concentration to be detected 75
 - plasma/serum concentration 849
- propranolol 460
 - drug-induced seizure 750
 - elimination half-life 849
 - GC–MS 110, 113, 117
 - HPLC 110, 113, 117, 136, 457
 - metabolism 460
 - plasma half-life 460
 - plasma/serum concentration 461, 849
 - TBPE test 179
- propylene carbonate
 - headspace-GC 172, 174
- 1,2-propylene glycol
 - GC 534
- i*-propyl methylphosphonic acid (IMPA) 689
 - CE–UV 694
 - GC–FPD 697–698
 - GC–MS 697
 - GC–MS/MS 698
 - GC–NICI–MS 697
 - GC–NICI–MS/MS 697
 - ion chromatography 694
 - LC–MS 694
 - LC–MS/MS 694
- propyphenazone
 - elimination half-life 849
 - extraction 190
 - GC 198
 - HPLC 136, 193
 - plasma/serum concentration 849
- protein precipitation 119, 138
- protein–organophosphate complex 702
 - LC–MS/MS 702
- prothipendyl
 - elimination half-life 849
 - GC–MS 408
 - plasma/serum concentration 849
 - TBPE test 179
- protriptyline
 - elimination half-life 849
 - plasma/serum concentration 849
 - serum concentration 435
- Prunus* spp. 804, 806
- pseudoephedrine
 - elimination half-life 849
 - plasma/serum concentration 849
- psilocin 503, 813
 - clinical interpretation 506
 - GC–MS 504
 - HPLC 503
 - medical assessment 506
- Psilocybe mexicana* 503

- Psilocybe* spp. 813
 - psilocybin 503, 870
 - clinical interpretation 506
 - GC–MS 504
 - HPLC 503
 - medical assessment 506
 - metabolism 507
 - syndrome 813
 - psychopharmaceuticals
 - intoxication 142
 - psychotomimetic agent 732–733
 - Pyracantha* spp. 787
 - pyramat
 - TLC 569
 - pyranocoumarin
 - HPLC 305
 - pyrazophos
 - TLC 594
 - pyrethroids 599–603
 - ADI value 602
 - blood/plasma half-life 602
 - clinical interpretation 603
 - GC–MS 114, 599, 601
 - HPLC 114
 - intoxication 603
 - LD₅₀ value 602
 - medical assessment 601
 - metabolism 602
 - metabolite 601
 - toxicity 601, 603
 - toxicodynamics 603
 - toxicokinetics 602
 - pyridine
 - headspace-GC 172, 173
 - hepatotoxicity 749
 - pyridostigmine
 - antidote 859
 - elimination half-life 849
 - plasma/serum concentration 849
 - pyrithyldione
 - elimination half-life 849
 - extractability 369
 - GC 375
 - HPLC 371
 - plasma/serum concentration 849
 - pyrovaleron 873
 - pyrrolizidine alkaloids
 - liver toxin 748
- q**
- qualitative analysis 66–73
 - Metrology of Qualitative Chemical Analysis (MEQUALAN) 68
 - report 85
 - standard 66f.
 - validation 69
 - uncertainty and unreliability 71–73
 - quality assessment
 - external 65–73
 - internal 63
 - quality assurance (QA) 63–75
 - qualitative examination 66
 - quantitative measurement 63
 - quantitative analysis
 - report 85
 - quetiapine 421, 448
 - clinical interpretation 448
 - elimination half-life 448, 849
 - GC–MS 408
 - HPLC–MS 432
 - medical assessment 448
 - overdose 448
 - plasma/serum concentration 849
 - serum concentration 421, 435
 - quinidine 177
 - clinical interpretation 283
 - elimination half-life 283
 - GC 274
 - GC–MS 110, 114, 117
 - HPLC 110, 114, 117, 273
 - immunoassay 781
 - medical assessment 283
 - metabolism 284
 - serum concentration 283
 - quinine
 - TBPE test 179
 - 3-quinuclidinyl benzilate (BZ) 732–733
 - hydrolysis 733
- r**
- racemethorphan 871
 - racemoramide 873
 - racemorphan 873
 - ranitidine
 - elimination half-life 849
 - plasma/serum concentration 849
 - rare elements
 - AAS, ICP-MS, VM 159
 - rattlesnake 833
 - reboxetine
 - GC–MS 408
 - β-receptor blocking agents, *see* beta-receptor blocking agents
 - red blood cell acetylcholinesterase (RBC-AChE)
 - variability 763
 - remifentanyl 875
 - report, analytical toxicological 81
 - delivery 86

- identification 81
 - qualitative results 85
 - quantitative results 85
 - request 100
 - reserpine
 - anemia 751
 - Rhododendron ponticum* 786–787
 - Ricinus communis* L. (castor oil plant) 785, 804
 - risperidone
 - elimination half-life 849
 - GC–MS 111, 117, 409
 - HPLC 111, 117
 - plasma/serum concentration 849
 - rodenticide coumarin derivatives 309
 - HPLC 309
 - pharmacokinetics 310
 - screening method 309
 - serum concentration 311
 - rodenticides
 - antidote 859
 - rolicyclidine 871
 - Russian VX (VR) 683
 - GC–MS 687
 - Russula* species 814, 819
- s**
- salbutamol
 - poisoning 753
 - salicylamide 212
 - extraction 190
 - GC 198
 - HPLC 193
 - salicylate 212
 - acid-base balance 752
 - anemia 751
 - antidote 754, 859
 - clinical interpretation 213
 - creatine kinase activity 750
 - elimination half-life 212
 - GC-MS 111, 114, 117, 161
 - HPLC 111, 114, 117
 - immunoassay 211
 - medical assessment 212
 - metabolism 209
 - photometry 209
 - poisoning 753
 - serum concentration 212
 - toxic hemorrhagic disorder 751
 - salicylic acid 209
 - elimination half-life 849
 - GC 198
 - HPLC 193
 - metabolism 209
 - plasma/serum concentration 849
 - Sambucus nigra* (elderberry) 806
 - saponins 794–797, 804
 - sarin (GB) 683
 - 2D-GC 688
 - antidote 859
 - GC–MS 687–688
 - GC–NPD 688
 - HPLC 688
 - LD₅₀ value 681
 - radiometric detection 688
 - toxicity 681
 - saxitoxin 828
 - Schefflera* spp. 787
 - Schrader formula 592
 - scombrototoxicity 830
 - toxin detection 830
 - scopolamine 791
 - elimination half-life 849
 - plasma/serum concentration 849
 - scorpionfish (*Scorpaena* spp.) 827
 - scorpions 831
 - venom detection 831
 - sea snake 833
 - sea urchin 827
 - seafood poisoning 828
 - secbutabarbital 873
 - elimination half-life 849
 - plasma/serum concentration 849
 - secobarbital 875
 - elimination half-life 849
 - immunoassay 346
 - plasma/serum concentration 849
 - sedatives 351–364, 367–391
 - acid-base balance 752
 - clinical interpretation 380
 - GC 372
 - HPLC 368
 - ion-selective electrode 376
 - medical assessment 380
 - photometry (color test) 377
 - seizure
 - drug-induced 750
 - selenium
 - hepatotoxicity 749
 - sence 479
 - sertindole
 - GC–MS 111, 114, 117
 - HPLC 111, 114, 117
 - sertraline 421, 449
 - clinical interpretation 449
 - elimination half-life 449, 849
 - GC–MS 111, 114, 117, 409
 - HPLC 111, 114, 117
 - medical assessment 449

- overdosage 449
- plasma/serum concentration 849
- serum concentration 421, 435
- shellfish 828
- toxin detection 828
- sildenafil
 - GC–MS 117
 - HPLC 117
- silver
 - nephrotoxicity 749
- silver sulfide electrode 47
- smok(e) 479
- snake 832
- snake toxin
 - toxic hemorrhagic disorder 751
- sodium warfarin 303
- Solanum* spp. 787
- solid-phase micro extraction (SPME) 163
- solvent 511–555
- soman (GD) 683
 - acetylcholinesterase (AChE) activity 688
 - antidote 859
 - enzymatic assay 688
 - GC–MS 687–688
 - GC–MS/MS 688
 - GC–NPD 688
 - immunoassay 688
 - LD₅₀ value 681
 - TLC 688
 - toxicity 681
- Sorbus aucuparia* L. 804
- Sorghum* spp. 806
- sotalol 461
 - elimination half-life 849
 - GC–MS 111, 114, 117
 - HPLC 111, 114, 117, 457
 - plasma half-life 461
 - plasma/serum concentration 461, 849
- space 479
- sparteine 177
 - L-sparteine
 - TBPE test 179
- spasmolytics
 - antidote 859
- Spathiphyllum floribundum* (peace lily) 789, 797
- spectrophotometry 625, 628
- spice 479
- spider 831
- spider toxin
 - creatine kinase activity 750
- spironolactone
 - elimination half-life 849
 - plasma/serum concentration 849
- stibine
 - antidote 859
- stilbine
 - anemia 751
- stimulants/hallucinogen
 - GC–MS 158
- stonefish (*Synanceja* spp.) 827
 - strategy of investigations
 - brain death 104
 - differential diagnosis 103
 - drug abuse 104
 - materials 96
 - monitoring 103
 - suspected poisoning
 - streptomycin
 - elimination half-life 849
 - plasma/serum concentration 849
- Stropharia coronilla* 503, 813
- strychnine 642, 806
 - antidote 646
 - clinical interpretation 646
 - creatine kinase activity 750
 - drug-induced seizure 750
 - elimination half-life 849
 - GC–MS 114
 - HPLC 114
 - medical assessment 645
 - plasma elimination half-life 645
 - plasma/serum concentration 849
 - poisoning 643
 - serum concentration 645
 - TBPE test 179
 - TLC 643
 - toxicity 645
- Strychnox nux vomica* 806
- styrene
 - BAT value 854
 - headspace-GC 172, 174
 - hepatotoxicity 749
 - succinylcholine
 - creatine kinase activity 750
- sufentanil 875
 - elimination half-life 849
 - plasma/serum concentration 849
- sulfadiazine
 - HPLC-DAD 146
- sulfamethoxazole
 - HPLC 136
- sulfapyridine
 - HPLC 136
- sulfhemoglobin 630, 632
 - spectrometry 632
- 1,1'-sulfonyl-bis[2-S-(N-acetylcysteinyl)ethane]
 - ESI-LC–MS 708

- LC–MS 715
- sulfonylurea 615
 - blood/plasma/serum concentration 620
 - clinical interpretation 621
 - medical assessment 620
- sulforidazine
 - elimination half-life 850
 - plasma/serum concentration 850
- sulfotepp 592
 - TLC 594
- sulfur mustard (HD, 2,2'-bis-chloroethyl sulfide) 703
 - albumin adduct 721
 - antidote 859
 - DNA adduct 722
 - GC 705
 - GC–MS 706, 719
 - hemoglobin adduct 719
 - LC–MS 722
 - LC–MS/MS 721
 - LD₅₀ value 681
 - metabolism 707, 716
 - metabolite 706
 - protein adduct 718–722
 - toxicity 681
- sulindac
 - elimination half-life 849
 - plasma/serum concentration 849
- sulpiride
 - elimination half-life 849
 - GC–MS 409
 - plasma/serum concentration 849
 - TBPE test 179
- sultiamine
 - elimination half-life 849
 - plasma/serum concentration 849
- suramin
 - elimination half-life 849
 - plasma/serum concentration 849
- surfactant
 - antidote 859
- sympathomimetic drug
 - drug-induced seizure 750
- systematic toxicological analysis (STA) 103
- t**
- tabun (GA) 683
 - antidote 859
 - GC–MS 687
 - hydrolysis 691
 - LD₅₀ value 681
 - toxicity 681
- tacrolimus
 - elimination half-life 849
 - plasma/serum concentration 849
- elimination half-life 850
- GC–MS 111, 114, 117
- HPLC 111, 114, 117, 457
- metabolism 462
- plasma half-life 461
- plasma/serum concentration 461, 850
- tannic acid 794
- tartrate
 - nephrotoxicity 749
- Taxus* spp. 787
- TBPE 175, 177
 - deprotonated 177
 - protonated 177
- TDM (therapeutic drug monitoring) 775–782
 - analytical method 780
 - blood concentration 778
 - interpretation 777
 - pharmacokinetics 776
- teicoplanin
 - elimination half-life 850
 - plasma/serum concentration 850
- temazepam 875
 - elimination half-life 850
 - HPLC 355
 - HPLC–DAD 143
 - metabolism 360
 - plasma/serum concentration 850
- temephos
 - TLC 594
- tenamfetamine 871
- tenocyclidine 871
- tenoxicam
 - elimination half-life 850
 - plasma/serum concentration 850
- terbufos
 - TLC 594
- terbutaline
 - elimination half-life 850
 - plasma/serum concentration 850
- terfenadine
 - elimination half-life 850
 - plasma/serum concentration 850
- terpene 804
 - 1,1,2,2-tetrabromoethane
 - Fujiwara reaction 543
 - GC artifact in headspace-GC 172, 174
 - headspace-GC 172, 174
 - tetrabromomethane (carbon tetrabromide)
 - Fujiwara reaction 542
 - hepatotoxicity 749
 - tetrabromophenolphthalein ethyl ester, *see* TBPE

- tetracaine
 - TBPE test 179
- 1,1,2,2-tetrachloroethane
 - Fujiwara reaction 542–543
 - hepatotoxicity 749
 - liver toxin 748
 - nephrotoxicity 749
- 1,1,2,2-tetrachloroethene (tetrachloroethylene, perchloroethylene)
 - BAT value 549
 - clinical interpretation 551–552
 - Fujiwara reaction 542–543
 - headspace-GC 548
 - hepatotoxicity 749
 - medical assessment 548, 550
 - nephrotoxicity 749
- tetrachloromethane (carbon tetrachloride)
 - BAT value 549, 551, 853, 854
 - clinical interpretation 551, 553
 - headspace-GC 172, 173, 548
 - hepatotoxicity 749
 - intoxication 553
 - liver toxin 748
 - MAK value 551
 - medical assessment 548, 551
 - nephrotoxicity 749
 - toxic hemorrhagic disorder 751
- tetrachlovinphos
 - TLC 594
- tetracycline
 - elimination half-life 850
 - plasma/serum concentration 850
- tetraethyl lead
 - BAT value 854
- Δ^9 -tetrahydrocannabinol (THC) 472
 - elimination half-life 850
 - plasma/serum concentration 850
- tetrahydrofuran
 - BAT value 854
 - headspace-GC 172, 173
- tetramethyl lead
 - BAT value 854
- tetrazepam 875
 - elimination half-life 850
 - plasma/serum concentration 850
- thalidomide
 - elimination half-life 850
 - plasma/serum concentration 850
- thallium 664
 - absorption spectrophotometry 668–671
 - antidote 672, 859
 - atomic absorption spectrometry 664
 - elimination half-life 672
 - inverse voltammetry 665–668
 - liver toxin 748
 - medical assessment 671
 - poisoning 672
 - toxicity 671
- thebacon 873
- thebaine
 - TBPE test 179
- theobromine
 - elimination half-life 850
 - plasma/serum concentration 850
- theophylline
 - acid-base balance 752
 - clinical interpretation 315
 - elimination half-life 850
 - GC–MS 111, 114, 117, 315
 - half-life 315
 - HPLC 111, 114, 117, 315
 - immunoassay 315, 782
 - medical assessment 315
 - pharmacokinetics 315
 - plasma/serum concentration 850
 - poisoning 753
 - quality assurance 64
 - serum concentration 315
- thiazide diuretics
 - acid-base balance 752
- thin layer chromatography (TLC) 29–32
 - detection 30
 - limitation 31
 - procedure 565–573
 - toxic plant 805
- thiobencarb
 - TLC 572
- thiocyanate
 - elimination half-life 850
 - plasma/serum concentration 850
- thiodiglycol (TDG) 706
 - blood plasma 709
 - cleavage from blood protein 711
 - GC–MS 708, 710–712
 - GC–MS/MS 708
 - urine 710
- thiodiglycol-sulfoxide
 - GC–MS 708, 714
 - reduction to TDG 714
 - urine 713
- thiofanox
 - TLC 568
- thiometon
 - ADI value 596
 - LD₅₀ value 596
 - MAK value 596
- thiopental
 - clinical interpretation 350

- elimination half-life 350, 850
- GC 348
- GC–MS 111, 114, 118
- HPLC 111, 114, 118, 136, 347
- immunoassay 346
- medical assessment 350
- pharmacokinetics 350
- plasma/serum concentration 850
- serum concentration 350
- thioridazine 421, 435, 449
 - clinical interpretation 449
 - elimination half-life 850
 - GC 405
 - GC–MS 111, 114, 118, 409
 - HPLC 111, 114, 118, 136, 397
 - intoxication 449
 - medical assessment 449
 - metabolism 450
 - plasma half-life 449
 - plasma/serum concentration 850
 - serum concentration 421, 435
 - TBPE test 179
- thorn apple, *see* *Datura stramonium* L.
- thorotrast (thorium dioxide)
 - liver toxin 748
- threshold limit value (TLV) 562
- tiapride
 - elimination half-life 850
 - plasma/serum concentration 850
- tilidine 257, 875
 - antidote 858
 - clinical interpretation 262
 - elimination half-life 262, 850
 - GC–MS 111, 114, 118, 259
 - HPLC 111, 114, 118, 258
 - medical assessment 261
 - metabolism 258
 - plasma/serum concentration 850
 - serum concentration 261
 - TBPE test 179
- cis*-tilidine 873
- timolol
 - elimination half-life 850
 - HPLC 457
 - plasma/serum concentration 850
- tizanidine
 - TBPE test 180
- tobacco plant 639
- tobramycin
 - elimination half-life 850
 - immunoassay 781
 - plasma/serum concentration 850
- tocainide
 - elimination half-life 850
- GC 274
- HPLC 273
- plasma/serum concentration 850
- tolbutamide 617
 - blood/plasma/serum concentration 620
 - elimination half-life 850
 - LC–MS 619
 - metabolism 617
 - plasma/serum concentration 850
- tolclofos-methyl
 - TLC 594
- toliprolol
 - HPLC 457
 - TBPE test 180
- toluene
 - acid-base balance 752
 - BAT value 527, 854
 - clinical interpretation 530
 - creatine kinase activity 750
 - headspace-GC 172, 173, 526
 - hepatotoxicity 749
 - intoxication 529
 - medical assessment 529
 - metabolism 529
- toalbumin 804
- toxaphene 578, 582
 - toxicokinetics 580
- toxic plant 785–806
 - investigation of biological material 805
 - methods for detection 805
 - substances 803
 - TLC 805
- Toxicodendron* spp. 787
- toxicology
 - biochemical investigation 745–769
- tramadol 262
 - antidote 858
 - clinical interpretation 263
 - elimination half-life 263, 850
 - GC–MS 111, 114, 118, 262
 - HPLC 111, 114, 118
 - immunoassay 262
 - medical assessment 263
 - metabolism 264
 - plasma/serum concentration 850
 - serum concentration 263
 - TBPE test 180
- tranlycypromine
 - GC–MS 409
- trazodone
 - GC–MS 409
 - HPLC 401
- triamterene
 - elimination half-life 850

- plasma/serum concentration 850
 - triazolam 875
 - elimination half-life 850
 - plasma/serum concentration 850
 - triazophos
 - TLC 594
 - tribromoethene
 - Fujiwara reaction 542–543
 - tribromomethane (bromoform)
 - Fujiwara reaction 542–543
 - headspace-GC 171, 174, 548
 - hepatotoxicity 749
 - trichlorfon (trichlorphos)
 - TLC 594
 - trichloroacetic acid
 - Fujiwara reaction 542–543
 - trichloro-*tert*-butanol
 - Fujiwara reaction 543
 - 1,1,1-trichloroethane (methylchloroform)
 - BAT value 549, 854
 - clinical interpretation 551–552
 - Fujiwara reaction 542–543
 - headspace-GC 172, 173, 548
 - MAK value 550
 - medical assessment 548, 550
 - metabolism 550
 - toxicity 550, 552
 - 1,1,2-trichloroethane
 - clinical interpretation 551, 552
 - MAK value 550
 - medical assessment 548, 550
 - toxicity 552
 - 2,2,2-trichloroethanol
 - headspace - GC 172, 174
 - trichloroethanol
 - Fujiwara reaction 543
 - trichloroethene (trichloroethylene)
 - clinical interpretation 551–552
 - Fujiwara reaction 542–543
 - half-life 549
 - headspace-GC 548
 - hepatotoxicity 749
 - medical assessment 548–549
 - metabolism 550
 - poisoning 552
 - 1,1,1-trichlorohydrocarbon
 - Fujiwara reaction 540
 - trichloromethane (chloroform)
 - BAT value 549, 551
 - clinical interpretation 551–552
 - Fujiwara reaction 542–543
 - headspace-GC 548
 - hepatotoxicity 749
 - MAK value 551
 - medical assessment 548, 551
 - metabolism 551
 - poisoning 552
 - α,α,α -trichlorotoluene
 - Fujiwara reaction 542
 - trichlorphos (trichlorfon)
 - TLC 594
 - Tricholoma flavovirens* 813
 - triethanolamine (TEA) 724
 - triethylene glycol
 - GC 534
 - trifluoperazine
 - elimination half-life 850
 - plasma/serum concentration 850
 - TBPE test 179
 - trifluperidol
 - GC 405
 - HPLC 397
 - triflupromazine
 - elimination half-life 850
 - plasma/serum concentration 850
 - triiodomethane (iodoform)
 - Fujiwara reaction 542–543
 - trimeperidine 871
 - trimethoprim
 - TBPE test 179
 - trimethylchlorosilane (TMCS) 695
 - 2,4,6-trimethylpyridine
 - headspace-GC 172, 174
 - trimipramine 422, 432, 450
 - clinical interpretation 450
 - elimination half-life 850
 - GC 405
 - GC-MS 111, 114, 118, 409
 - HPLC 111, 114, 118, 136, 397, 401
 - immunoassay 781
 - intoxication 451
 - medical assessment 450
 - overdose 451
 - plasma half-life 450
 - plasma/serum concentration 850
 - serum concentration 422, 435
 - TBPE test 179
 - trinitrotoluene
 - liver toxin 748
 - triterpene 797
 - tryptophan
 - GC-MS 409
- u**
- n*-undecane
 - headspace-GC 172, 174
 - uranium
 - nephrotoxicity 749

V

valproate
 – GC–MS 111, 114
 – HPLC 111, 114
 – immunoassay 288
 valproic acid 300
 – clinical interpretation 300
 – elimination half-life 300, 850
 – immunoassay 781
 – medical assessment 300
 – metabolism 299
 – plasma/serum concentration 850
 – quality assurance 64
 vancomycin
 – elimination half-life 850
 – immunoassay 781
 – plasma/serum concentration 850
 venlafaxine 422
 – elimination half-life 851
 – GC–MS 111, 114, 118, 409
 – HPLC 111, 114, 118
 – plasma/serum concentration 851
 – serum concentration 422
 venom
 – animal 826
 verapamil 320
 – clinical interpretation 324
 – elimination half-life 851
 – GC 322
 – GC–MS 111, 114, 118, 320
 – HPLC 111, 114, 118, 136, 320
 – medical assessment 324
 – plasma/serum concentration 851
 – serum concentration 324
 – TBPE test 179
 vesicants 703–729
Vicia faba (broadbean) 800
 vigabatrin
 – elimination half-life 851
 – plasma/serum concentration 851
 viloxazine
 – GC–MS 409
 – TBPE test 180
 vinylbital 873
 – elimination half-life 851
 – plasma/serum concentration 851
 vinyl chloride
 – liver toxin 748
Vipera spp. (viper) 832–833
 Virginian poke 789, 797
 vitamin A
 – liver toxin 748
 volatile halogenated hydrocarbons (VHHC)
 539 – 553

– clinical interpretation 551
 – color test 540
 – GC 544–548
 – medical assessment 548
 – poisoning 551
 voltammetry
 – inverse 49, 665
 VX 683
 – antidote 859
 – CIEIA (competitive inhibition enzyme immunoassay) 688
 – GC–MS 687
 – HPLC–ECD 688
 – hydrolysis 690
 – LC–MS (APCI, atmospheric pressure chemical ionization) 688
 – LD₅₀ value 681
 – toxicity 681

W

warfarin
 – antidote 859
 – clinical interpretation 306
 – elimination half-life 851
 – GC–MS 111, 114, 118
 – half-life 306
 – HPLC 111, 114, 118, 305
 – medical assessment 306
 – pharmacodynamics 307
 – pharmacokinetics 306
 – plasma/serum concentration 851
 – serum concentration 307
 – toxicity 310–311
 wasp toxin
 – creatine kinase activity 750
 weeping fig (*Ficus benjamina*) 794
 weeverfish (*Echiichthys* spp.) 827
 wood sorrel 804

X

m-xylene
 – BAT value 527, 854
 – clinical interpretation 531
 – elimination half-life 529
 – headspace-GC 172, 173, 526
 – medical assessment 529
 – metabolism 530
o-xylene
 – BAT value 527, 854
 – clinical interpretation 531
 – elimination half-life 529
 – headspace-GC 172, 174, 526
 – medical assessment 529
 – metabolism 530

- p*-xylene
 - BAT value 527, 854
 - clinical interpretation 531
 - elimination half-life 529
 - headspace-GC 172, 173, 526
 - medical assessment 529
 - metabolism 530
- xylite
 - nephrotoxicity 749

y

- yohimbine
 - elimination half-life 851
 - HPLC-DAD 146
 - intoxication 145
 - plasma/serum concentration 851
 - TBPE test 180
- yucatan fire 479

z

- zaleplon 388
 - antidote 389
 - clinical interpretation 388
 - elimination half-life 388
 - GC 375
 - HPLC 371
 - medical assessment 388
 - metabolism 389
 - serum concentration 388
- Zantedeschia aethiopica* 789, 798
- zectram
 - TLC 569
- zidovudine
 - elimination half-life 851
 - plasma/serum concentration 851

- zinc
 - antidote 859
- zipeprol 873
- ziprasidone
 - GC–MS 409
- zolpidem 389, 875
 - clinical interpretation 389
 - elimination half-life 389, 851
 - extractability 369
 - GC 375
 - GC–MS 111, 114, 118
 - HPLC 111, 114, 118, 371
 - medical assessment 389
 - metabolism 390
 - plasma/serum concentration 851
 - serum concentration 389
- zopiclone 390
 - clinical interpretation 390
 - elimination half-life 390, 851
 - extractability 369
 - GC 375
 - GC–MS 111, 114, 118
 - HPLC 111, 114, 118, 371
 - HPLC-DAD 146
 - intoxication 145
 - medical assessment 390
 - plasma/serum concentration 851
 - serum concentration 390
- zotepine
 - elimination half-life 851
 - GC–MS 409
 - plasma/serum concentration 851
- zuclopenthixol
 - GC–MS 409