

Index

- acetophenone, selective hydrogenation
of 124, 126, 267
- acidity of inorganic oxide surface 648 f
- activation of alkanes 42, 47
- activation of C-H bond 47
- in alkanes 76 ff, 496
 - in cyclic alkanes 81 f, 496
 - in methane 77
- active heterogeneous catalyst 36, 409
- active metal, linked to building block matrix 151
- active site 3
- of titanium-based catalysts 563 f
- adatom 15, 62, 119, 121, 123 f
- adsorption 204, 209
- mode of isocyanide adsorption of platinum 542
 - of 1,6-diisocyanohexane on gold film 532
 - of crotonaldehyde 263
 - of organic isocyanide on gold surface 519 ff, 531
 - on alumina 12
 - on basic metal oxide 12
 - on silica 11, 331
- adsorption energy 530 f
- adsorption hypothesis in polyolefin hydrogenolysis 110
- Aerosil *see* non-porous silica
- aggregation of metallic particles 8 f, 334 ff, 657 f, 663 ff, 672 f
- alkane metathesis
- catalyzed by surface organo-tantalum complex 49, 431
 - comparison with mechanism of olefin metathesis 90 f
 - in a continuous flow reactor 88 f
 - mechanism of 89, 98, 432
 - of acyclic alkanes 87
 - of propane 89 ff, 433
- alkane methane-olysis 93
- alkyl transfer 485
- alkyldiisocyanide 531 ff
- alkyne metathesis 582
- α -alkyl transfer 84 f, 96
- alumina nanotubes 623
- alumina support 349, 460, 623
- dehydroxylated, for SOAnC 481 ff
- alumina surface 318, 325, 327, 332, 335, 354 ff, 426 f
- aluminium 27
- amination catalyst 183
- ammonia, silica-supported 29
- analysis of linking group connectivities 155 f
- artificial enzymatic system 392
- aryldiisocyanide 533 ff, 538, 541
- asymmetric catalysis 183 f, 199, 200, 216, 221, 226, 278 ff, 383, 389, 567
- asymmetric hydrogenation
- catalyst for 197, 207, 227, 278 ff, 281 f
 - catalytic cycle of 208
- atomic layer deposition 347
- autocatalysis 364 ff
- aziridation of alkenes 216
- basicity of inorganic oxide surface 648 f
- benzene
- selective oxidation to phenol 402
- β -alkyl transfer 83, 96, 98, 105 f, 118
- β -cage 212
- bimetallic alloy 15, 68, 129
- bimetallic catalyst 335 ff
- cobalt-rhodium on alumina 335 ff
 - controlled assembly on oxide surfaces 240
 - nickel-boron on magnesia 268
 - particle size distribution 248
 - platinum-tin on magnesia 260

- rhodium-iridium on NaY for butane hydrogenolysis 630
- rhodium-tin on silica 122, 260 f
- ruthenium-chromium on silica 267
- synthesis from molecular cluster precursor 240
- synthesis of 15, 129, 239
- titanium-magnesium silsesquioxane, in ethylene polymerization 569 f
- “ship in a bottle” synthesis of zeolite-encapsulated catalysts 240
- bimetallic particle, synthesis of 60, 64, 315, 317, 604
- bimetallic tin alloy, silica-supported 129
- binary metal carbonyl *see* metal carbonyl compound 314 ff
- BINOL ligand 389 f, 480, 499
- bis(oxazoline) ligand 186, 216 f
- boron 25
- Brønsted acid center 144, 427
- building block matrix, growth of 151
- bulk imprinting, in polymer matrix 392
- butan-2-ol, dehydrogenation of 124

- C-H-bond activation by silica-supported tantalum hydride 43
- calix[4]-hydroquinone, as template 624
- carbene deinsertion 83
- carbene-hydride complex 89
- carbide cluster 328
- carbon dioxide methanation, on supported ruthenium catalyst 329
- carbon monoxide hydrogenation catalyst 5, 328, 332 ff
- carbon monoxide, as chemical probe molecule 4
- carbon support 322 f
- 3-carene, isomerization of 124
- catalyst activation 571 f, 579
- catalyst characterization 377 ff, 437 ff
- catalyst nuclearity 142
- catalyst preparation
 - bimetallic catalysts from organobimetallic systems 243 f
 - by chemical vapor deposition 319
 - crosslinking of building block matrix and active metal 152
 - from binary metal carbonyl compounds 316 ff
 - from dinuclear rhodium(I)-siloxide precursor 297
 - from organotin precursor 244, 279
 - method of sequential additions 153 f
 - monometallic catalysts via SOMC/M techniques 242 f
 - of a molecular imprinted metal complex on silica surface 394
 - of cationic heterogeneous polymerization catalyst 434
 - of lanthanum-BINOL complexes on mesoporous silica 480
 - of silica-supported rhenium(VII)-complex for metathesis 172
 - of zeolite-supported rhenium catalyst 402 f
 - synthesis of organotin precursor 278 f
 - templates for 600, 623
- catalyst surface design 17, 376 ff
 - template design 393
- catalytic activity
 - comparison of silica surface-grafted organometallic complexes and metallo-POSS derivatives 575
 - controlling of 429 ff
- cation-anion interaction 26
- cationic metal-hydrocarbyl species on oxide-support 433
- chain walking hypothesis in polyolefin hydrogenolysis 106, 109
- characterization of SOLnC
 - DRIFT experiments 475, 490
 - nitrogen adsorption-desorption 468
 - TPRS experiments 475, 490
- characterization of SOMC
 - by chemisorption of carbon monoxide and hydrogen 254, 271, 437 ff
 - DRIFT experiments 263, 265, 328
 - ESR 387 f
 - of bimetallic catalysts 246 ff, 250 f
 - of supported organometallic fragments 32
 - solid state MAS NMR 302 ff, 395 f, 437 ff
 - TPR test 251 f
 - XANES 253, 388, 405 ff
 - XPS 249 f, 253, 263, 271, 363
- charged catalyst 226
- Chatt-Duncanson model 4
- Chauvin’s mechanism 89 ff
- chemical shift anisotropy (CSA) 439
- chemical vapor deposition (CVD) 319, 347 ff
- chemisorption
 - of carbon monoxide 4, 254, 271, 606 f
 - of organometallic complexes 10, 196
 - of probe molecules 4
- chiral heterogeneous catalyst 183, 196, 216, 280

- cinchonidine-modified catalyst 280, 285
- citral, as model substrate for
hydrogenation 121 f
- citral, oxidation of 260
- co-catalyst system 571, 579
- combined rotation and multipulse
spectroscopy (CRAMPS) 306 ff, 439
- cooperative effect 14
- coordination chemistry 514 f
- coordination sphere of grafted metal *see also*
podality 23, 40, 54, 61, 257, 294 ff
- coordination to surface 271, 440
- coordinative bonding to metal surface 9
- copper-complex, zeolite-encapsulated 224
- covalent surface attachment of molecular
catalyst 478
- covalent-organic framework material
(COF) 146
- cristalline inorganic hosts 210
- cross-metathesis 88, 92
- between methane and propane 93, 95
- between toluene and ethane 92, 94
- crosslinking, of metal centers 152 f
- crotonaldehyde 260
- cumene, as model substrate 101
- cyclization of dienes 576
- cyclohexyl hydroperoxide, deperoxidation
of 116
- cyclopentadienyl complex 35, 54 ff, 170 f,
190, 482 ff, 568 ff, 580
- cyclopropanation 185
- d(0) metal complexes 172, 417 ff
- decalin, as solvent for polystyrene
modification 102
- decane, dehydrogenation of 126
- decarbonylation 264, 326, 329 f, 334,
358
- of oxalate surface species 352
- dehydration of 2-propanol 161
- dehydrogenation
- of butan-2-ol 124
- of decane 126
- of isobutane 128, 130
- dehydroxylation
- of inorganic oxide support 350, 459, 461,
494
- of silica 557
- deperoxidation 562
- comparison of group IV metal-based
catalysts for 116
- of cyclohexyl hydroperoxide 118
- depolymerization 431, 575
- deposit purity 359 f
- DFT (density functional theory)
calculation 380 ff, 385, 388, 395, 407 ff,
421, 530, 534, 540
- diffusion-controlled grafting 470
- dinitrogen activation 46
- direct grafting 462, 471 f, 488
- direct phenol synthesis (cumene
process) 401, 403 f
- reaction mechanism of 411
- disiloxy organometallic complex 174 f
- dispersion of nanoparticles 58, 63, 256
- DNA, as template 624
- DR-UV spectra 565
- DRIFT (diffuse reflectance infrared
Fourier-transform) spectra 475, 537 f
- dry hydrogen reduction 601, 604, 614
- electrode deposition 623
- electron beam lithography 624
- electronic structure
- of surface organo-tantalum fragments 39
- elongation of nanowire 613
- encapsulated catalyst 213ff, 219, 319
- encapsulation 195, 213
- in zeolites 210 ff
- of metal carbonyl compound 319
- using the sol-gel method 224 ff
- epoxidation
- asymmetric 182, 187, 436, 567 f
- catalyst for 178, 181, 212, 221, 379,
435 ff, 565 ff, 568
- of cyclohexene 160, 436, 566
- of propylene 76
- of stilbene 181, 379, 381 ff
- ESR spectra 387
- ethanol reformation 332 f
- ethylbenzene
- formation by cross-metathesis 92 f
- EXAFS (extended X-ray absorption fine
structure) analysis 256, 446 ff, 607 f
- of group IV organometallic fragments on
oxide-support 32, 38, 158
- of group V organometallic fragments on
oxide-support 384 ff
- of group VII organometallic fragments on
oxide-support 173, 406 ff
- of group VIII organometallic fragments on
oxide-support 608 f, 612
- of organometallic fragments on silica-
supported metal 62 f
- Fehler's metathesis 148
- Fischer-Tropsch catalyst 7 f, 117, 323, 332
- Fischer-Tropsch synthesis 7 f, 83, 325

- floating cationic organometallic fragment 26, 56, 484, 573
- frequency-switched Lee-Goldburg (FSLG) decoupling 303
- gas phase impregnation-deposition (GPID) 347, 351 ff
- grafted organometallic fragments 15, 57
- grafting
 - of organo-titanium compound 31
 - of organorare-earth metal complexes 461 ff
- graphite, as template 623
- green chemistry 101
- Green formalism 4, 11
- group VIII metal particles 118
 - modification with organometallic tin, germanium or lead compound 119 f
 - reaction with organometallic complexes 60 f
 - reaction with silanes 66
 - reaction with triphenylarsen 66
 - reaction with germanes 66
- H-agostic interaction 439, 444, 578, 588
- hafnium, silica-supported
 - in catalysis 36
 - spectroscopic characterization of 37
- HECTOR (high-resolution hetero-nuclear correlation) spectra 303, 305, 444
 - of group V organometallic fragments on oxide-support 41, 45
- hetero Diels-Alder (Danishefsky) reaction 500, 561
- heterogeneous catalysis 17
 - molecular approach to 2
- heterogeneous catalyst
 - design of 17, 68
 - single metal site 17
- heterogeneous catalytic reaction 11
- heteropolyacid, for metal complex heterogenization 197
- homologation
 - of alkanes 95 ff
 - of propane 97
- hybrid mesoporous organosilica material (HMM) 603
- hybrid “molecule/surface” species *see* surface organometallic fragment 3
- hydride surface carbonyl species 327
- hydroformylation catalyst 187, 226, 328, 331, 335
- hydrogen dissociative adsorption 263
- hydrogen-bonded catalyst 205
- hydrogen/deuterium exchange in saturated hydrocarbons 76
- hydrogenation
 - catalyst for 180, 184, 496, 575
 - enantioselective 278, 281 ff
 - of 3,4-dimethoxyacetophenone 284 f
 - of acetophenone to 1-phenylethanol 124, 126, 266 f, 272 f, 281 ff
 - of alkenes, shape- and size-selective 398 f
 - of aromatic ketones 266, 270
 - of benzophenone to diphenylmethanol 275 ff
 - of cinnamaldehyde 260 f
 - of citral 122, 260
 - of crotonaldehyde 261 ff
 - of ethyl pyruvate 279 f
 - of ethylene 10
 - of propylene 496
 - *p*-isobutylacetophenone 268
 - selective, of α,β -unsaturated aldehydes 121 f, 259
 - selective, of alkenols 120 f
- hydrogenolysis 61, 76
 - of acyclic alkanes 82 ff
 - of butane 106 f, 620 ff, 628 f
 - of cycloalkanes 86 f
 - of dodecane 108
 - of ethyl acetate to ethanol 130
 - of linear alkanes 99, 103
 - of polyethylene 103
 - of polyolefins 96, 99, 433
 - of polystyrene 101 f
 - of surface titanium fragment 33
 - of tetra(*n*-butyl)tin anchored to an silica-supported noble metal 242
 - selective, of esters 129
 - synthesis of surface organometallic hydrido fragments 76
- hydrosilylation 298, 300, 498
 - lanthanide-catalysts for 561
 - mechanism of heterogeneous catalysis 310
 - mechanism of homogeneous catalysis 308 f
- hydroxyl group vibrations 460
- hydroxylation of benzene 76
- HZSM-5 support 402
- ibuprofen 268
- imido complex 42 f, 48
- immobilization 167 f
 - axial, of chiral manganese complex 178
 - based on van der Waals interactions 204

- by direct ion exchange of acidic sites on oxide supports 202
- covalently linking of organometallic complexes 168 f, 174, 180 f, 223
- electrostatic 199 ff, 226
- ionic 198, 204 f
- noncovalently anchoring of organometallic complexes 195 f, 204
- of chromium complex on silica-support 175, 182
- of coordinatively unsaturated metal complexes 376
- of copper(II) complexes on MCM-41 184
- of ferrocenyl-based palladium complex on MCM-41 183
- of gold(I) carbene complexes on silica-support 191
- of heteroleptic organometallic complexes 477, 479
- of homoleptic organometallic complexes 477, 479, 481
- of ligands 179, 185
- of manganese(III) complex 178, 188, 192, 198
- of molybdenum complex on silica-support 174
- of nickel complex on silica-support 180
- of organo-actinide complexes, mechanism of 484
- of organometallic complexes via coordination to the metal center 177
- of organometallic complexes via covalent linkage to a ligand 179
- of organorare-earth metal complexes 464 ff
- of rhenium(VII)-complex on silica-support 172
- of rhodium complex on silica-support 180, 186, 191, 201, 298
- of ruthenium complex on modified silica-support 181, 204
- of titanium(IV) complex on silica-support 200
- of titanium(IV) silsesquioxane complex on silica-support 176
- on basic carbon support 202
- on non-silica polymer surface 178
- supported hydrogen bonded catalysts (SHB) 205 ff
- via hydrogen bonding to surface bound triflate ions 207 f
- within a polyelectrolyte 226 f
- immobilized rare-earth metal complex
 - alkoxide complex 464 f, 495 f, 499, 503 ff
 - alkyl complex 475 ff
 - β -diketonate complex 464 f, 500 f, 561
 - chloro complex 478 f
 - cyclopentadienyl complex 475, 502
 - hydrido complex 475 ff
 - immobilized rare-earth metal silylamide complex 466 ff
 - characterization of 467 f
 - in catalytic reactions 475 ff, 561 f
 - impregnation techniques 239 ff
 - imprinted metal complex
 - applications of 392 ff
 - imprinted rhodium catalyst 394
 - in situ* characterization 10, 78, 385, 405 f, 410, 475, 578, 627
 - incipient wetness technique 141
 - indirect grafting 462, 478
 - inorganic oxide support 334, 420, 425 ff, 460 ff
 - partially dehydroxylated 196
 - insertion, of carbonyl 13
 - interfacial chemical attachment 376
 - intrazeolite complexation method 209, 212, 215
 - intrazeolite template condensation 209, 217 f
 - ion-exchanged system 180
 - ionic interactions 196
 - IR spectra 52, 537, 543, 545
 - iron pentacarbonyl 363, 364 f
 - isobutane, dehydrogenation of 128
 - isocyanide complex 180
 - isolation of unsaturated metal complexes on oxide surfaces 377 ff
- Lewis acid
 - on silica surface 26 f
 - reaction with silica in presence of Brønsted base 54
- Lewis acid site 349, 355, 420
- ligand exchange 25, 462, 472, 479
- ligand reaction with Lewis acid site 27 f, 420
- ligand reaction with surface hydroxyl group
 - addition to metal-ligand double bond 418 f
 - addition to metal-ligand triple bond 419
 - nucleophilic substitution 418
- ligand reactivity 418 ff
- magnesia support 320, 323, 326, 328
- magnesium chloride support 497
- manganese complex, zeolite-encapsulated 213, 220 f
- MCM-41 *see* mesoporous silica

- mechanism
 - elementary steps of SOMC 13, 23
 - four-center mechanism 60, 131, 496
 - of alkane homologation 96 ff, 100
 - of alkane hydrogenolysis 85
 - of alkane metathesis 432
 - of benzene oxidation to phenol 411
 - of bimetallic alloy formation 68
 - of butane hydrogenolysis 107, 623
 - of C-C bond cleavage 85
 - of carbon monoxide oxidation in PROX reaction 627
 - of catalytic reactions: definition 23
 - of crotonaldehyde hydrogenation 264
 - of dehydrocyclization 127
 - of deperoxidation 118
 - of Meerwein-Ponndorf-Verley reduction 505
 - of olefin epoxidation 115
 - of olefin metathesis 112, 430
 - of the hydrogenolysis of higher linear alkanes 105
- Meerwein-Ponndorf-Verley reduction 503 ff
- mesomeric effect, in hydrogenation of substituted aromatic ketones 284
- mesoporous silica 600
- mesoporous silica template 600, 631 f
- metal carbonyl clusters
 - anionic 12, 651 ff
 - inorganic oxide surface-mediated synthesis of 640 ff
 - neutral 651 ff
 - on alumina surface 652 ff
 - on lanthanum oxide surface 656
 - on magnesia surface 651 ff
 - on silica surface 11, 651 ff
 - on zinc oxide surface 652 f, 656
 - synthesis of iron carbonyl compounds 652
 - solvent-based synthesis of 645 ff
 - synthesis of bimetallic clusters 677
 - synthesis of cobalt carbonyl compounds 665
 - synthesis of iridium carbonyl compounds 643, 648, 669 f
 - synthesis of osmium carbonyl compounds 641 f, 646 f, 658 ff
 - synthesis of platinum carbonyl compounds 643 f, 648, 674 f
 - synthesis of rhenium carbonyl compounds 650 ff
 - synthesis of rhodium carbonyl compounds 643, 648, 665 ff
 - synthesis of ruthenium carbonyl compounds 16, 338, 640 f, 645, 652 ff
- metal carbonyl compound 314 ff
 - as precursor of tailored supported catalysts 315 f
 - supported chromium catalysts from 318 f
 - supported cobalt catalysts from 331 ff
 - supported cobalt-rhodium catalysts from 335
 - supported cobalt-ruthenium catalysts from 336
 - supported gold catalysts from 320
 - supported iridium catalysts from 337
 - supported iron catalysts from 323 ff
 - supported iron-manganese catalysts from 326
 - supported iron-ruthenium catalysts from 326
 - supported manganese catalysts from 320
 - supported molybdenum catalysts from 318 f
 - supported nickel catalysts from 320
 - supported osmium catalysts from 324 f, 330
 - supported palladium catalysts from 320
 - supported platinum catalysts from 320
 - supported platinum-rhenium catalysts from 321 f
 - supported platinum-ruthenium catalysts from 321 f
 - supported rhenium catalysts from 320
 - supported rhodium catalysts from 334
 - supported rhodium-iron catalysts from 336
 - supported ruthenium catalysts from 324 f, 327
 - supported tungsten catalysts from 318 f
- metal cluster 322, 337 f
 - definition of 142
- metal complex/surface reactivity 359
- metal deposition under ultrahigh vacuum (UHV) 356
- metal hydrido complex 31, 35, 40 f, 51f, 76 ff, 486
- metal lixivation 115
- metal oxide surface
 - as anionic ligand 11
 - reaction of 11, 357 f
- metal surface
 - adsorption of organig isocyanide 519 ff
 - reaction with organometallic compounds 56 ff
 - spectroscopic techniques for characterization of 59 f

- metal-complex attachment 376 ff
- metal-metal interaction in bimetallic catalysts 252, 393
- metal-organic framework material (MOF) 146
- metal-support interaction 259
- metallocarbene 90
- microporosity 144
- migration of surface atoms 41
- molecular building blocks, for catalysts 146 f, 154
- molecular cluster
 - analogy to nanosized metal particles 5
 - containing platinum 5
- molecular imprinting 376, 392 ff
 - of rhodium complexes on silica surfaces 393 ff
- molecular metal carbonyl cluster 7
 - chemisorption on silica surface 10
 - decomposition 7
- molecular models
 - for surface silanolic grafting sites 557
- molecular transition metal siloxide complex 293 f
 - of rhodium 294
- molybdenum complex, grafted on zeolites 222
- molybdenum complex, silica-supported
 - in olefin metathesis 430
- molybdenum deposition 352 f, 370
- molybdenum hexacarbonyl 349
 - interaction with dehydroxylated alumina 355
 - interaction with hydroxylated alumina 351 f
 - reactivity towards hydroxyl groups 350 f, 357 f
- monometallic catalyst 260
- monosiloxy organometallic complex 169 f

- nanoparticle array in mesoporous silica films
 - electronic behaviour of 633 f
 - preparation of 631 f
- nanoparticle, definition of 142
- nanoscale structures 600, 618 f
 - fabrication of 599 ff, 614 f, 620, 624
- nanosized catalysts
 - catalytic activity of nanowires 625 ff
- nanosized metal particles
 - analogy to molecular clusters 5
 - characterization of 56, 606 ff
 - of platinum, embedded in a micelle 120
 - of platinum, in mesoporous silica 601
 - preparation of 59, 614 f, 618 ff, 624
- nanosized catalyst
 - definition of 139 f
 - design of 140
 - electronic state of 607, 609 f
 - gold nanoparticles on titania 138, 143
 - in silicate matrix: preparation of 153
 - preparation by treatment with supercritical carbon dioxide 620 ff
 - techniques for preparation of 141 f, 148 ff
 - zeolite-based catalysts *see also* zeolite 143 f
- nanowire
 - bimetallic 604 ff, 616, 619 f, 629 f
 - characterization of isolated nanowire 617
 - extraction from mesoporous template 615 f
 - mechanism of silica-templated nanowire formation 611 ff, 622
 - of bismuth 623
 - of gold 604, 623 f, 628
 - of molybdenum on graphite 623 f
 - of palladium 628
 - of platinum 601, 611 ff, 616, 624 ff, 629 f
 - of rhodium 604, 619 f
 - of silver 604
 - structure of isolated nanowires 618
- neopentyl complex 30 f, 38, 422 ff
- nitroaldol (Henry) reaction 499 f
- non-aqueous building block 147 ff
- non-aqueous sol-gel technique 148 ff
- nucleation process, on a metal oxide surface 17, 320, 348, 367 ff, 657 f, 663 ff, 672 f
- number of surface atoms 58, 661

- olefin epoxidation
 - catalyzed by silica-supported titanium complexes 113 ff, 435 ff
 - catalyzed by supported titanium complex, mechanism of 115
 - catalyzed by titanium(IV) silsesquioxane complexes 565 ff, 568
 - comparison of titanium-based catalysts for 114
- olefin hydrogenation 294, 330, 337, 496 f
- olefin isomerization 124, 33•
- olefin metathesis 108
 - catalyzed by transition metal silsesquioxane complexes 580 ff, 586

- comparison of rhenium-based catalysts for 111
- comparison of silica-supported organometallic catalysts 112
- formation of metallocycle 431
- metal-carbene mechanism of 429 ff
- of propene 111 f, 173, 580, 583
- oxide-supported organometallic catalysts for 109, 172
- olefin polymerization 76, 169, 433 f, 486 ff, 569
- organic isocyanide
 - adsorption on chromium surface 550
 - adsorption on copper surface 538 f
 - adsorption on gold surface 519 ff, 527 ff
 - adsorption on nickel surface 526 f, 547 f
 - adsorption on palladium surface 525 f, 542 f
 - adsorption on platinum surface 525, 539 ff
 - adsorption on rhodium surface 527, 548 f
 - adsorption on silver surface 524, 536 ff
 - bridging ligand 516 ff
 - coordination to one metal atom 513 f
 - coordination to three metal atoms 518 f
 - coordination to two metal atoms 515 ff
 - ligand properties 513
 - modes of adsorption on metal surfaces 542 ff, 552
 - orientation on gold nanoparticle 530
 - vibrational data 515 f, 521 ff
- organic polymer support 178 f, 193 ff
- organometallic chemical vapor deposition (OMCVD)
 - assistance by pre-deposited metal 365 ff
 - autocatalytic process 364 ff
 - general pathway 348
 - growth control of deposit 367 ff
 - hydrogen-assisted 360
 - of methyl rhenium trioxide 403
 - strategies to contamination-free 359 f
 - water-assisted 362 f
- organometallic POSS derivatives 561 ff
- organometallic precursor for CVD 361
- osmium-carbonyl cluster, on silica-support 11
- oxidation catalyst 214 ff, 224, 297, 402
- oxidative coupling
 - of 2-naphthol to BINOL 389 f
- oxidative dehydrogenation 580, π - π -stacking interaction 208
- π - σ -allyl isomerization 295
- palladium nanoparticles, silica-supported 207
- PEM fuel cell 625
- periodic mesoporous silica (PMS) 457 ff
 - techniques for characterization of 457
- photooxidation catalyst 576
- photoreduction, water-promoted 601, 604, 612, 632
- physisorption of metal compounds 652 ff
- platinum nanoparticle, synthesis of 600 ff
- platinum-rhenium catalyst, oxide-supported 321 f
- platinum-ruthenium catalyst, supported 322
- platinum-tin catalyst 15, 57, 246 ff, 253 f
 - catalytic behaviour of 258
 - characterization of 255 ff
 - in selective hydrogenation of benzophenone 275 ff
- platinum-tin catalyst, silica-supported
 - catalytic surface of 258
 - in hydrogenation of aromatic ketones 269, 281 ff
 - in paraffin dehydrogenation 127
 - selectivity of 274, 277
 - stability of 273
- podality (surface bonding) 462, 485, 487, 494
- polyhedral oligomeric silsesquioxane (POSS) 147, 168, 421, 428
 - analogy to surface silanol groups 558 f
 - chromium oxide complex grafted on 579
 - comparison of silica-surface titanium fragments and titanium-POSS complexes 564 f
 - complexes of 169, 174, 175
 - gold(I) triphenylphosphine complex grafted on 591
 - group III derivatives of 561
 - group IV derivatives of 78, 170 f, 175 f, 561
 - group V derivatives of 169 f, 576 ff
 - group VI derivatives of 578 f
 - group VII derivatives of 174, 584 ff
 - group VIII derivatives of 172 f, 579 ff
 - group VIII derivatives of 589 f
 - lanthanide derivatives of 561 f
 - manganese(II) dialkyl complex grafted on 584 ff
 - metallo-silsesquioxane (M-POSS) 560 ff
 - molybdenum(VI) imido alkylidene complexes grafted on 174, 580 f
 - molybdocene complex grafted on 580
 - platinum(II) complex grafted on 590

- rhenium carbonyl complexes grafted on 587
- rhenium(VII) perhydrocarbyl complex grafted on 588 f
- tantalum alkylidene complex grafted on 578 f
- titanium alkoxide complexes grafted on 562 f
- titanium alkyl complexes grafted on 569 f
- titanocene complexes grafted on 568 f
- tungsten alkylidene complexes grafted on 583 f, 585 f
- vanadium oxide complexes grafted on 576 ff
- zinc complex grafted on 592
- zirconium alkyl complexes grafted on 574
- zirconium cyclopentadienyl complexes grafted on 78, 570 f
- zirconium hydrido complexes grafted on 575
- polymerization
 - catalysts 26, 36, 169, 175, 486 ff, 490 f, 493, 568 f
 - of 1,3-dienes 490 f, 577
 - of 2,2-dimethyltrimethylene carbonate 495
 - of alkenes 175, 197, 200, 486 ff
 - of ϵ -caprolactone 495 f
 - of ethylene 99 f, 169 f, 489 f
 - of methyl methacrylate 493 f
 - of oxirane 495
- polynuclear cluster precursor 142
- polystyrene, modification of 101
- preferential oxidation of carbon monoxide 624 ff

- quantum dots 632 f

- radial distribution function 257
- Raman spectra 529
- reaction
 - of organo-germanium compound with oxide-supported group VIII metal 66
 - of organo-mercury compound with alumina-supported nickel 64
 - of organo-molybdenum compound with surface silanols 48
 - of silanes with silica-supported metal particles 65 f
 - of silica with Lewis acids 54
 - of silica-supported zirconium(IV) hydrides with methane 78 ff
 - of triphenylarsen with alumina-supported nickel 66 ff
 - of silica-supported boron with organometallic zirconium compound 55
- reactivity
 - comparison of zirconium hydrido and tantalum hydrido complex on silica 84
 - of group IV metal-hydrocarbyl complexes on silica-support 424 f, 440
 - of hydrocarbyl-metal complexes 420 f
 - of lanthanide-ligand bonds 462
 - of organometallic complexes with the surface of supported metals 242
 - of organometallic compounds towards oxide-supported metal particles 60
 - of rare-earth metal alkoxide complexes in polymerization of oxygenated heterocycles 495 f
 - of rare-earth metal silylamide complexes in olefin polymerization 487 f
 - of surface silanols vs. polyoligomeric silsesquioxanes 48
- reductive carbonylation 654 ff
- reflection-absorption infrared spectra (RAIR) 532
- rhenium cluster, zeolite-supported
 - in selective benzene oxidation 402 ff
- structural transformation during catalysis 407 f
- rhenium complex, silica-supported
 - in olefin metathesis 430
- rhodium carbonyl cluster
 - on hydroxylated alumina surface 8
 - silica-supported 294
- rhodium nanoparticle, modified by organometallic compound 120
- rhodium-dimer molecular imprinting catalyst 393 ff, 397
 - in selective hydrogenation of alkenes 398 ff
- ring-opening metathesis 208
- ring-opening polymerization, of oxygenated heterocycles 494 f
- ruthenium-tin alloy, silica-supported 130
- σ -bond metathesis 82 f, 98, 100, 431, 496

- salen complex 178, 188, 192 ff, 198, 470 f
- Schiff base complex 182, 189 f, 213, 384 ff
- selective oxidation of phenols 224
- selective poisoning of metal particles 63, 119, 123
- selectivity
 - effect of site isolation on 129
 - in alkane hydrogenolysis 84, 87

- in alkane metathesis 433
- in butane hydrogenolysis 620 ff, 629
- in hydrogenation of aromatic ketones 276, 280, 283, 286
- in polyethylene hydrogenolysis 103
- in polymerization of methyl methacrylate 484
- in silica-supported neodymium complex catalyzed polymerization of 1,3-dienes 491 f
- of alkane homologation 98 f
- of higher alkane hydrogenolysis 103
- of platinum nanowires in PROX reaction of carbon monoxide 626
- of vanadium-based catalysts for oxidative coupling 390
- role of “adatoms” on 123 f
- selenium 28
- SERS spectra 529, 532, 534 f
- shape selectivity 399
- ship-in-bottle synthesis 210, 221, 240, 600
- silane, silica-supported 29
- silica
 - as reaction medium *see* surface-mediated organometallic synthesis
 - silica support 168
 - mesoporous (MCM-41) 181 ff
 - morphology of 457
 - non-porous (Aerosil) 425, 649 f
 - periodic mesoporous silica (PMS) 457 f
 - post-synthetic modification of 175, 180 ff
 - prefunctionalized 476
 - silica-matrix overlayer 396 f
 - siloxane bridge 53 f, 459, 463 f, 469, 557
 - siloxyl ligand 293
 - silylamido ligand 455, 466 ff, 561
 - single electron soliton devices 633
 - single metal surface site 17
 - single site catalyst 17, 26 ff, 76
 - applications of 17 f
 - high resolution solid state NMR-spectroscopy of 440 ff
 - iron(III)-complex on mesoporous silica 296 f
 - zeolite-based systems *see also* zeolite 143 f
 - single-crystal surface approach 2
 - single-walled carbon nanotubes 208, 320
 - site blocking effect 282
 - site dispersion 140
 - site isolated catalyst 140, 189 ff
 - site isolation effect 15, 119, 125
 - in alkane dehydrogenation 126, 128
 - size selectivity 399
 - sol-gel technology 145 ff, 224
 - solid-state NMR analysis 151, 154, 302 ff
 - delayed-acquisition approach 445 f
 - of group IV organometallic fragments on oxide-support 32 f, 37, 77, 440 ff
 - of group V organometallic fragments on oxide-support 40, 42, 157, 443 ff
 - of group VI organometallic fragments on oxide-support 50 f, 53, 444 f, 446 f
 - of group VII organometallic fragments on oxide-support 445 f
 - of group VIII organometallic fragments on oxide-support 299, 304, 396
 - of organoactinide fragments on oxide-support 481, 484 f
 - polarization transfer 444
 - theoretical fundamentals 437 ff
 - spectator ligand 24, 203
 - spectroscopic characterization 302 ff
 - comparison of silica-surface titanium fragments and titanium-POSS complexes 564 f
 - spherosilicate 147 ff
 - stability of group IV metal-hydrocarbyl complexes 422 f
 - stabilization of organometallic species by a surface 14
 - steric effects of titanium(IV) silsesquioxane complexes 567
 - steric interaction 31, 184
 - structure-sensitivity of nanoparticles 628
 - sulfated zirconia support 427, 434
 - supercage (α -cage) 211, 218, 223, 359
 - supercritical carbon dioxide 618 ff
 - supersaturation 367 f
 - supported bimetallic particles, preparation of 317
 - supported homogeneous catalyst (SHC) 25
 - supported hydrogen bonded catalyst (SHB) 205 ff
 - supported metal catalyst 92
 - supported molecular cluster
 - analogy to supported nanosized catalysts 6 f
 - osmium carbonyl cluster on silica 10
 - synthesis 6
 - supported nanoparticles, from metal carbonyl precursor 322
 - supported nanoparticles, modified by organometallics 117 ff
 - as catalyst for selective hydrogenation of alkenols 120
 - preparation of 119 f
 - supported nanosized catalysts 6 f

- supported tetra(*n*-butyl)tin, reaction with noble metal catalysts 244
- supported transition metal catalyst 318
- surface adsorption
 - modes of isocyanide adsorption on metal surfaces 552
 - of organic isocyanides on chromium 550
 - of organic isocyanides on copper 538 f
 - of organic isocyanides on gold 519 ff
 - of organic isocyanides on nickel 547 f
 - of organic isocyanides on platinum 539 ff
 - of organic isocyanides on rhodium 548 f
 - of organic isocyanides on silver 536 ff
 - on-top adsorption 542 ff
 - techniques for characterization of (list of akronyms) 519 ff
 - three-fold hollow 542 ff
 - two-fold bridge 542 ff
 - vibrational data of metal-adsorbed organic isocyanide 521 ff, 548
- surface bound triflate ion 207
- surface carbyne 14
- surface cationic compounds 53
- surface characterization 58
- surface chiral self-dimerization 376, 383 ff, 386
 - ligand effects 391 f
- surface functionalization 376
- surface heterogeneity 80 f
 - influencing factors 2
- surface hydroxyl group
 - addition to metal-ligand double bond 418 f
 - addition to metal-ligand triple bond 419
 - configuration of 142, 349, 459
 - dehydroxylation of 459
 - interaction with metal center 448
 - nucleophilic substitution of σ -bonded ligands 418
 - titration reagents for 459
- surface imprinting 145
- surface mobility 24
- surface molecular imprinting, by stacking silica-matrix overlayers 395
- surface organo-actinide chemistry (SOAnC) 480 ff
- surface organo-actinide fragment
 - of thorium on oxide supports 481 ff, 496 f
 - of uranium on oxide supports 481 ff, 496 f
- surface organo-lanthanide chemistry (SOLnC) 461 ff, 474
 - application of, in catalysis 486 ff
- surface organo-lanthanide fragment
 - of cerium on silica 465
 - of lanthanum on silica 498, 561 f
 - of neodymium on mesoporous silica 464 ff, 475 ff, 487 f, 490, 498 f
 - of samarium on silica 473 ff, 488, 493 f, 498
 - of scandium on silica 473, 487
 - of yttrium on silica 465, 468, 475 f, 488
 - synthesis of 461 ff
 - techniques for characterization of 469
- surface organo-tin complex on platinum 57
- surface organometallic approach to catalysis 76, 241 ff
- surface organometallic chemistry (SOMC) 429 ff
 - applications 23, 449
 - concepts of 2 f, 7
 - for design of single-site heterogeneous catalysts 75 ff
 - on metals 15, 241 ff
 - on oxides 9, 25
- surface organometallic fragment 3, 9, 241 ff
 - as precursor of epoxidation catalyst 435 ff
 - comparison of zirconium and hafnium complexes on silica 37 f
 - mobility of 24
 - molecular models of 428
 - of aluminium on dehydroxylated silica 27 f
 - of ammonia on highly dehydroxylated silica 29
 - of boron on dehydroxylated silica 26, 55
 - of chromium on Aerosil 175
 - of gold on silica 590
 - of hafnium on silica 36 f, 116, 421 ff
 - of iron on mesoporous silica 296 f
 - of molybdenum on silica 48 f, 109 f, 418 f, 428 f, 435 f
 - of rhenium on silica 52, 109 f, 172, 422, 429
 - of rhodium on silica 294 ff, 308
 - of selenium on dehydroxylated silica 28
 - of tantalum on Aerosil 38 f, 109 f, 295
 - of tantalum on dehydroxylated silica 421 f
 - of tantalum on MCM-41 419
 - of tantalum on silica 431, 436
 - of tetrahydrosilane on highly dehydroxylated silica 29
 - of tin on oxide-supported nickeli 61, 124
 - of tin on silica-supported platinum 62
 - of tin on silica-supported rhodium 62, 121, 125
 - of titanium on Aerosil 30, 113

- of titanium on MCM-41 30 ff, 176
- of titanium on silica 421 ff, 435
- of tungsten on silica 49 ff, 109, 418 f, 422, 428
- of vanadium on silica 418 f, 576
- of zirconium on silica 35 f, 53 ff, 116, 420 ff, 435
- structural evidence of 12
- synthesis of 26
- techniques for characterization of 10, 37
- theoretical models of 428 f
- thermally stable 14
- surface organometallic intermediate *see* surface organometallic fragment 3, 18
- surface reactivity 16, 463
- surface rhodium siloxide complex 295 ff
 - catalytic activity in hydrosilylation reaction 300 ff
 - mechanism of catalytic hydrosilylation 310
 - NMR-spectroscopic characterization of 298 f
 - preparation 297 ff
- surface silanol group
 - configurations of 142, 168, 425, 463 f, 558
 - molecular models of 169, 557
- surface site
 - acidic 16
 - activity of 16
 - basic 16
 - neutral 16
- surface-mediated organometallic synthesis 7, 16, 600 ff, 604, 623, 639 f
 - acidity/basicity of inorganic oxide support 648 f
 - of metal carbonyl complexes 640 ff
 - recovery of products 649
 - synthesis of ammonia 47
- surfactant templated metal oxide matrix 144
- synthesis
 - of bimetallic particles 60, 64
 - of catalyzed growth of carbon fibers 325
 - of tantalum hydride fragment on MCM-41 40
 - of tantalum imido fragment on MCM-41 42
 - of titanium hydride fragment on MCM-41 31 f
 - of titanium organometallic fragments on silica 33
 - tantalum hydrido complex on silica 40, 81 ff
 - as catalyst for cross-metathesis 93
 - cleavage of N-H bond 42
 - dinitrogen activation 46
 - for hydrogenolysis of cycloalkanes 86 f
 - for hydrogenolysis of polyolefins and alkanes 96
 - reaction with ammonia and hydrogen 43
 - tantalum(V) alkylidyne surface complex 43, 47
 - temperature-programmed reaction spectroscopy 475
 - thermal pretreatment of inorganic oxide support 468 f
 - thermolysis, of group IV metal-hydrocarbyl complexes 423 f
 - thin deposit 347
 - tin cube 150 f
 - Tishchenko reaction 502 f
 - titania support 259
 - titanium 30 f
 - atomically dispersed 157
 - titanium, silica-supported
 - as catalyst for olefin epoxidation 113, 160
 - TPR test, for catalyst characterization 251 f
 - transesterification 576
 - transition state template 393
 - triazine-based linker 187
 - trisiloxy organometallic complex 175 f
 - tungsten alkylidene complex, grafted on dehydroxylated silica 585
 - tungsten hydrido complex on metal oxide
 - in propane metathesis 92 f
 - tungsten, silica-supported
 - in olefin metathesis 108
 - unsaturated ruthenium complex, silica-supported
 - in stilbene oxidation 382
 - preparation of 377 f
 - structural characterization of 377 ff
 - structural transformations of 380 ff
 - UV/VIS spectra 379
 - van der Waals interaction 204
 - vanadium complex, oxide-supported
 - chiral self-dimerization of 383 ff
 - in oxidative coupling of 2-naphthol 390 ff
 - vanadium-based Schiff-base complex 384 ff
 - vanadium, atomically dispersed 157
 - vibrational spectroscopy 514 ff

- water-gas shift reaction 8, 630, 658
- wet hydrogen reduction 614 f

- XANES (X-ray absorption near-edge spectroscopy) spectra 253, 607, 610
 - of group IV organometallic fragments on oxide-support 32
 - of group VII organometallic fragments on oxide-support 406
- XPS (X-ray photoelectron spectroscopy) spectra 253, 255, 611
- XRD spectra 67, 606 ff

- zeolite 140, 143, 180, 191, 203, 210 ff, 217 ff, 319 f, 333, 358, 362, 403 f, 600 ff
- zeolite imidazolate framework material (ZIF) 146
- Ziegler-Natta depolymerization 101
- Ziegler-Natta polymerization 36, 99, 569
- zirconium 35 f
- zirconium(IV) hydrides on silica 76
 - as catalyst for hydrogenolysis of alkanes 96 f
 - as catalyst for hydrogenolysis of polyolefins 99 f
 - in catalysis 95 ff
 - reactions of 77, 83

