

Contents

Preface XIII

Scientific Contributions by Professor Hironobu Kunieda XV

Conxita Solans and Björn Lindman

List of Contributors XXXV

- 1 Viscoelastic Worm-Like Micelles in Nonionic Fluorinated Surfactant Systems** 1
Suraj Chandra Sharma, Masahiko Abe, and Kenji Aramaki
- 1.1 Introduction 1
- 1.2 Rheological Behavior of Worm-Like Micelles 2
- 1.3 Viscoelastic Worm-Like Micelles in Nonionic Fluorinated Surfactant System (Without Additives) 4
- 1.4 Viscoelastic Worm-Like Micelles in Mixed Nonionic Fluorinated Surfactant Systems 10
- 1.5 Summary 14
- References 15
- 2 Structure of Nonionic Surfactant Micelles in Organic Solvents: A SAXS Study** 17
Lok Kumar Shrestha and Kenji Aramaki
- 2.1 Introduction 17
- 2.1.1 Reverse Micelles 17
- 2.1.2 Theoretical Background on SAXS 18
- 2.2 Phase Behavior 20
- 2.2.1 Phase Behavior of Monoglycerol Fatty Acid Ester/Oil Systems 21
- 2.2.1.1 Phase Behavior in Liquid Paraffin, Squalane, and Squalene 21
- 2.2.1.2 Phase Behavior in n-Alkanes 22
- 2.2.2 Phase Behavior of Diglycerol Fatty Acid Ester/Oil Systems 23
- 2.2.2.1 Phase Behavior in Liquid Paraffin, Squalane, and Squalene 23
- 2.2.2.2 Phase Behavior in Alkanes and Aromatic Oils 26
- 2.3 Structure of Reverse Micelles 28
- 2.3.1 Monoglycerol Fatty Acid Ester-Based Reverse Micelles 28
- 2.3.1.1 Structure of Micelles in Liquid Paraffin, Squalane, and Squalene 28

2.3.1.2	Structure of Micelles in n-Alkanes	33
2.3.2	Structure of Reverse Micelles Based on Diglycerol Fatty Acid Esters	41
2.3.2.1	Structure of Reverse Micelles in Liquid Paraffin and Squalane	41
2.3.2.2	Structure of Reverse Micelles Alkanes and Aromatic Oils	44
2.4	Conclusion	53
	Dedication	54
	Acknowledgment	55
	References	55
3	Nonionic Microemulsions: Dependence of Oil Chain Length and Active Component (Lidocaine)	59
	<i>Joakim Balogh, Ulf Olsson, Skov Pedersen Jan, Helena Kaper, Håkan Wennerström, Karin Schillén, and Maria Miguel</i>	
3.1	Introduction	59
3.2	Microemulsion Model	60
3.3	Phase Studies	61
3.4	Microemulsions at Emulsification Boundary	63
3.5	Influence of Oil Chain Length	66
3.6	The Effect of Temperature	70
3.7	The Temperature at Which the Microemulsion Becomes Bicontinuous	74
3.8	Interfacial Tension: Investigating the Microemulsion Model and Scaling	76
3.9	Microemulsions as Models for Drug-Delivery Systems	78
3.10	Conclusion	82
	References	83
4	Some Characteristics of Lyotropic Liquid-Crystalline Mesophases	89
	<i>Idit Amar-Yuli, Abraham Aserin, and Nissim Garti</i>	
4.1	Introduction	89
4.2	Phase Transitions Within Poly(oxyethylene) Cholesteryl Ethers-Based Systems	92
4.3	Nonconventional Liquid-Crystalline Structures	98
4.3.1	Intermediate Ribbon (R_1) Phase	99
4.3.2	Novel Micellar Cubic Phase (Q_1)	101
4.3.3	Low-Viscosity Reverse Hexagonal Phase (H_{II})	106
4.4	Summary	117
	References	118
5	Swelling of Vesicle Precipitates from Alkyldimethylaminoxide and a Perfluoroalcohol by Refractive-Index Matching with Glycerol	121
	<i>Yun Yan, Yuwen Shen, Ying Zhao, and Heinz Hoffmann</i>	
5.1	Introduction	121
5.2	Experimental	122

5.3	Results and Discussion	123
5.3.1	Swelling of the Precipitates in the 100mM C14DMAO / 100mM PFC System by Replacing Water by Glycerol	123
5.3.2	Phase Behavior of 100mM TDMAO / 50mM C ₇ F ₁₅ CH ₂ OH / 10mM NaCl	125
5.3.3	Microstructures in the System with Various Glycerol Content	126
5.3.4	Rheological Results	129
5.3.5	Discussion	130
5.4	Conclusion	132
	Acknowledgment	133
	References	133
6	Si QDots: Where Does Photoluminescence Come From?	135
	<i>Xuejun Duan, Javier Calvo-Fuentes, and M. Arturo López-Quintela</i>	
6.1	Introduction	135
6.2	Experimental	136
6.2.1	Materials	136
6.2.2	Methods	136
6.2.3	Results	136
6.2.4	Discussion	140
6.3	Conclusion	143
	Acknowledgments	144
	References	144
7	Worm-Like Micelles in a Binary Solution of Nonionic Surfactant C₁₆E₇ and Water	145
	<i>Tadashi Kato, Yuka Shimada, Daisuke Nozu, and Youhei Kawabata</i>	
7.1	Introduction	145
7.2	Experimental	146
7.3	Results	147
7.3.1	Light Scattering and Surfactant Self-Diffusion Coefficients	147
7.3.2	Rheological Properties	150
7.4	Discussion	153
7.4.1	Rheological Properties	154
7.4.2	Surfactant Self-Diffusion	157
7.5	Summary	158
	References	159
8	Mesophase Morphologies of Silicone Block Copolymers in a Selective Solvent Studied by SAXS	161
	<i>Dietrich Leisner, Md. Hemayet Uddin, M. Arturo López-Quintela, Toyoko Imae, and Hironobu Kunieda</i>	
8.1	Introduction	161
8.2	Experimental Section	162
8.3	Results	163

8.4	Discussion	170
8.5	Conclusions	173
	Acknowledgment	174
	References	174
9	Molecular Dynamics Study of Isoprenoid-Chained Lipids: Salient Features of Isoprenoid Chains As Compared with Ordinary Alkyl Chains	175
	<i>Wataru Shinoda and Masakatsu Hato</i>	
9.1	Introduction	175
9.2	Effect of Chain Branching on the Lipid Bilayer Properties	176
9.2.1	Structure	176
9.2.1.1	<i>Gauche/Trans</i> Ratio	176
9.2.1.2	Chain Packing	179
9.2.2	Dynamics	180
9.2.2.1	Rate of <i>Trans–Gauche</i> Isomerization	180
9.2.2.2	Rotational Motion of the Chains (Wobbling Motion of the Chains) and of the Headgroup	181
9.2.2.3	Lateral Diffusion Coefficient of Lipid Molecules	183
9.2.3	Permeability	183
9.2.3.1	Water Permeability through the Lipid Bilayer Membrane	184
9.2.3.2	Free-Energy Profile of Water along the Bilayer Normal	184
9.2.3.3	Local Diffusion Coefficient of Water	185
9.2.3.4	Cavity Distribution Analysis	187
9.3	Summary	189
9.4	Future Perspective	190
	References	191
10	Structures of Poly(dimethylsiloxane)-Poly(oxyethylene) Diblock Copolymer Micelles in Aqueous Solvents	195
	<i>Masaya Kaneko, Takaaki Sato, Bradley Chmelka, Kenji Aramaki, and Hironobu Kunieda</i>	
10.1	Introduction	195
10.2	Experimental Section	196
10.2.1	Materials	196
10.2.2	Pulsed-Field Gradient (PFG) ^1H NMR	197
10.2.3	Small-Angle X-Ray Scattering (SAXS)	197
10.2.4	Viscosity Measurements	199
10.3	Results and Discussions	199
10.3.1	Diffusion Coefficients of Micelles for $\text{Si}_{14}\text{C}_3\text{EO}_n$ in EG_x	199
10.3.2	Model Calculations of the Scattering Functions	201
10.3.3	Shape of Micelles for $\text{Si}_{14}\text{C}_3\text{EO}_n$ in EG_x	202
10.3.4	Internal Structures of Micelles	204
10.3.5	The Change in Micellar Shape	205
10.3.6	Contribution of Interfacial Tension on the Micelle Structure	208

10.4	Conclusions	209
	Acknowledgment	209
	References	209
11	Preparation of Mesoporous Materials with Nonhydrocarbon Surfactants	213
	<i>Carlos Rodríguez-Abreu and Jordi Esquena</i>	
11.1	Mesoporous Materials: Basic Concepts	213
11.2	Silicone Surfactants in the Preparation of Mesoporous Materials	214
11.2.1	General Properties of Silicone Surfactants	214
11.2.2	Mesoporous Materials Obtained Using Silicone Surfactants	215
11.3	Fluorinated Surfactants in the Preparation of Mesoporous Materials	224
11.3.1	General Properties of Fluorinated Surfactants	224
11.3.2	Mesoporous Materials Obtained Using Fluorinated Surfactants	225
11.4	Summary	235
	References	236
12	Worm-Like Micelles in Diluted Mixed Surfactant Solutions: Formation and Rheological Behavior	239
	<i>Alicia Maestro, Jordi Nolla, Carmen González, and José M. Gutiérrez</i>	
12.1	Introduction	239
12.2	Worm-Like Micelles: Formation and Rheological Behavior	240
12.2.1	Mechanism of Formation of Worm-Like Micelles	240
12.2.2	Rheology of Worm-Like Micelles	244
12.2.3	Studied Systems	246
12.2.3.1	Ionic Surfactant–Cosurfactant Systems	246
12.2.3.2	Mixed Nonionic Surfactant Systems	247
12.3	Deeper Studies of the Surfactant–Cosurfactant Interaction	248
12.4	Influence of Dissolved Oil in Systems Containing Worm-Like Micelles	253
12.5	Conclusion	257
	References	257
	Index	259

