

Index

a

- acoustic waves, definition 184
 - in homogeneous fluid materials 187–188
- acoustic–optical devices 264–268
- air cylinders, photonic band gap 160–161
- air spheres, structures made of 240–242
- all-angle negative refraction, definition 270
- arbitrary unit cells 25

b

- backfilling 133–134
- band diagrams
 - in three dimensions 168–170
 - in two dimensions 157–160
 - of photonic crystals 147
 - structures for localization of light 260–261
- band gap
 - phononic *see* complete phononic band gap
 - photonic *see* complete photonic band gap
- beam configuration, periodic structure
 - fabrication 119–121
- beam direction, preserving 128–130
- beam parameters, periodic structure
 - fabrication
 - three-dimensional 107–109
 - two-dimensional 102–103
- beam splitter, polarizing 119
- bicontinuous structures 93
- binary composite structures 272
- Bloch wave
 - definition 147–148
 - elastic 194
- body-centered-cubic lattice 51–59
 - Bravais 242
 - primitive vectors 165

- body-centered-cubic photonic crystals 173–176
- body-centered unit cells, definition 14
- Bravais lattices
 - body-centered-cubic 242
 - cubic 165
 - definition 12–14
- Brillouin zones
 - definition 155
 - in three dimensions 164–167
 - in two dimensions 152–157
 - irreducible 156, 167
- bulk modulus, cubic crystals 237–238

c

- CAR *see* chemically amplified resists
- cellular solids
 - closed-cell 216
 - definition 215–216
 - fabrication 249–250
 - open-cell 216
 - periodic *see* periodic cellular solids
- channel, defect 262–263
- characteristic distance, between atoms 184
- chemical modification, photoresist materials 89–91, 122
- chemically amplified resists (CAR) 124
- circularly polarized waves
 - definition 72
 - plane waves 74–75
- closed-cell cellular solids 216
- CO₂, supercritical drying 133
- collinearity, and interference 83
- complete band gaps
 - in photonic–phononic crystals 264–267
 - phononic 201, 204–206
 - three-dimensional 209–210

- photonic
 - alternative definitions 159
 - localization of light 260
 - three-dimensional 163, 169
 - two-dimensional 158
 - wave guiding 264
 - compliance
 - definition 219
 - *see also* elastic constants
 - composite structures, binary 272
 - constitutive parameters, Maxwell's equations 66
 - contrast, definition 131–132
 - conventional unit cells 12
 - definition 15
 - crystal systems, definition 13–14
 - crystals
 - cubic *see* cubic crystals
 - phononic *see* phononic crystals
 - photonic *see* photonic crystals
 - cubic Bravais lattices, primitive vectors 165
 - cubic crystals
 - elastic constants 232–238
 - photonic
 - body-centered 173–176
 - face-centered 172–173
 - simple 172
 - cubic lattices
 - body-centered 51–59
 - Bravais 165
 - face-centered 47–51
 - simple 44–46
 - cubic periodic structures, mechanical properties 244
 - cylinders, photonic, elastic 189
- d**
- Darcy's law 274
 - defect channel, in photonic crystals 262–263
 - defects, structural 267
 - deformation
 - as strain plus rotation 227–228
 - definition 221–222
 - general 226–228
 - deformation tensor, definition 224
 - density, as a material parameter 187
 - developing of photoresist materials
 - definition 89
 - structure obtaining 93
 - diamond structure, definition 168–169
 - diazonaphthoquinone (DNQ) 126–127
 - dielectric constant, Maxwell's equations 66
 - dielectric-constants ratio, photonic band gaps 169–170
 - direct structure
 - definition 34–35
 - three-dimensional 45
 - dispersion relation
 - definition 147
 - in two dimensions 157–159, 199
 - solid–fluid phononic crystals 203
 - solid–solid phononic crystals 195–197
 - displacement vectors
 - definition 222–223
 - transverse elastic plane waves 186
 - distance, characteristic 184
 - DNQ *see* diazonaphthoquinone
 - drying, photoresists 132–133
- e**
- elastic constants, cubic crystals 232–238
 - elastic cylinders 189
 - elastic layers 189, 191
 - elastic mechanical properties, linear 243–247
 - elastic spheres 189
 - elastic wave equations 186
 - elastic wave velocity, as a material parameter 187
 - elastic waves
 - Bloch 194
 - definition 184
 - forbidden propagation 198
 - in homogeneous solid materials 184–187
 - electric field vector, definition 64
 - electric permittivity *see* dielectric constant
 - electricity transport, maximum 272–273
 - electromagnetic (plane) waves 68–69
 - basic description 64–65
 - electromagnetic energy 76–81
 - energy density 77
 - energy flux 77
 - forbidden propagation 162
 - in-plane 157
 - intensity 80–81
 - interference 81–89
 - out-of-plane 200
 - phase properties 72
 - polarization 69–75
 - propagation in photonic crystals
 - three-dimensional 168–170
 - two-dimensional 157–160
 - superposition 83
 - time-averaged values 77–80
 - transverse character 69–72
 - wave equation 65–68

- electromagnetic spectrum, classification 65
 elliptical polarization, electromagnetic plane waves 75
 emission of light, spontaneous 256–259
 energy
 – electromagnetic 76–81
 – per unit area per unit time 78–80
 energy conservation law 76
 energy density
 – electromagnetic (plane) waves 77
 – instantaneous 76
 – time-averaged 78
 energy flux, electromagnetic plane waves 77
 expansion, periodic cellular solids 225
- f**
- F-RD structure 242–243
 – inverse 247–248
 face-centered-cubic lattice 47–51
 – Bravais 242
 – primitive vectors 165
 face-centered unit cells, definition 14
 figure of merit, efficiency of thermoelectric materials 277
 finite element program, to calculate linear elastic mechanical properties 243
 finite periodic structures 143–146
 – phononic crystals 190–194
 – versus infinite 150–151
 fluid materials, acoustic waves 187–188
 fluid permeability, definition 274
 fluid–fluid phononic crystals 207
 foaming, nonperiodic cellular solids 217
 forbidden propagation
 – elastic waves 198, 201
 – electromagnetic waves 162
 four-beam interference 116–117
 four-beam technique
 – periodic structure fabrication 119–120
 – prism configuration 130–131
 Fourier coefficients
 – calculation of 21–23
 – definition 21
 – relative weight 33
 Fourier series 20–26
 – and interference 98–99
 – for three-dimensional periodic functions 23–25
 – for two-dimensional periodic functions 20–23
 Fourier series expansion 98
 – definition 21
 – three-dimensional 42–43
 – to create periodic structures 29–61
 frequency, definition 64
 frequency ranges, in photonic crystals 146, 148
 fringe-to-fringe spacing, definition 86
- g**
- gamma point, Brillouin zone 156
 generalized Hooke's law
 – definition 219
 – matrix notation 230–232
 – stress–strain relationship 229
 geometry of the periodic structure 169–170
 gold spheres, phononic crystal 208–209
 guiding mechanisms, in photonic crystals 262–264
- h**
- half-wave plate, polarization 120
 heat transport, maximum 272–273
 holographic interference lithography *see* interference lithography
 homogeneity, material parameter 66
 homogeneous materials
 – fluid 187–188
 – solid 184–187
 – wave vector 147
 Hooke's law
 – generalized *see* generalized Hooke's law
 – one-dimensional 218–219
- i**
- I-WP structure 242
 – negative refraction 271
 in-plane waves
 – definition 200
 – electromagnetic 157
 incident light beam, TE and TM components 129–130
 infinite periodic structures 147–149, 194–198
 – three-dimensional 5
 – versus finite 150–151
 inks, polyelectrolyte 239
 intensity, definition 80–81
 intensity distribution
 – and interference parameters 94
 – spatial 88–89
 interference
 – and Fourier series 98–99
 – definition 83
 – electromagnetic plane waves 81–89

- interference lithography 89–94
 - and periodic structures 97–110
 - backfilling 133–134
 - contrast 131–132
 - fabrication technique 239
 - obtaining structure by 92–94
 - practical considerations 128–135
 - simple cubic cellular solid fabrication 249–250
 - technique 92–93
 - three-dimensional periodic structures 104–110
 - two-dimensional periodic structures 100–104
 - volume fraction control 134–135
- interference parameters, and intensity distribution 94
- interference patterns
 - definition 86
 - three-dimensional 86–89
- interference terms 98
- inverse structures
 - creation of 133–134
 - definition 34–35
 - three-dimensional 45
- irradiance *see* intensity
- irreducible Brillouin zone
 - definition 156
 - three-dimensional 167
- isotropic solid material, mechanical properties 244
- isotropy, material parameter 66

- k**
- Kelvin (Thomson) relations 277

- l**
- Lame coefficients
 - fluid material 188
 - homogeneous solid material 187
- laser beams 115, 123, 135
 - four-beam technique 131
 - interference lithography 97
 - negative refraction 270
 - *see also* light beams
- lattice constants
 - three-dimensional 12
 - two-dimensional 8
- layers, elastic 189, 191
- lenses, photonic crystals 269
- level-set structures 240–242
 - negative refraction 271
- light
 - localization of 259
 - simultaneous localization with sound 264–268
 - spontaneous emission of 256
- light beams
 - periodic structure fabrication 116–118
 - *see also* laser beams
 - TE and TM components 129–130
- linear elastic mechanical properties 243–247
 - calculated with finite element program 243
 - periodic cellular solids 243–247
- linear polarization, basics 73–75
- linearity, material parameter 66
- linearly polarized waves
 - definition 72
 - plane waves 73–74
- liquid CO₂, supercritical drying 133
- lithography
 - interference *see* interference lithography
 - phase mask 120–121
 - road map 123
 - two-photon 239
- localization of light
 - and sound 264–268
 - definition 259
 - microcavities and waveguides 259–264
 - spatial 261
- longitudinal plane wave 184–185

- m**
- magnetic field vector, definition 64
- magnetic permeability, Maxwell's equations 66
- maximum transport of heat and electricity 272–273
- Maxwell's equations 65–66
 - curl 76
- mechanical waves, propagation 184–187
- methacrylate polymers (PMMA) 127
- microcavities 259–264
- microchips, optical 264
- microfluidics 273–275
- microframes, plastic deformation 250–252
- monochromatic waves, definition 69
- monomeric systems, negative photoresists 123
- multifunctional periodic structures 272–273
- multiple gratings, and the registration challenge 118

- n**
- negative photoresists 124–125
 - definition 92
 - monomeric systems 123
 - oligomeric systems 124
 - negative refraction
 - and superlenses 268–272
 - definition 268–269
 - noncollinearity, as prerequisite for interference 83, 86
 - nonconductivity, material parameter 66
 - noncoplanarity, and interference 86
 - nondimensional frequency
 - phononic crystals 192–193
 - photonic crystals 145
 - nondispersivity, material parameter 66
 - nonhomogenous material, wave vector 147
 - nonperiodic cellular solids, definition 216
 - nonperiodic structures, versus periodic structures 4–6
 - nonperpendicularity, as prerequisite for interference 83
 - nonprimitive unit cells 14–16
 - definition 15
 - normal stress, definition 220
 - Novolac resin 126–127
 - numerical techniques, plane-wave method 148
- o**
- oligomeric systems, negative photoresists 124
 - omnidirectional reflection, definition 150
 - one-dimensional Hooke’s law 218–219
 - one-dimensional phononic crystals 190–198
 - solid–solid 195–197
 - one-dimensional photonic crystals 143–151
 - open-cell cellular solids, definition 216
 - optical microcavity 262
 - optical microchips 264
 - optical resonators 262
 - organic–inorganic hybrids photoresists 128
 - out-of-plane waves, definition 200
- p**
- P structures 249
 - PAG *see* photoacid generator
 - parameter *d*
 - periodic functions in three dimensions 43
 - square lattice 31–33
 - triangular lattice 39
 - pattern transfer, periodic structure fabrication 122–128
 - Peltier effect 275–276
 - periodic cellular solids 215–252
 - body-centered-cubic Bravais lattice 242
 - definition 216
 - expansion 225
 - face-centered-cubic Bravais lattice 242
 - general deformation 226–228
 - linear elastic mechanical properties 243–247
 - simple cubic 249–250
 - strain tensor 221–228
 - stress tensor 219–221
 - topological design 238–243
 - twelve-connected stretch-dominated 247–249
 - periodic functions
 - and structures 29–61
 - combination 59–61
 - simple 33–38, 40–41
 - three-dimensional 23–25, 41–59
 - two-dimensional 20–23, 31–41
 - periodic structure fabrication 115–135
 - beam configuration 119–121
 - beam parameters 102–103, 107–109
 - four-beam technique 119–120
 - interference lithography 97–110
 - light beams 116–118
 - material platforms 122–128
 - multiple gratings 118
 - pattern transfer 122–128
 - photoresists 122–128
 - prism configuration 130–131
 - periodic structures
 - creation of 133–134
 - design of 93–94
 - finite *see* finite periodic structures
 - further applications 255–278
 - infinite *see* infinite periodic structures
 - level-set 240–242
 - light-emission control 256–259
 - mathematical description 16–20
 - microfluidics 273–275
 - multifunctional 272–273
 - phononic band gaps 205–207
 - photonic band gaps 160–162, 170–176
 - thermoelectric energy 275–278
 - three-dimensional 5, 104–110
 - two-dimensional 100–104, 205–207
 - versus nonperiodic structures 4–6
 - wave vector prerequisites 99–103
 - waveguides 259–264

- periodicity, spatial 7
- permeability, fluid 274
- perpendicularity, and interference 83
- phase control 118
- phase mask lithography 120–121
- phononic band gaps
 - complete 201
 - definition 193
 - origin 189
 - solid–solid 196–197
 - two-dimensional 205–207
- phononic crystals 183–210
 - definition 188–190
 - examples 189
 - finite periodic structures 190–194
 - infinite periodic structures 194–198
 - one-dimensional 190–198
 - solid cylinders 202–205
 - solid spheres 208–210
 - solid–fluid 198–207
 - solid–solid 194–198
 - solid–vacuum 199–200
 - three-dimensional 207–210
 - two-dimensional 198–207
 - vacuum cylinders 198–202
- PHOST *see* polyhydroxystyrene
- photoacid generator (PAG) 124
- photonic band gap maps
 - as a function of the volume fraction 170
 - definition 160
 - for simple periodic structures 172–175
- photonic band gaps 142
 - calculation of 148–149
 - complete 158–159
 - definition 146
 - three-dimensional 168–176
 - two-dimensional 157–162
- photonic crystals 141–175
 - as lenses 269
 - band diagram 147
 - body-centered 173–176
 - cubic 172
 - definition 142
 - face-centered cubic 172–173
 - frequency ranges 146
 - guiding mechanisms 262–264
 - one-dimensional 143–151
 - three-dimensional 162–176
 - two-dimensional 151–162
- photonic–phononic crystals
 - complete band gaps 264–267
 - simultaneous localization of light and sound 264–268
 - structural defects 267
- photoresists 89–92
 - chemical modification 89–91
 - definition 122
 - developing 89
 - drying 132–133
 - negative 124–125
 - negative and positive, definition 92
 - organic–inorganic hybrids 128
 - periodic structure fabrication 122–128
 - shrinkage 133
 - wave vectors in 128–129
 - work done on 90
- photosensitizers 124
- plane-wave method, numerical technique 148
- plane waves, electromagnetic 68–69
- plastic deformation, of microframes 250–252
- point lattices
 - primitive and nonprimitive unit cells 14–16
 - three-dimensional 10–16
 - two-dimensional 6–10
 - types 9
- Poisson's ratio
 - cubic crystals 233–235
 - definition 234
- polarization
 - electromagnetic plane waves 69–75
 - elliptical 75
 - linear 73–75
 - preserving of 128–131
- polarizing beam splitter 119
- polyelectrolyte inks 239
- polyhydroxystyrene (PHOST) polymers 127
- positive photoresists 126–127
 - definition 92
- positive refraction, definition 268
- Poynting vector, instantaneous 76
- primitive unit cells 14–16
- primitive vectors
 - cubic Bravais lattices 165
 - three-dimensional 12
 - two-dimensional 8
- prism configuration, periodic structure fabrication 130–131
- r**
- reciprocal lattice vectors 153
 - definition 25

- reciprocal lattices
 - in three dimensions 164–167
 - in two dimensions 152–157
- reflectance 144–145
 - as a function of the nondimensional frequency 145, 192–193
- reflection, omnidirectional 150
- refraction
 - in photoresist 129
 - negative 268–272
 - all-angle 270
 - definition 268–269
- registration challenge 118
- rod-connected model 240–242
- rotation tensor, definition 224

- S**
- scaling, in periodic structures 145
- Seebeck effect 277–278
- shear modulus, cubic crystals 235–237
- shrinkage, photoresists 133
- side-centered unit cells, definition 14
- silicon, as background material 208–210
- simple cubic lattice, primitive vectors 165
- simple periodic functions
 - combinations 59–61
 - square lattice 33–38
 - three-dimensional 41–59
 - body-centered-cubic lattice 51–55
 - face-centered-cubic lattice 47–49
 - simple cubic lattice 44
 - triangular lattice 40–41
- simple periodic structures, photonic band gap maps 172–175
- simultaneous localization of light and sound 264–268
- single beam technique, periodic structure fabrication 120–121
- solid cylinders, in air 202–205
- solid materials, elastic waves 184–187
- solid spheres
 - in solid background material 208–210
 - structures made of 240–242
- solid–fluid phononic crystals 198–207
 - dispersion relation 203
- solid–solid phononic crystals 194–198, 207
 - dispersion relation 195–197
- solid–vacuum phononic crystals 199–200, 205–207
- solids, periodic cellular *see* periodic cellular solids
- sound, simultaneous localization with light 264–268
- spacing, fringe-to-fringe 86, 88
- spatial period
 - in three dimensions 42
 - square lattice 31
 - triangular lattice 39
- spatial periodicity, definition 7
- spheres
 - elastic 189
 - solid *see* solid spheres
- spontaneous emission of light
 - controlling 256–259
 - definition 256
- square lattice 31–38
 - primitive vectors 154
- stiffness constant, definition 219, 234
- strain, definition 218
- strain tensor
 - definition 224
 - periodic cellular solids 221–228
- stress, definition 218
- stress tensor
 - periodic cellular solids 219–221
 - symmetry 221
- stress–strain relationship
 - definition 222
 - generalized Hooke’s law 229
 - *see also* Young’s modulus
- stretch-dominated periodic cellular solids 247–249
- structural defects
 - and localization of light 261
 - photonic–phononic crystals 267
- structural periodicity 3–25
 - nonperiodic versus periodic structures 4–6
- structures
 - bicontinuous 93
 - binary composite 272
 - cubic periodic 244
 - diamond 168–169
 - direct *see* direct structure
 - F-RD 242–243, 247–248
 - finite periodic *see* finite periodic structures
 - geometry of periodic 169–170
 - I-WP 242, 271
 - infinite periodic *see* infinite periodic structures
 - inverse 34–35, 45
 - level-set 240–242, 271

- multifunctional periodic 272–273
 - nonperiodic versus periodic structures 4–6
 - obtained by interference lithography 92–94
 - P 241, 249
 - periodic *see* periodic structures
 - simple periodic 172–175
 - three-dimensional 5, 104–110
 - two-dimensional 100–104
 - SU-8 microframes 250–252
 - SU-8 photoresist 124–125
 - supercritical drying 133
 - superlenses, and negative refraction 268–272
 - superposition
 - definition 83
 - of two or more waves 86
- t**
- TE and TM waves
 - in two-dimensional photonic crystals 151–152
 - photonic band gap 158–159
 - *see also* transverse electric/magnetic
 - tensile stress, definition 218
 - thermoelectric energy, periodic structures 275–278
 - Thomson effect 276
 - three-dimensional band diagrams 168–170
 - three-dimensional Brillouin zones 164
 - three-dimensional fluid–fluid phononic crystals 207
 - three-dimensional interference patterns 86–89
 - three-dimensional periodic functions
 - creation 41–59
 - Fourier series 23–25
 - three-dimensional phononic crystals 207–210
 - gold spheres 208–209
 - three-dimensional photonic crystals 162–176
 - three-dimensional point lattices 10–16
 - three-dimensional solid–fluid phononic crystals 207
 - three-dimensional solid–solid phononic crystals 207
 - three-dimensional structures
 - infinite periodic 5
 - nonperiodic 5
 - periodic, via interference lithography 104–110
 - time-averaged values, electromagnetic waves 77–80
 - TM *see* transverse electric/magnetic
 - topological design, periodic cellular solids 238–243
 - topology optimization, definition 272
 - traction vectors, definition 219–220
 - translation in space, definition 221
 - transport of heat and electricity, maximum 272–273
 - transverse character, electromagnetic plane waves 69–72
 - transverse electric/magnetic (TE/TM) components
 - incident light beam 129–130
 - *see also* TE and TM waves
 - transverse plane wave, mechanical 184–185
 - transverse waves, definition 69
 - triangular lattice, primitive vectors 154
 - triaryl sulfonium salt 125
 - tubular P structures 241, 249
 - twelve-connected stretch-dominated periodic cellular solids 247–249
 - two-dimensional periodic functions
 - creation 31–41
 - Fourier series 20–23
 - two-dimensional periodic structures, via interference lithography 100–104
 - two-dimensional phononic crystals 198–207
 - two-dimensional photonic crystals 151–162
 - Brillouin Zones 152–157
 - dispersion relation 157–158
 - reciprocal lattices 152–157
 - TE and TM waves 151–152
 - two-dimensional point lattices 6–10
 - types 9
 - two-photon lithography 239
- u**
- umbrella configuration 120
 - unit cells
 - arbitrary 25
 - conventional 12
 - primitive and nonprimitive 14–16
 - three-dimensional 11, 46
 - two-dimensional 8
- v**
- vacuum cylinders, in a solid background 198–202
 - velocity, of longitudinal and transverse elastic plane wave 187

- volume fraction
 - and linear elastic mechanical properties 243–247
 - control of 134–135
 - definition 35
 - photonic band gaps 169–170
- w**
- wave equation 65–68
 - definition 67
- wave vectors
 - for three-dimensional periodic structures 105–109
 - for two-dimensional periodic structures 99–103
 - in photoresist 128–129
- interference in three dimensions 88
- of homogeneous/ nonhomogenous material 147
- waveguides 259–264
 - in photonic crystals 262–263
- wavelength
 - definition 64
 - mechanical waves 184
- work, done on photoresist material 90
- y**
- Young's modulus
 - cubic crystals 233–235
 - definition 234
 - *see also* stress–strain relationship