

Index

a

- Acromonium nidulans* 636, 640
- β -alkoxy- β -amino-substituted derivatives 10
- α -amidoboronic acid 146, 151
 - derivatives 146
 - synthesis 146
- $^{11}\text{B-}/^1\text{H}$ -nuclear magnetic resonance (NMR) spectroscopy 151
- α -amination reaction 306
- α -amino acid 41, 52, 284
 - amination 52
 - natural 327
 - structure 284
- aminoacyl tRNA (aa-tRNA), *N*-pyroglutamyl protecting group 392
- α -amino acid derivatives 53
 - electrophilic amination 53
- ω -amino acid homologs 223
- β -aminobisphosphonate receptor 245
- β -amino- α -hydroxyphosphonates 216
 - solid-phase synthesis 216
- β -aminophosphonates 212, 215
 - preparation 215
 - synthesis 212–219
- β -aminophosphonic acids preparation 219
- α -aminoalkanephosphonates 196, 210
- ω -aminoalkylidene-bisphosphonic acids 223
 - therapeutic agents 223
- α -aminoalkyl phosphonopeptides 232
 - solid-phase synthesis 232
- α -aminoboronic acid 145, 146, 170
 - analog 169
 - chemistry 145
 - derivatives 145
 - esters preparation 154
 - synthesis 146, 172
 - unprotected, asymmetric synthesis 169, 170
- α -aminocyclopropylphosphonic acids 196
- 1-aminohydantoin library, synthesis 77
- α -amino-3-hydroxy-5-methyl-4-isoxazolepropionate (AMPA) 243
- α -aminophosphinic acids 193, 198, 202
 - enantioselective synthesis 202
- α -aminophosphonates 194, 207, 208, 210, 211
 - asymmetric synthesis 207
- α -aminophosphonates monoesters 239
 - racemization-free synthesis 239
- 1-aminophosphonous acids 233
- α -aminophosphonic acids 193, 198, 202
 - synthesis 193–212
- α -aminophosphonic acid amphiphiles 201
 - asymmetric synthesis 201
- Aspergillus fumigatus* 638, 648
- aaRS 385, 490
 - binding pocket 385
 - nonorthogonal expression 385
 - overexpression 385
 - stereoisomers of tyrosine 492
 - tRNA aminoacylation 490
 - tRNA recognition 491
- aaRS mutants 390
 - library 390
- aaRS/tRNA pair 387, 389
 - orthogonality 387, 389
- ab initio* methods 94
- ab initio* molecular orbital calculations 93
- abiotic scaffolds 439
- abscission, IDA gene 614
- acetoamidoboronic ester 147
 - synthesis 147, 148

- acetylated hydroxamic acid derivatives 105
 - *O*-acetylsalicyl-hydroxamic acid 105
- acetyl chloride 193, 194
- acetylene, *cis*-cuprate addition 267
- achiral catalysts 20
- acid-base catalysis 454
- acid-sensitive linkers 124
- acid/neutral proteases 348
- 1-acetamidoboronic acids 163
 - enantiomeric synthesis 162, 167
- actinomycin 634
- activator for thyroid hormone and retinoid receptors (ACTR) 517
- active iron chelators 97
 - deferasirox 97
 - deferiprone 97
- active-site nucleophile 350
- acyclic chiral esters 15
- acylating reagents 67, 69
 - N^1 -substituted α -hydrazino acid derivatives, reaction 69
 - N^2 -protected α -hydrazino acid derivatives, reaction 69
 - unprotected α -hydrazino acid derivatives, reaction 67
- acyl carrier protein (ACP) domains 640
 - role 643
- acyl intermediate 354
- acylhydroxamic acids 120
 - structure 120
 - synthesis 120
- adenylation domain 638, 645, 649
 - specificity 645, 649
 - determination 647–649
- adenylation-thiolation domain 648
- adipokinetic hormone 576
- AEP structural elements 212
- Ag(I) triflate-catalyzed one-pot, three-component reaction 208
- aggregated protein, electron-dense core 542
- alanine 508
 - scanning data, meta-analysis of 508
- alanine α -aminoboronic acids, synthesis 162
- aldehydes 194, 292, 294, 296, 299, 300, 301, 304, 306–310, 313, 316, 317, 319–321, 325, 327, 328
 - α -branched 296
 - α,α -disubstituted 316
 - direct organocatalyzed Michael addition 316
 - α -fluorination 327, 328
 - α,β -unsaturated 309, 310, 313, 321
 - direct organocatalyzed intermolecular Michael reaction 310, 313
 - dual catalyzed aza-MBH reaction 321
 - asymmetric Mannich reaction 300
 - with *N*-Boc-imines 300
 - direct amino acid-catalyzed asymmetric α -oxidation 325
 - direct asymmetric organocatalytic α -amination reaction 306
 - direct catalytic asymmetric α -amination 307–309
 - using (*S*)-proline 307, 308, 309
 - direct/enantioselective cross-aldol reaction 292
 - direct organocatalyzed MBH reaction 320
 - direct organocatalyzed Michael addition 317, 319
 - electron-rich 299
 - electrophilic 292
 - α -alkoxyacetaldehydes 292
 - aqueous formaldehyde 292
 - intermolecular aldol reaction 292
 - *O*-protected glycol 294
 - SMP-catalyzed Mannich reaction 304
 - use 301
 - aldol reaction 285–297
 - acidic/basic catalysis process 285
 - carbohydrate synthesis 293–297
 - diastereo/enantioselective organocatalytic 296
 - intermolecular aldol reaction 290–297
 - mechanisms 293
 - intramolecular aldol reaction 285–287
 - amino acid-catalyzed asymmetric 285
 - mechanisms 287
 - alkali hydrolysis mechanism 151, 153
 - alkaline proteases 349
 - alkalinization bioassay 609, 618, 619
 - alkane nitronate anions, photorearrangement 116
 - alkenes 325
 - acyloxylation 325
 - alkyl thiosulfates 414
 - alkynoates 12
 - imino glycinates addition 12
 - allatostatin receptors, 583. *see also Drosophila melanogaster*
 - allenylphosphonates 214
 - allosteric inhibitor 526
 - allyl ester 222
 - palladium-catalyzed amination 222
 - allylic epoxidation 43
 - allylphosphonates 220
 - Alzheimer's disease 104
 - AM-toxin II, synthesis 6
 - amamistatin 118

- amamistatin A 118
- amamistatin B 118
 - chemical structure 118
 - *N*-formylhydroxylamine lysine residue synthesis 119
- antiproliferative properties 118
- *N*-formylhydroxylamine lysine moiety 118
- amidoboronic acids 162
 - solid-phase synthesis 162, 166
- amine-carboxyborane esters, synthesis 182
- amine-carboxyboranes 174
 - activity 174
 - derivatives 174
 - synthesis 174
- amine-carboxyboranes 176
 - *anti*-inflammatory activity 176
 - metal complexes 176
 - synthesis 176
- amine-reactive reagents 413
 - acylating reagents 413
 - alkylating reagents 413
- amino acids 261, 262, 267, 272, 275, 288, 290, 294, 298–308, 319, 325, 329, 331, 448–450, 564, 612
 - acyclic 290, 291, 299, 301, 305
 - *anti*-selective Mannich reaction 305
 - catalyzed direct asymmetric aldol reactions 291
 - direct asymmetric Mannich reaction 301
 - enzyme-like enantioselectivity 290
 - Boc-protected 272
 - methanolysis rate 272
 - catalysis 329, 330
 - ecotoxicity 329
 - sustainability 329
 - toxicity 329
 - catalysts 329
 - performance of 329
 - catalyzed reactions 321
 - Diels–Alder reaction 322
 - epoxides activation 327
 - experimental procedures 331–335
 - Knoevenagel condensation 323
 - Rosenmund-von Braun reaction 326
 - SN2 alkylation 328
 - amino acid side-chains 411
 - aminophosphinic acids 189
 - analog 384
 - binding pocket 385
 - boronic acids 145
 - catalysis of reactions 283
 - catalyzed intermolecular Aldol reactions 291
 - choice of 450
 - deprotection 125
 - derivative 269
 - double-sieve analogy 491
 - efficiency 284
 - identification 564
 - mimetics 189
 - mono/dibasic pairs 612
 - natural, use 308
 - non-natural 145
 - nonpolar 450
 - organosilane 272
 - preparation 275
 - primary 288
 - propensity for 507
 - regioselective/diastereoselective intermolecular aldol reaction 294
 - roles 283
 - selection of 261
 - selection process 491
 - silicon placement 262
 - single-point mutation 385
 - structure-toxicity relationships 331
 - triazacyclonane-bearing 449
 - unsaturated 269
 - use 298, 319
 - amino alcohols 306
 - products 306
 - amino ketones 301
 - protected 301
 - organocatalytic asymmetric Mannich reaction 301
 - amino sugars 297
 - protected 297
 - asymmetric synthesis 297
- aminoacyl-tRNA synthetase 474
- aminoalkanephosphonic acids 230
 - direct acylation 230
- aminoboronic esters 164
- aminomethylene-bisphosphonates 244
- aminophosphonates 192, 193, 240
 - acid-base properties 192
 - derivatization 193
 - utility 240–245
- aminophosphonic acids 190, 192, 245
 - crystal structures 192
- aminophosphonic acids/phosphonopeptides
 - derivatives 246
 - experimental procedures 246–249
- aminophosphonic/aminophosphinic acids 189
 - analysis 191–193
 - introduction 189–191
 - physical/chemical properties 191–193
- aminosuccinimide 405

- amplicons, sequence analysis 645
- Angeli–Rimini reaction 115, 130
- angiotensin-converting enzyme (ACE) 557, 579
- inhibitors 559, 560
 - domain-selective, structures 561
 - domain-specific 560
 - hypothetical binding 560
 - isoforms 559
- angiotensin analogs 558
- biosynthesis 558
 - schematic view 558
- angiotensin-converting enzyme 97
- anilides 483
- Anopheles stephensi* 589
- anthranilic acid drugs 641
- anti* amino alcohols 305
- anti*-inflammatory agent, tepoxalin 109
- anti*/syn ratios 296
- antibiotics 632
- anticancer efficacy 100
- anticodon loop 398
- antrimycin 37
- apo-adenylation-thiolation domains 647
- Appel reagents 230
- Arabidopsis* 606
- *CLV3* signaling 606
 - genome 613, 622
 - leaves 604
- Arbuzov reaction 214, 220, 223
- drawback 214
- Arenesulfonamides 194
- Arg-Ser recognition site 580
- Arg-Tyr-Leu-Pro-Thr 580
- Arg44-Ser45 peptide bond 579
- Arginine α -aminoboronic acids 167
- synthesis 167
- armadillo repeat-containing protein 1 (ARC1) 616
- aromatic aldehydes 196
- artificial enzymes 437
- *de novo* design 437
- artificial inteins, molecular engineering 405
- artificial model systems 467
- artificial peptide-based catalysts 434
- development 434
- artificial proteins 433
- preparation 433
 - use 433
- aryl bromides 326, 327
- (S)-Proline promoted CuCN-catalyzed cyanation 327
 - Rosenmund-von Braun cyanation 326
- Asp/His diad 493
- Asparagus officinalis* 611
- mesophyll cell cultures 611
- Aspergillus fumigatus* 639
- Aspergillus oryzae* 349
- aspirin 104, 105
- hydroxamic acid analogs 104
 - PGHS-1 inhibition 105
 - structures 105
- asymmetric aza–Diels–Alder reaction 323
- plausible reaction pathway 323
 - transition state one-pot three-component 323
- ATP-dependent proton pump inhibition 621
- AtPEPR1 receptor gene 605
- autoproteolysis 358
- aza-macrocyclic compounds 213
- α -azidoacrylates 7
- aziridines 210
- azlactones reactions 8
- azomethine ylides 19
- b**
- Bacillus amyloliquefaciens* 510
- Bacillus cereus* 648
- β -lactamase 147
- Bacillus stearothermophilus* 153
- alanine racemase from 153
- backbone amide linker approach 130
- bacterial culture 383
- BAF180. *see* polybromo
- Baldwin rules 286
- barnase-barstar complex 511
- benzohydroxamate ion 94
- benzoyl peroxide (BPO) 119
- benzoyl-type hydrazones 57
- asymmetric allylation 57
- benzyl carbamate, condensations 194
- benzyl group, hydrogenolysis 52
- benzyl thioesters 404
- benzylamine 213
- benzyltrimethylammonium salts 54
- binary logistic regression model 552
- binding site-catalytic communication 484
- bioactive peptides 622, 623
- bioactive synthetic products, cilazapril 40
- biocatalysis 345, 354
- advantages 354
- biocatalyst engineering 357
- bioinformatic techniques, BLAST 644
- biological energy transduction 511
- redox proteins 511
 - chains of 511
- biological processes, DNA repair 102
- gene regulation 102

- mitosis 102
 - range 102
 - biologically active peptides 551
 - biomimetic catalysts, construction 437
 - biophysical probes 392
 - biphasic reaction medium 356
 - biphenylalkyl iodides 236
 - bis(TMS)phosphonites 235, 236
 - bisphosphonates 244
 - Blattella germanica* 583
 - Boc-alanine 436
 - p-nitrophenylester 436
 - p-nitrophenylester hydrolysis 436
 - by CD–peptide hybrid 436
 - borane-containing analogs, affinity 179
 - borane-pyridine complex 123
 - boron-containing compounds 145
 - bioinorganic chemistry 145
 - boron-containing nicotine (NIC) analogs 179
 - boron derivatives 178
 - anti-inflammatory activity 178
 - boronic acids, importance 145
 - boronic ester hydrolysis 153
 - boropeptide thrombin inhibitors 160
 - boroproline synthesis 155, 156
 - Matteson's procedure 155
 - Bothrops jararaca*, ACE inhibitors 559
 - broad-spectrum inhibitor 100
 - advantage 100
 - herbicides 242
 - limitations 100
 - bromelain 349
 - α -bromoacetates 42
 - substituted hydrazine derivatives, reaction 42
 - α -bromo glycine derivative 266
 - treatment 266
 - asymmetric synthesis 267
 - α -BTX 180
 - K_i values 180
 - α -bungarotoxin (α -BTX) 179
 - butadienylphosphonate 222
- c**
- calcium-dependent antibiotic (CDA) 634
 - calf rennet, chymosin 349
 - camphor sultam-derived dipolarophile 62
 - trimethylsilyl diazomethane, 1,3-dipolar cycloaddition 62
 - Candida antarctica* lipase B 219
 - Candida rugosa* enzyme 493
 - carbazates 42
 - carbodiimide coupling agents 111
 - carbohydrate synthesis 293–297
 - amino sugars synthesis 296
 - iterative aldehyde aldol step 295
 - carbohydrate synthesis 295
 - carbon-carbon bond-forming reaction 285
 - carbon dioxide, chemical fixation 327
 - carbonyl compounds 44, 46, 207
 - α -alkylation 328
 - α,β -unsaturated 309
 - iminium-based Michael reaction 309
 - asymmetric electrophilic α -amination 44
 - catalytic enantioselective α -hydrazination 46–50
 - direct aminoalkylation 207
 - electrophilic amination 41
 - carboxyl function reactivity 73–74
 - carboxylate esters cleavage 437
 - catalysts design 437
 - carboxylic acid 107
 - Fischer esterification 107
 - carboxylic acid catalyzed model 288
 - carboxylic acid derivatives synthesis 107
 - carboxymethylated papain 483
 - human stefin B complex 483
 - carboxypeptidase, types 553
 - Castro's reagent 113
 - catalyst 357, 449, 474
 - analogous binding inhibitors 475
 - chemical modification 357
 - formulation of 474
 - property of 474
 - screen study 325
 - systems 327
 - transition-state stabilization 474
 - catalytic enantioselective α -hydrazination 51
 - catalytic enamine mechanism 325
 - catalytic hydrogenations 19–21
 - catalytic mechanism 476
 - enzyme 476
 - protein engineering 478
 - catalytic peptide units, self-organizing 438
 - catalytic rate constant 440
 - catalytic sites, substrate-binding clefts 478
 - catalytic synthetic protocol 296
 - catch-and-release strategy 129
 - catecholborane reductive reagent 221
 - Cbz-/Boc-protected derivatives 8
 - CCK pentapeptide (CCK-5) 360
 - synthesis 360
 - CD26 enzyme 554
 - cell metabolism 341
 - central nervous system (CNS) 535
 - centrifugation 384
 - cereulide-deficient mutants 648
 - C-terminally-encoded peptide 1 (CEP1) 611

- encoding genes 611
- precursor protein 611
- chelating agents, poly-aminophosphonic acids 193
- chemical libraries 524
- chemical ligation 73, 352, 401–404
 - approaches 402
- chemical peptide synthesis (CPS) 380, 402
- chemical shift perturbation assays 515
- chemical synthesis 401
- chemically reactive groups 392
- chemoselective coupling reaction 402
- chiral 2,3-epoxypropylphosphonate 220
- chiral α -phosphonate carbanions 208
- chiral α,β -unsaturated carboxylates 50
 - stereoselective α -hydrazination 50
- chiral carbonyl compounds 45
 - stereoselective α -hydrazination 45
- chiral catalysts 20
- chiral compounds 283
- chiral discriminators 192
- chiral enantiopure sulfinimines 202
- chiral glyoxylic hydrazone 59
 - silyl enol ethers, diastereoselective Mannich-type reaction 59
- chiral keto-phosphonates 216
- chiral manganese enolates 50
- chiral nonracemic α -amino acids 52
 - synthesis 52–55
- chiral p-tolylsulfinyl group, roles 218
- chiral Schiff's bases, alkylation 206
- chiral thioureas 203
- chirally modified DDAAs 16, 17
 - cyclopropanation reactions 16
 - radical additions 17
- chirally modified DDAA derivatives 16
 - C-nucleophiles additions 16
- chitin-binding domain (CBD) 407
- chloramphenicol acetyltransferase (CAT) gene 390
- chloro-functionalized resins 124
- cholecystokinin CCK 533, 576
- cholesterol 182
 - *de novo* synthesis 182
- chromogenic/fluorogenic precursors 555
- chymotrypsin 356, 477, 478
 - hydrogen bond donors 478
- chymotrypsin family crystal structures 479
- chymotrypsin inhibitor 478
- cinchona alkaloids 205
- circular dichroism 353
 - circular dichroism spectra 416
- classical coupling procedures 229
 - dicyclohexylcarbodiimide (DCC) 229
 - mixed carboxylic-carbonic anhydride (MCA) 229
- classical light scattering 513
- CLAVATA3/endosperm surrounding region (CLE) 605
 - CLV3 signaling 606–607
 - peptides 607–609
- CLE genes 608
- CLE peptides, binding affinities 609
- cleavage site 552
 - nomenclature 551
 - prediction 552
- CLV3 precursor gene 605
- CLV3 signaling 607
 - intracellular signal transduction 607
 - WUS mRNA expression 607
- Co(III)-mimochrome 459
 - crystal structure 459
- CoA, role 641
- cocatalyst system 321
- coenzyme A 632
- combinatorial peptide screening 450
- commercial enzymes 343
- complex system 455
- computational algorithms 523
- computer modeling 480
- condensation domain 640–641
 - domain acceptor site 640
- confocal microscopy 513
- consensus sequence 640
- constitutive-like secretory pathway 542
- convergent enzymatic synthesis 352, 360
- cooperative mechanism 438
 - carboxylate ester cleavage 438
- cooperativity 437, 441, 454
 - model 456
- core protein scaffold 464
 - topology of 464
- corticotropin-releasing factor (CRF) 576
- cosolvents, use 356
- coumarin 556
 - based fluorescence assays 556
 - substrates, disadvantage 556
- coupling-deprotection cycle 352
- coupling reagent, HATU 127
- coupling reagents 239
 - CCl₃CN 239
 - DCC 239
 - DCC/base 239
- COX inhibitors 105
- CREB-binding protein (CBP) 517
- cross-coupling reactions 13
 - Sonogashira 13
 - Stille 13

- Suzuki 13
 - cross-linked DDPs synthesis 10
 - cross-linked enzyme aggregates (CLEAs) 358
 - cross-linked polystyrene resin 121
 - cyanobacteria, toxins 646
 - cyanomethyl ester (CME) 395
 - cyclic analogs 224
 - cyclic DDP AM-Toxin II 5
 - cyclic dipeptide oxidase 649
 - cyclic enones 310
 - (S)-proline catalyzed 310
 - using trans-2,5-dimethylpiperazine 310
 - cyclic phosphoric acid derivative 203
 - cyclin-dependent kinase (CDK) 488
 - RXL-containing peptides 489
 - cyclic systems 459
 - cyclization domain 641
 - cycloadditions 17–21
 - cyclodextrin (CD)-peptide, catalytic activity 436
 - cyclohexanone, α -fluorination 328
 - cyclohexyl ester 351
 - cyclopentenyl glutamates 19
 - cyclopropanation 18
 - Cys-His-Asn triad 481
 - cys mutation 410
 - Cys protection strategies 411
 - cystatin-related epididymal spermatogenic (CRES) protein 563
 - cysteine proteases 345, 347, 355, 476, 480
 - catalytic mechanism 347
 - inhibitors 563
 - *Carica papaya* 480
 - papain family 480
 - thiol-disulfide interchange 480
- d**
- α -diazooesters 59
 - catalytic enantioselective reaction 59
 - α -diazo- β -hydroxy esters 60
 - catalytic enantioselective synthesis 60
 - α,β -didehydroamino acids
 - experimental procedures 22–26
 - β -dimethylphenylsilylalanine 267
 - dipeptidyl peptidase IV-like enzymes 554
 - D-glutamic acid derivative 47
 - stereoselective α -hydrazination 47
 - D-glutamic acid skeleton 46
 - D-HIV-1 protease 416
 - D-piscose synthesis, aldol products 296
 - Drosophila melanogaster* 580
 - sex peptide receptor 581
 - molecular characterization 581
 - DDAAs 3, 14, 15, 17, 18, 21
 - asymmetric radical addition 18
 - bromination 21
 - halogenations 21
 - radical additions 17
 - reactions 14–21
 - sulfur ylides addition 15
 - synthesis method 3–14
 - DDAAs synthesis 5–15
 - azides 7
 - C–C bond formation 12–14
 - cross-coupling reactions 13–14
 - eliminations method 3–7
 - Horner–Emmons/Wittig reactions 8
 - isocyano enolates 10
 - nitroenolates 10
 - nucleophilic addition/elimination 15
 - azidoacrylates 7
 - Horner–Emmons reaction 8
 - isocyanoacetates 11
 - N-hydroxyamino acids 6
 - nitroacetates/subsequent reactions 10
 - Passerini reaction 11
 - Sonogashira coupling 14
 - Stille coupling 14
 - substrate controlled hydrogenation 21
 - Suzuki coupling, 13
 - Wittig reaction 10
 - de novo* purine synthesis 177
 - enzymes 177
 - inhibition 177
 - defense-related peptides 621
 - isolation 621
 - DEFENSIN* gene 604
 - degenerate PCR 647–649
 - primers 647
 - dehydropiperazic derivatives, synthesis 46
 - demethylase enzymes, H3K9Me3 520
 - dendrimer 440, 442
 - catalyzed reactions 440
 - higher-generation 442
 - peptide catalyzed ester 442
 - 6-deoxyerythronolide B synthetase (DEBS) pathway 641
 - desferrioxamine B 96
 - chemical structures 96
 - deferasirox 96
 - deferiprone 96
 - *Streptomyces pilosus* 96
 - use 96
 - Devil1 (DVL1) gene 610
 - over expression 610
 - protein encoded 610
 - dialkyl phosphates, reactions 198
 - dialkyl phosphites 202

- diastereomeric α -aminophosphonates 198
 - diazomethane, cycloaddition 18
 - dibenzyl azodicarboxylate 209
 - dibutyl iodomethane-boronate
 - alkylation 155, 156
 - dicarbonyl compounds 287
 - enantioselective (*S*)-proline-catalyzed enolexo aldolization 287
 - dichloromethane (DCM) 121
 - dichloromethylboronic ester reaction 168, 169
 - diconnected peptides 39
 - dicyclohexylcarbodiimide (DCC) 154
 - didehydroalanine 12
 - Trifold Heck reaction 12
 - didehydroalanine analogs 17
 - imidazolidinone 17
 - oxazinone 17
 - oxazolidinone 17
 - didehydroalanine derivatives 16
 - didehydroalanine peptide 4
 - didehydroaminobutenoate peptide 4
 - didehydropeptides (DDPs), building blocks 3
 - didehydroprolines 15
 - dielectric constant 356
 - Diels–Alder reaction 19, 61, 226, 322
 - Diels–Alder adducts 322
 - one-pot, three-component direct catalytic enantioselective 322
 - diethyl 5-chloro-1-pentynylphosphonate 226
 - one-pot reaction 226
 - diethyl α -acetamido malonate, alkylation 265
 - diethyl azodicarboxylate 307
 - diethylenetriamine 454
 - dihydrobenzofuranols 287
 - *cis*-substituted 287
 - asymmetric organocatalytic synthesis 287
 - dihydrofolate reductase (DHFR) 386
 - diiron proteins 464
 - Due–Ferri (DF) series 464
 - minimal models 464
 - diisopropyl ether 219
 - diisopropylethylamine 238
 - dimerization process 9
 - dimethylformamide 296
 - dimethyl phosphite 198, 205
 - dimethylsulfoxide 304
 - dimethyl thiophosphite (DMTP) 202
 - dinitro-dFx 396
 - dipeptidyl peptidase IV (DPPIV) 155
 - enzymes 554, 555
 - activity 555
 - Diptera punctata* 578
 - diprotected α -hydrazino acids 47
 - enantioselective two-step synthesis 47
 - direct catalytic asymmetric enolexo aldolization 287
 - (*S*)-proline catalyzed 287
 - DNA 445, 446, 447, 448
 - binding affinity 448
 - binding proteins 524
 - chimeric peptides interaction 447
 - computer-generated model 447
 - cleaving enzymes 417, 524
 - data 645
 - domain 446
 - genomic 446
 - hydrolysis 445, 448
 - metagenomic pools 341
 - models 446–450
 - replication 491
 - sequence 524
 - synthesis 177
 - DNA/RNA recognition 520
 - DNPB, hydrolysis 444
 - docking analysis 564
 - domino borylation/Suzuki coupling 13
 - donor/acceptor pairs 557
 - DOPA synthesis, asymmetric catalytic hydrogenation 20
 - Drosophila melanogaster*, spn4 gene 562, 583
 - drosophilid species 580
 - dry solvent 108
 - *N,N*-dimethylformamide (DMF) 108
 - tetrahydrofuran 108
 - dual-catalyst system 320
 - dual epimerase/condensation domain 639
 - Duolite C467 resin 245
- e**
- Edman degradation 554
 - electron paramagnetic resonance (EPR) spectrum 464
 - electrophilic amination 208
 - reagent 52, 174
 - electrophilic nitrostyrene acceptor molecules 319
 - electrophoretic mobility shift assay (EMSA) 512
 - electrospray ionization ESI-ion cyclotron resonance/Fourier transform mass spectrometry/FTMS 647
 - eledoisin analogs 39
 - enaminium-catalyzed process 288
 - proline molecule 288
 - role 288
 - enantiomeric aminophosphonates 227

- enantiopure α -halogeno acids 42
 - hydrazine derivatives, reaction 42
 - enantiopure α -hydroxy esters 43
 - aminophthalimide derivatives, Mitsunobu reaction 43
 - enantiopure activated α -hydroxy esters 42
 - hydrazine derivatives, reaction 42
 - enantiopure catalysts 50
 - enantioselective catalysis 41
 - enantioselective hydrogenation 55
 - endocrine cells, secretory pathway of 577
 - endocrine glands 576
 - endocrine peptide hormones 533, 597
 - endogenous peptide signals, plant growth, regulation of 597
 - endoproteases 348
 - enolates, stereoselective amination 45
 - enones 311
 - acyclic 311, 312
 - direct organocatalyzed intermolecular Michael reaction 311, 312
 - cyclic 311
 - direct organocatalyzed intermolecular Michael reaction 311
 - enzymatic hydrolysis 269
 - enzymatic peptide synthesis 355, 359
 - process development 359
 - thermodynamic vs. kinetic control strategies 355
 - enzymatic process 219
 - industrial 342
 - enzymes 341, 379, 416, 475
 - applications 379
 - catalytic mechanism 476
 - catalytic mechanism of 476
 - conformational stability 416
 - conventional genetic engineering 379
 - properties 379
 - properties of 475
 - rate enhancement 475
 - substrate recognition 475
 - transition-state stabilization 474
 - enzyme biocatalyst 341, 357, 359
 - immobilization 357
 - enzyme catalysis 475, 477
 - entropic strain 475
 - enzyme immobilization 342
 - enzyme-inhibitor systems 473
 - enzyme-linked immunosorbent assay (ELISA) 514
 - enzyme-like proteins, *see* protozymes
 - enzyme molecule 357
 - molecular stiffness 357
 - enzyme nucleophiles 485
 - enzyme prices 344
 - enzyme selectivity 344
 - enzyme-substrate systems 473
 - tyrosyl-tRNA synthetase 474
 - enzyme-substrate interactions 479, 492
 - enzyme stabilization 342
 - epimerase domain 631, 648
 - epimerization 63
 - domain 633
 - EPL 409, 410, 411
 - applications 411
 - protein classes 411
 - reactions 411
 - epoxides 327
 - coupling 327
 - ER/Golgi secretory system 612
 - Erlenmeyer azlactone synthesis 7
 - Escherichia coli* 437, 486
 - synthetic genes 437
 - ESI-ICR/FTMS 648
 - esters 44, 483
 - α -hydrazination 44
 - catalyzed hydrolysis of 483
 - ethenylidene-bis(phosphonic) acid 213
 - disodium salt 213
 - ethylenediamine 213
 - eukaryotic genomes 523
 - DNA-binding domains 523
 - eukaryotic linear motifs 516
 - Evans chiral auxiliary 263
 - exogenous proteases 404
 - exoproteases 348
 - exosite-associating moiety 159
 - expressed protein ligation 408
 - expression inducer 395
- f**
- farnesol analogs 224
 - female reproductive tract 581
 - ferricrocin 637
 - ferrocenyl-containing pseudopeptide mimetics 237
 - synthesis 237
 - five-base codons 398
 - flexiresin 396
 - flexizyme 396
 - fluorescence anisotropy 514
 - fluorescence optics 514
 - fluorescence resonance transfer methodology 479
 - fluorophore/quencher pairs 557
 - Fmoc/tBu multiple peptide synthesis 353
 - food enzymes 342
 - formohydroxamic Acid synthesis 117

- fosmidomycin analogs 222, 244
 – synthesis 222
 four-base codons 397
 four-base suppressor tRNAs 398
 four-component Ugi condensation 232
 Fourier transform infrared (FTIR)
 spectroscopy 122, 435, 565
 frame-shift suppression 397–399
 – technique 387, 398
 frame-shift suppressor tRNA 397
 free aminophosphonates 192
 – *N*-derivatization 192
 Fukuyama reaction 124
 functional orthogonality 381
 fungal genome sequences 635, 645
 fungal NRP 636
 – adenylation domain substrate
 specificity 636
 furfuryl amine derivative 263
 – reverse-aza-Brook rearrangement 263
 fused pyrazoles 77
 – solution-phase/solid-phase synthesis 77
 fusion pore, properties 542
- g**
- γ -amino- β -keto-phosphonic acids 221
 G-protein-coupled receptor (GPCR) 576
 – peptide/protein receptor families 576
 Garner aldehydes 297
 gel shift, 512. *see also* electrophoretic mobility
 shift assay
 gene shuffling 349
 genetic code 381, 399
 genetic code system 397
 genetic/protein engineering 360
 genome walking 643
 GFP-DVL1 protein fusions expression 610
 Gibbs free energy 386
 Gliotoxin biosynthesis 637
 glutamate 243
 – analogs 226, 243
 glutamine synthetase, inhibitors 242
 glutathione-*S*-transferase (GST) 418, 512
 – protein 642
 glycine-extended hormones 553
 glycine α -aminoboronic acids, synthesis 154
 glycosidases 485, 486
 glycosidases, 485–488. *see also* glycoside
 hydrolases
 glycoside hydrolases 485, 486
 – glycosyl transfer enzymes 485
 glycosidic bond 485
 – linkages 344
 glycosyl-enzyme 485
 glyoxylic acid derivatives 55
 glyoxylic hydrazone 59
 – silyl enol ethers, enantioselective Mannich-
 type reaction 59
 Glyphosate 242
 gold nanoparticles 440, 443
 – self-assembled monolayers (SAMs) 440
 gonadotropin-releasing hormone receptor
 agonist 273
 green chemistry, advantages 330
 – aims 330
 green fluorescent protein (GFP) 610, 402,
 513
 Grignard reagent 171
 GTP-dependent process 535
- h**
- Hajos–Parrish–Eder–Sauer–Wiechert
 reaction 285, 286
 β -hairpin structure, rigidity 435
 α -haloalkylboronic esters 151
 – asymmetric synthesis from 151–154
 α -haloboronic esters 146, 151
 – nucleophilic reactions 146
 β -halogenated DDAAAs 21
 halogenated DDAA derivatives, Sonogashira
 couplings 14
 halogen-zinc exchange, *see* Luche conjugate
 addition
 HATU coupling chemistry 126
 HATU/TMP coupling protocol 127
 HCN, enantioselective addition 56
 HCV NS3 proteinase 162
 – antiviral therapy 162
 – inhibitor potency 172
 HDAC enzyme structures 103
 HDAC inhibitors 103
 – hydroxamate-based 103
 – as anticancer agents 103
 HDAC-like protein 103
 Heck reaction 12
 helichrome model 458
 helix-loop-helix (HLH) conformation 436
 helix-turn-helix (HTH) region 446
 heme-binding sites 463
 heme binding pocket 460
 heme complex, properties 464
 heme proteins 456, 457
 – design model 457
 – Diiron model proteins 464
 – four-Helix Bundles Models 460
 – heme-peptide models 457
 – porphyrin as template 457
 – heme sandwich models 458

- membrane-soluble Heme-binding systems 462
- peptide models 456–467
- hepatitis C virus (HCV) protease 154
- hepatotoxin 648
- herceptin 521
- heterochromatin protein 1 (HP1) 520
- heterocycle, hydrolysis of 265
- heterocycles 74
- heterocyclic phosphonates 9
- heterologous protein expression (HPE) 410
- heteropolymers 350
- hexadentate chelator, desferrioxamine 96
- hexamethyldisilazane (HMDS) 196
- hexose 296, 297
 - *de novo* synthesis 296
 - direct amino acid-catalyzed enantioselective synthesis 297
- hidden Markov model, formalism 552
- high-affinity hydroxamate siderophores 639
- high-performance liquid chromatography 192, 353
 - purification step 618
 - purification techniques 623
 - fractions 620, 621
 - alkalization profiles 621
- high-resolution crystal structures 385
- histidine *N*-methylimidazole peptide catalyst 436
 - conformational freedom 436
- histone acetyltransferases (HATs) 102
- histone deacetylases (HDACs) 97
- HIV-1 protease 402
- HIV-1 regulatory protein 454
 - Tat protein 454
- Hoffmann rearrangement 52
- homogeneous catalysis, disadvantage 20
- homogeneous hydrogenation, advantages 20
- homogeneous time-resolved fluorescence (HTRF) 642
- homologous proteins 610
 - DVL1 610
 - ROT4 610
- homology-search programs 562
- hormones 533, 534, 555, 564
 - biosynthesis inhibition 555–565
 - angiotensin-converting enzyme, inhibitors design 555–561
 - proprotein convertase inhibitors 561–565
 - radout sstems 555–557
 - chemical composition 533
 - endocrine/autocrine/paracrine pathways 534
 - lipid-derived hormones 533
 - peptide hormones 533
 - precursors 564
- Horner–Wadsworth–Emmons reaction 221
- horseradish peroxidase 462
- HPNP, accelerated cleavage 454
- Hub proteins 508
- human cathepsin inhibitor 352
- human insulin-like growth factor-binding protein 615
- human male-associated ZFY protein 451
- hydantoic acids, Schestakow rearrangement 52
- hydrazide function, deprotonation 75
- hydrazine glycidic ester, reaction 44
- hydrazine hydrate reaction 42
- α -hydrazino acids 35, 36, 39, 41, 47, 53
 - general formula 36
 - introduction 35
 - natural products 36–39
 - pseudopeptidic structures 39
 - synthesis of 41, 53
 - synthetic bioactive products 39–40
- α -hydrazino acid derivatives 35, 55, 63, 67, 69, 77, 79
 - chemistry 63
 - experimental procedures 79–85
 - hydrazine function 77
 - precursor 55
 - synthetic pathways 55
- hydrazino function, reactivity 67
- hydrazino turn 40
- hydrazinopeptides 39
- hydrazone 55, 56, 57, 58, 59, 60
 - diastereoselective addition 57
 - organometallics 57
 - diastereoselective hydrocyanation 57
 - diastereoselective zinc-mediated carbon radical addition 60
 - enantioselective/stereospecific allylation 58
 - catalytic enantioselective hydrogenation 56
 - diastereoselective zinc-mediated carbon radical addition 59
 - enantioselective Friedel–Crafts alkylations 59
 - stereoselective addition 57
 - organometallic reagents 57
- hydrogen bond 477
 - bonding networks 465
 - systems 478
 - water molecule 487
- hydrogen bonding interactions, 99
 - multiple sites 96
- hydrolase 344

- hydrolysis/hydration reactions 434
 - half-lives 434
 - rate constants 434
 - hydrolytic enzymes 434
 - peptide models 434–456
 - ester hydrolysis/acylation 434–456
 - phosphate bond cleavage 444–456
 - hydrolytic enzymes 477
 - hydrophobic base pairs 399
 - 7-azaindole (7AI-7AI) 399
 - propynylisocarbostyryl (PICS-PICS) 399
 - hydrophosphonylation reactions 199
 - hydroxamate-based peptide inhibitor, MMP-1 active site interaction 101
 - hydroxamic acids 93, 94, 95, 106, 109, 123, 128, 130
 - acidity 94
 - aliphatic/aromatic 110
 - bioactivity 95–106
 - as enzyme inhibitors 97–106
 - as siderophores 95–97
 - bioactivity 130
 - chemistry 93–95
 - dissociation pathways 94
 - hydrolysis 102
 - formula 93
 - clinical utility 95–106
 - as enzyme inhibitors 97–106
 - as siderophores 95–97
 - clinical utility 130
 - experimental procedures 130–137
 - formation mechanism 107, 115
 - functions, generation 116
 - importance 106
 - keto/enol tautomeric forms 94
 - metal-chelating ability 97
 - moiety 100, 130
 - *N*-/O-acids like behaviour 94
 - pKa values 94
 - preparation 109, 128
 - by hydroxyamination 128
 - from acid chlorides 109
 - reverse/retro 95
 - solid-phase synthesis 106, 123
 - solid supports 127
 - via a palladium-catalyzed cascade reaction 123
 - solid-phase synthesis 121, 126
 - acidic cleavage 122–126
 - from Wang resin 122
 - nucleophilic cleavage 128
 - strategies 121
 - solution-phase synthesis 106–121
 - role 106
 - structures 95
 - sulfonamide-based 124
 - solid-phase synthesis 126
 - X-ray crystallography 99
 - hydroxamic acids synthesis 106
 - from aldehydes 115, 116
 - from carboxylic acid derivatives 106
 - coupled agents 113
 - from acid halides 108
 - from acyloxyphosphonium ions 111–113
 - from anhydrides 109
 - from carbodiimide-coupled carboxylic acids 111
 - from esters 107
 - using CDMT 110
 - using TCT 111
 - from gem-dicyanoepoxides 115
 - from *N*-acyloxazolidinones 114
 - from nitroalkanes 117
 - via mixed carbonic acid anhydrides 110
 - via palladium-catalyzed cascade reaction 116
 - α -hydroxy acids 41
 - amination of 41
 - α -hydroxy- α -acylamino-carboxylic acids 6
 - α -(hydroxyamino) phosphonate intermediates 200
 - β -hydroxy amino acids 3
 - α -hydroxy phosphonates 292
 - organocatalytic enantioselective synthesis 292
 - 1-hydroxy-7-azabenzotriazole (HOAt) 113
 - hydroxybenzotriazole (HOBt) 111, 236
 - hydroxyferricrocin 639
 - hydroxylamine derivatives 52
 - hydroxylamines synthesis, from amines 120
 - hydroxyproline-rich systemin (HypSys) glycopeptides 603
 - JA signaling pathway 603
 - NtHypSys glycopeptide sequences 603
 - tobacco/tomato 603
 - hypochlorite 52
 - hypolipidemic agents 182
 - hypophosphorous acid, chiral salts 198
 - HypSys peptides 621
- i**
- imines 199, 202, 203
 - asymmetric hydrophosphonylation 202
 - catalytic hydrophosphonylation 203
 - direct hydrophosphonylation 199
 - imino-Diels-Alder reaction, proline-catalyzed 323
 - immunological techniques 646

- in vitro* cell proliferation 615
- in vivo* selection system 397
- inflorescence deficient in abscission-like (IDL) proteins 614
- inflorescence deficient in abscission (IDA) gene 614
- 4-kDa peptide, *see* leginsulin
- influenza enzyme 487
- initiation complex 381
- insect genomes, whole-genome sequencing 575
- insect neuropeptides 579
- insect peptide hormones 575
- A-type allostatins 582–584
 - brains 582
 - hindgut contractions 583
 - stomatogastric nervous system 583
 - allatostatin 576
 - ancient signaling molecules 575
 - biosynthesis of 576
 - C-terminal sequence 578
 - CRF-related DHs 584–586
 - *A. domesticus* 586
 - C-terminal region of 586
 - *Manduca sexta*, Malpighian tubules of 586
 - N-terminal region of 586
 - sauvagine, sequences of 585
 - tobacco hornworm 584
 - CRF-related diuretic hormones (DHs) 576
 - genes encoding 575
 - software programs 575
 - genome databases 584
 - BLAST searching 584
 - heart muscles 578
 - hemolymph possess 577
 - insect control 586–589
 - allostatins 588
 - baculoviruses infect insects 588
 - hormone imbalance 589
 - larvae 587
 - Malpighian tubules 587
 - peptidergic signaling 588
 - trypsin-modulating oostatic factor (TMOF) 588
 - nervous system 576
 - neuroendocrine cells 577
 - proctolin 576, 578–580
 - neuromodulator/cotransmitter 578
 - signaling peptide 578
 - proctolin-sensitive tissues 578
 - seminal fluid 580
 - sex peptide 576
 - central nervous system (CNS) 581
 - ectopic expression 581
 - innate immune system 581
 - male accessory glands 580
 - N-terminal tryptophan-rich domain 581
 - seminal fluid 580
 - structural features 580
 - trypsin recognition site 581
- insect species 576
- genomic DNA sequence of 576
 - hemolymph of 578
- insect visceral muscle 578
- myotropin of 578
- inteins 404–410
- based synthesis, drawback 410
 - CBD fusion protein 410
 - classes 405
- intein-mediated purification with an affinity chitin-binding tag (IMPACT) system 407
- intein fusion proteins, thiolysis 409
- intercellular adhesive molecule-1 (ICAM-1) 526
- International Union of Pure and Applied Chemistry 534
- intra molecular acyl shift 404
- ion-spray MS 416
- ionic liquids 344
- iron-sequestering agent 97
- isobutyl chloroformate 73
- isopenicillin *N* synthase (IPNS) 634
- isopropyl glyoxylate hydrazone 60
- electron-rich aromatic compounds, Enantioselective Friedel-Crafts reaction 60
- isopropylammonium salt 242
- isothermal titration calorimetry (ITC) 514
- j**
- JH biosynthesis 582
- *Diptera punctata* 582
 - structures of 582
 - *Periplaneta americana* 583
 - structures of 583
 - regulation of 582
- k**
- Kabachnik–Fields reaction 193, 196, 197, 233
- Kaiser resin 128
- Kaiser test 122
- ketones 293, 304, 308, 317, 318, 325–328
- α -amination reaction 307
 - β -amino, reduction 297
 - direct catalytic asymmetric α -amination 308
 - using (*S*)-proline 308

- α -fluorination 327, 328
 - α,β -unsaturated 325
 - hydrogenations 325
 - cyclic 317, 318
 - direct organocatalyzed Michael addition 318
 - direct amino acid-catalyzed asymmetric α -oxidation 325
 - direct organocatalytic α -oxidation 326
 - direct organocatalyzed Michael addition 317
 - donors 304
 - (*S*)-proline-catalyzed Mannich reaction 304
 - electrophilic 293
 - diethyl ketomalonate 293
 - trifluoropyruvate 293
 - reduction 297
 - β -keto amino acids 13
 - β -keto esters 47, 48, 50
 - catalytic enantioselective α -hydrazination 48
 - catalyzed amination 47
 - β -keto functionality, reduction 209
 - β -keto phosphonates, enantioselective amination 209
 - kinetic analysis 475
 - kinetically controlled peptide synthesis (KCS) 355
 - Kluyveromyces lactis* 349
 - Knoevenagel-type condensation reactions 234, 323, 324
 - proline-catalyzed 324
 - asymmetric three-component domino 325
- I**
- β -lactam antibiotics 356, 358, 633
 - β -lactamase gene 398
 - β -lactamase-inhibitory protein binds 526
 - ι -phenylalanine-binding adenylation domain 635
 - β -phenyldimethylsilylalanine, preparations of 267
 - β -phosphinoyl malonates 234
 - labile intracellular proteins 344
 - Lacania oleracea* 589
 - larvae 587
 - larval lepidopterans 587
 - gut of 587
 - Lawesson's reagent 157
 - leaky expression 383
 - leginsulin, biological activity 615
 - Leu-Leu thermolysin inhibitor 273
 - leucine-rich repeat receptor-like kinases (LRR-RLKs) 597
 - Leucophea maderae* 578
 - Leucophea migratoria* 578
 - Lewis acids 11, 216, 274
 - CuCl 11
 - MgBr₂ 295
 - use 295
 - TiCl₄ 295
 - ZnCl₂ 11
 - ligand binding, allosteric inhibitor 526
 - ligand binding assay 606
 - photoaffinity labeling 606
 - ligand library 448
 - screening of 448
 - split-and-pool synthesis 448
 - ligand-receptor proteins 616
 - linatine 36
 - lipid/water interfaces 493
 - lipoprotein-cholesterol contents 182
 - liquid-phase synthesis 353
 - liquid chromatography 611, 575
 - computer programs 575
 - lithium dimethyl methylphosphonate 221
 - lithium derivative 206
 - lithium hexamethyldisilazane (LiHMDS) 147
 - lithium perchlorate-diethyl ether (LPDE) 198
 - LnPB complexes 203
 - low density lipoprotein (LDL) 480
 - LuChe conjugate addition 15
 - lymphocyte function-associated antigen-1 (LFA-1) 526
 - lysine sweet dipeptide 359
 - lysozyme 487
- m**
- m*-cyanoborophenylalanine analog 162
 - boronic acid analogs preparation 162, 163
 - M2 influenza ion channel 463
 - magnetic resonance imaging agents 97
 - MALDI-time-of-flight analysis 648
 - male accessory glands 580
 - Maleimides 414
 - Malpighian tubules 584, 587
 - fluid secretion 584
 - mammalian peptide hormones 534, 536
 - biosynthesis 533
 - inhibition 533
 - overview 536–539
 - Manduca sexta* 584, 602
 - Mannich-type multicomponent condensation 239
 - Mannich bases 207

- Mannich product 297
- Mannich reaction 298
- (S)-2-methoxymethylpyrrolidine (SMP) catalyst 304
 - α -aminomethylation 298
 - anti-selective Mannich reaction 306
 - by protected (S)-threonine 306
 - anti-Selective Mannich Reactions 304
 - asymmetric three-component 300
 - trans-4-siloxypyrrolidine-catalyzed 300
 - direct asymmetric three-component 299
 - limitations 299
 - direct Mannich reaction 298
 - advantage 299
 - direct three-component 303
 - using aldehydes nucleophiles 303
 - indirect Mannich reaction 302
 - using Ketone donors 302
- Mannich reaction 238
- direct asymmetric three-component 296
- Mannich variant, diastereo/enantioselective 297
- Markov models 641
- mass spectrometry (MS) 387, 640
- matrix-assisted laser desorption/ionization (MALDI) 644
- matrix metalloproteases (MMPs) 97
- activity 98
 - modulators 98
- MBH products 319
- MDM2 525
- p53 binding site 525
 - X-ray structure 525
- medium engineering 356
- Meerwein's reagent 154, 155
- action 155
- α -melanocortin-stimulating hormone (MSH), administration 554
- membrane-soluble sequences 462
- de novo design 462
- membrane protein 462, 463
- ME1 463
 - EPR spectra 464
 - Ribbon model 463
 - structures 462
- membrane proteins, feature 462
- MeO-polyethylene glycol-supported ligand 20
- mercurial reagents 414
- mercurials 414
- meso-2,6-disubstituted-4-piperidones, preparation 324
- meso-butanediol esters 149
- synthesis 149, 150
- meta-chloroperoxybenzoic acid (m-CPBA) oxidation 119
- metagenomics 358
- metal-based cofactor 457
- metal-chelating residues 395
- 3-amino-Tyr 395
 - bipyridyl-Ala 395
 - dihydroxy-Phe 395
- metal-complexing agents 189
- metal complexes 448
- metal ions 445, 446, 448, 452, 456
- based peptide catalyst 448
 - binding subunits 456
 - role 445, 456
- metallo-enzyme inhibitors 106
- metallo-enzymes 99
- TACE protease family 99
- metalloenzymes 95
- catalytic active sites 95
 - inhibitor 118
- metallopeptidase 548
- endothelin-converting enzyme (ECE)-2 548
- metalloproteins 456, 457, 464
- model 457
 - natural 456
- Methanobacterium thermoautotrophicum* (Mth RIR1) 409
- Methanococcus jannaschii* 389
- methicillin-resistant *Staphylococcus aureus* 634
- methionyl-tRNA synthetase 491
- methyl ester 154
- preparation 154, 155
- methyl jasmonate (MeJA) 604
- PROPEP genes 604
- methylene-bisphosphonates 224
- alkylation 224
- methylene piperazine-2,5-diones 9
- Michael-type addition 286
- Michael acceptors 10, 206, 235
- Michael addition 212, 234
- Michael adducts 312, 318
- Michael donor 312
- Michael reaction 308
- acceptor molecules 314
 - enamine-catalyzed mechanism 312, 313
 - intermolecular 314
 - iminium-catalyzed Michael reaction mechanism 310
 - iminium ion-catalyzed Michael reaction mechanism 309
 - intermolecular 309
 - proline-catalyzed intermolecular 315
- Michael reaction 310

- Michaelis–Bekker reactions 214
 - Michaelis complex 474
 - acyl group 477
 - binding energy 474
 - crystal structures of 487
 - transition state 475
 - formation of 475
 - Michaelis–Menten acyl-enzyme complex 355
 - Michaelis–Menten equation 493
 - Michaelis–Menten kinetics 440
 - Michaelis–Menten parameters 439, 456
 - determination 439
 - microbial proteases 348
 - microbial rennets 349
 - microscopic reversibility 348, 354
 - principle 348, 354
 - midgut endocrine cells 576
 - Miller hydroxamate approach 125
 - mini inteins 409
 - mischarged suppressor tRNA 388
 - mismatched base pairs 385
 - missense codon technique 386
 - missense suppression 385–387
 - Mitsunobu conditions 122
 - Mitsunobu reaction 222, 233
 - Mitsunobu reagent 43
 - diethylazodicarboxylate 43
 - Ph3P 43
 - MMP Inhibitors 98–102
 - classes 102
 - design 102
 - hydroxamate-based 99, 101
 - chemical structures 100
 - clinical performance 99
 - potency of 99
 - inhibition 102
 - role 98, 102
 - succinate-based 114
 - Moc-NHPro-NHiPr 40
 - X-ray structures 40
 - modifying reagents 412, 414
 - molecular recognition, proteins 517
 - monamycins 37
 - cyclohexadepsipeptide structure 37
 - monomeric system 443
 - mononuclear metal proteins 457
 - Morita-Baylis-Hillman (MBH) reaction 318–320
 - Aza-Morita-Baylis-Hillman Reactions 320
 - Multi-angle laser light scattering (MALLS) 513
 - Rayleigh scattering 513
 - wavelengths 513
 - multicomponent couplings 11
 - Passerini reaction 11
 - Ugi reactions 11
 - multifunctional dimeric proteins 418
 - multiple peptide synthesis 352
 - multivalent catalysts 440
 - musculoskeletal syndrome, *see* musculoskeletal toxicity (MST)
 - musculoskeletal toxicity (MST) 99
 - dose-limiting 99
 - Mycobacterium xenopi* DNA gyrase A (Mxe GyrA) 409
 - Myelin basic protein 489
 - myrosinase 486
- n**
- N-acetyl- α -D-glucosamine 1-phosphate 225
 - isosteric phosphono analogs 225
 - N-acetylneuraminic acid 225
 - phosphonic acid analogs 225
 - N-(haloalkyl)phthalimides 214
 - nanoparticle 441, 442, 443, 456
 - based catalyst 441, 456
 - dipeptide functionalized 442
 - dodecapeptide-functionalized 443
 - nanozymes 443
 - N-(silylmethyl)-phenylalanine synthesis 271
 - native chemical ligation (NCL) 402, 403, 410
 - natural enzymes, roles 379
 - natural proteins 433
 - biosynthesis 380–381
 - properties 433
 - natural systems 433
 - neat hydrophobic solvents 357
 - drawback 357
 - use 357
 - Negamycine 36
 - nervous system 576
 - neurosecretory cells 576
 - neural network 552
 - based method 552
 - furin-specific 552
 - neuraminidase 487
 - neuroactive pain regulator dipeptide 359
 - neuroendocrine cells 575, 577
 - peptide hormones 577
 - neuroendocrine proteins 562
 - 7B2 562
 - proSAAS 562
 - neuropeptide Y (NPY) 533
 - neurotensin fragment 275
 - degradation-resistant neurotensin analog 275
 - silaprolin neurotensin analog 275
 - neutral oxygen nucleophiles 109

- water 109
 - nitric oxide 169
 - activities 169
 - synthase 169
 - nitrile hydratase 342
 - nitroacetic esters 10
 - nitroalkanes 311
 - direct organocatalyzed intermolecular
 - Michael reaction 311
 - NMR-controlled titration methods 192
 - NMR spectroscopy 192, 207
 - noncanonical amino acid 383, 384, 387, 389, 391
 - missense incorporation 387
 - noncanonical amino acids 390, 412
 - noncanonical base pairs 399–401
 - nonenolizable ketones 291
 - 1-aryl-2,2,2-trifluoroethanones 291
 - α -keto carbonyl compounds 291
 - non-hydroxamate-based inhibitor 101
 - nonracemic α -hydrazino acid derivatives 63
 - *N*-*N* bond cleavage 63
 - nonracemic β -hydroxy esters 46
 - nonracemic epoxides 43
 - hydrazine derivatives, reaction 43
 - nonribosomal peptide 631
 - synthesis 631
 - nonsense codons 381
 - nonsense suppression 390–395
 - approach 395
 - efficiency 392
 - method 392
 - strategy 390
 - nonsteroidal *anti*-inflammatory drugs 104
 - aspirin 104
 - treatment 104
 - use of 104
 - novel protease, screening 357
 - NPY family 535
 - NRP synthetase 632, 633, 645, 646
 - adenylation 648
 - domain specificity 649
 - genes 645, 647
 - identification of 648
 - identification of 649
 - interaction 648
 - isolation 633
 - modular organization 632
 - sequences 635
 - NRPS investigations 642
 - experimental strategies 642–649
 - NRPS pathways 636
 - nuclear magnetic resonance (NMR) 45, 93, 353, 380, 477, 510, 645
 - paramagnetic relaxation enhancement effects 510
 - structure-activity relationships 525
 - nucleophiles 13, 14, 413
 - (het)aryl stannanes 13
 - acetylide 13
 - amines 14, 413
 - electron-rich *N*-heterocycles 14
 - stannyl acetate 13
 - thiolate 13
 - thiols 14, 413
 - vinyl aryl stannanes 13
 - nucleophilic addition 14, 196
 - amination 41
 - reactions 355
 - nucleophilic substitution process 288
 - C–C bond-forming step 288
- o**
- O'Donnell's imino glycinate 11
 - O-protected hydroxylamine reagents 129
 - use 129
 - O-sulfonylhydroxylamines 174
 - use of 174
 - olefins 50
 - organometallic catalyzed hydrohydrazination 50
 - oligonucleotide recognition element 417
 - oligonucleotide-substrate complex 417
 - one-pot three component reactions 194
 - diastereoselectivity 194
 - one-pot reaction sequence 224
 - opal (UGA) stop codon 391
 - Oppolzer sultam 51
 - optically active α -aminophosphonates 202
 - organic bases 180
 - amino acid esters 180
 - phosphate 180
 - phosphine 180
 - organic reactions 342
 - organocatalysis 329, 330
 - advantages of 330
 - organocatalyst 313, 314, 316, 329
 - advantages 329
 - cysteine-derived 313, 314
 - direct organocatalyzed Michael reaction 314
 - hydrophobic 316
 - structure-toxicity relationship database 329
 - organocatalytic reactions 283
 - organosilanes 261
 - stability 261
 - ornithine α -aminoboronic acids 164
 - synthesis 164–167

- orphan receptors 597, 624
- orthogonal aaRS variants, libraries 390
- orthogonal aaRS/tRNA pair 387–390, 395
 - heterologous expression 389
- orthogonal base-pair technique 400
- orthogonal protection strategy 127
- orthogonal ribosome/mRNA pair 396–397
- orthogonally N1,N2-diprotected α -hydrazino acids, synthesis 55
- oxaziridines 53, 54
- oxazolidinyl-phosphonic acid derivative 209
- oxazolinone, ring opening 7
- oxocarbenium transition states, stereoelectronic requirement 486
- oxyanion hole 478

- P**
- p*-chloromercuribenzoate 414
- p*-methoxyphenylamine (PMP) 299
- P*-modified reactions, variant 197
- paired amino acid-converting enzyme (PACE) 548
- palladium-catalyzed allylic alkylation 16
- pancreatic lipase 492, 493
 - crystal structures of 493
- papain 348, 480, 481
 - carboxypeptidase activity 483
 - characteristics of 482
 - crystallographic data 482
 - cysteine proteinase 481
 - hydrophobic residues 483
 - *l*-amino acid residues 482
 - P1-P2 amide bond 484
- Papaya proteinase* 480
- partial sequence homology 615
- PCR assay 647
- Penicillium expansum* 644
- pentapeptide bradykinin-potentiating peptide (BPP) 5a 559
- PEP mutase 190
- peptide aldehydes 350
- peptide-based enzyme models, catalysis 433
- peptide bond 640
 - cleavage 354
 - hydrolysis, catalysis 345
- peptide boronic acids 164, 171
 - derivative, enzyme inhibitory profile 165
 - inhibition activity 171
 - serine proteases binding 164
- peptide-catalyzed ester hydrolysis 441
- peptide chain backbone 353
- peptide foldamers, catalytically active 435
- peptide hormones 533, 534, 535, 540, 623
 - biogenesis 623
 - biosynthesis 535, 540
 - prohormone cleavage 542–552
 - prohormones production/maturation 535
 - PTMs 552–555
 - schematic overview 540
 - secretory pathways 540–542
 - precursors, phosphorylation 535
- peptides 351, 353, 354
 - enzymatic synthesis 354–360
 - inhibitors 561
 - ligation methods 403
 - production 353
 - scaffolds 462
 - signals 616, 623
 - systems 459
- peptide-matrix complex 352
- peptide nucleic acid (PNA) 454
- peptide sequence elongation 129
 - by Boc solid-phase peptide synthesis 129
- peptidic coupling 74
- peptidomimetic phosphinates 233, 235
 - synthesis 233, 235
- peptidomimetics 353
- peptidyl carrier protein (PCP) domains 631
- peptidylglycine α -amidating monooxygenase (PAM) 553
- peptidylglycine α -hydroxylating monooxygenase (PHM) 553
- peptidyl- α -hydroxyglycine α -amidating lyase (PAL) 553
- perfluoroalkylvinylphosphonates 212
- periostat structure 102
- peroxidase activity mechanism 462
- PGHS activity 104
 - pharmacological control 104
 - schematic representation 104
- PGHS inhibitors 104
 - cyclooxygenase (COX) site 104
 - peroxidase (POX) site 104
- α -peptidic backbone 416
- phage-derived promoters 383
- Phe analog 386
 - 2-naphthylalanine (Nal) 386
- phenethyl containing peptides 171
 - preparation 171, 174
- phenethyl peptide boronic acids 170
 - synthesis 170–172
- phenylalanines 270
 - derivative 12
 - silicon-substituted synthesis 270
- phenyldichlorophosphine 238
- pheromone biosynthesis-activating neuropeptide (PBAN) 587

- amphiphilic pseudomimics of 587
 - phosphate bond 444
 - cleavage 444–456
 - DNA models 446–450
 - in RNA 445
 - RNA models 450–456
 - phosphate bond, hydrolysis 451
 - phosphate esters 453, 456
 - cleavage 456
 - transphosphorylation of 453
 - phosphinimines 212
 - phosphinopeptide building block 234
 - phosphinothricin 242
 - α -phosphonate carbanions 217
 - α -phosphorylated imines, synthesis 211
 - phosphinotripeptides, synthesis 231
 - phosphates, nucleophilic addition 216
 - phosphoenolpyruvate (PEP)-
 - phosphonopyruvate rearrangement 190
 - phospholipases, digestive function 493
 - phosphonamidate peptides, transition state analogs 237
 - phosphonamidate pseudopeptides 236, 237
 - phosphonamidopeptides, synthesis 237
 - phosphonate carbanions reactions 206
 - phosphonium cation coupling agent 113
 - BOP, use 113
 - phosphono/phosphinopeptides,
 - definition 227
 - phosphonoacetates 179, 181
 - boron analogs synthesis 179–182
 - cytotoxicity 181
 - phosphonodepsipeptides, synthesis 239
 - phosphonolipids 190
 - phosphonomethylaminocyclopentane-1-
 - carboxylic acid 197
 - phosphonopeptides 9
 - antibiotics 190
 - fragments 227
 - strategies 229
 - structure types 229
 - synthesis 230
 - phosphonoxins 243
 - phosphorus analogs 189, 240
 - aminophosphinic acids 189
 - aminophosphonic acid 189
 - photolysis 18
 - photoreactive amino acids 392
 - *p*-(3-trifluoromethyl-3H-diazirin-3-yl)-Phe 392
 - *p*-benzoyl-Phe 392
 - physicochemical environment 515
 - phytosulfokine 611
 - nanomolar quantities 611
 - receptor protein (PSKR1) 612
 - function 612
 - role 611, 612
 - synthesis 612
 - pinacol (iodomethyl)boronate 150
 - tertiary amines reaction 150, 152
 - pinane amidoboronic esters 147
 - synthesis 147, 150
 - pinanediol ester 161
 - synthesis 161, 162
 - ping-pong mechanism 345
 - piperazic acid 37, 40, 61, 62
 - cyclization reaction 75
 - derivatives 37, 61, 74, 75
 - synthesis method 61–62
 - L-enantiomer 40
 - preparation 62
 - residue 38
- Piv-Pro-NHAla-NHiPr 40
 - X-ray structures 40
- plant bioassay 599
 - defense proteinase inhibitors (PIs) 599
- plant-derived enzymes 348
 - bromelain 348
 - papain 348
- plant growth regulators 614
- plant peptide signals 597
 - abscission, inflorescence deficient 614, 615
 - 4-kDa peptide 615
 - CLAVATA3/endosperm surrounding region (CLE) 605–609
 - high-performance liquid chromatography (HPLC) 597
 - introduction 597
 - mass spectrometry (MS) techniques 597
 - peptide sequences, conserved motifs, and receptors 600–601
 - plant defense 599
 - *Arabidopsis* 604
 - AtPep1 604, 605
 - hydroxyproline-rich systemin (HypSys) glycopeptides 603, 604
 - systemin 598–603
 - polaris 613–614
 - precursor proteins 598
 - rapid alkalization factor (RALF) 609, 610
 - rotundifolia4/devil1 610
 - self-recognition mechanisms 615
 - S-locus cysteine-rich peptide (SCR/SP11) gene 615, 616
 - C-terminally-encoded peptide 1 (CEP1) 611
 - tyrosine-sulfated peptides 611, 613
 - phytosulfokine 611–613
- plant regulatory peptides 597

- extracellular signals 597
- plant regulatory peptide research
 - methods 616
- ligand fishing 622
 - bait receptors 622, 623
- novel peptide signals identification 618
 - cell alkalization assay 618–622
- peptide signaling 616
- peptidomics, use of 622
- systemin, discovery of 617–618
- Plasmodium falciparum* 244
- plastocyanin-cytochrome *f* complex 511
- polar aprotic solvents, chloroform 316
- polar solvents 330
 - DMF 330
 - DMSO 330
- polaris peptide 613
- polybromo 520
- polyethylene glycol-grafted polystyrene resin 123, 128
 - ArgoGel-OH 123, 128
- polygalacturonic acid oligomers 617
- polyketide/NRP synthetases 636
 - adenylation domain substrate specificity 636
- polyketide sythetase genes 645
- polymer-bound esters 128
- polymerase chain reaction (PCR) 399
- polymeric oxime ester 129
 - Boc protecting group, removal 129
- polymeric resins 124
- polypyrimidine-containing
 - oligonucleotide 417
- polystyrene resin 125
- porphyrin ring 458
- post-translational chemical modification 412
- post-translational modification (PTM)
 - 411–414, 535, 552–555, 632
 - acylation 554
 - amino acids removal 552
 - proteolytic processing 541
 - pyroglutamylation 554
 - techniques 380
 - C-terminal amidation 553
 - N-terminal truncation 554
- predicting association rate enhancement (PARE) 523
- preproctolin amino acid sequences 579
 - N-terminal, alignment of 579
- pretranslational modification techniques 380
- prior thiol capture method 402
- pro-oxytocin 548
- pro-oxytocin/neurophysin 548, 554
 - converting enzyme 548
 - processing domain 564
- process catalysts (biocatalysts) 341
- processing pathways 543
- prochiral hydrazone function 55
- proctolin 578, 579
 - insect peptide hormone 578
 - N-terminus of 579
 - preprohormones 580
- prohormone 548, 552
 - cleavage sites prediction 552
 - thiol protease complex 548
 - Cathepsin L subunit 548
- prohormone convertase 562, 564
 - conformational requirements 564
 - pro-domains 562
 - usage 562
- prohormone processing enzymes, cleavage by 565
- prohormones 543, 544
 - cleavage patterns 543
 - processing scheme 544–547
- proline 289, 290, 293, 294, 295, 296, 311, 329
 - bifunctional catalysis structure 284
 - catalysis pathway 296
 - catalyzed carbohydrate synthesis 295
 - catalyzed intermolecular aldol reaction 293, 290, 294
 - via enamine mechanism 289, 293
 - derivatives 329
 - functions 293
 - potential catalysis intermediates 284
 - tetrazole catalyst 311
- proline α -aminoboronic acids, synthesis 155
- proline-containing diketopiperazines 18
- (*S*)-proline 288, 291, 315, 319, 323
 - catalyzed cycloaddition methodology 323
- catalyzed intermolecular Aldol reactions 291
- catalyzed intermolecular Michael additions 315
- catalyzed reaction 288
- use 319

- promoter trap strategy 614
- proprotein convertase 543, 548, 549, 550
 - amino acid-specific members 548, 550
 - schematic domain structure 550
 - maturation 550
 - prohormone cleavage involvement 543
 - kexin 9 (PCSK9) 480
- proprotein convertase inhibitors 561–565
 - endogenous protein inhibitors 562
 - peptide inhibitors 563
 - K_i values 563
- prostaglandin G₂ (PGG₂) 104

- prostaglandin H₂ synthases (PGHSs) 97
 - prosystemin 602
 - cauliflower mosaic virus 355
 - promoter 602
 - importance of 602
 - tomato plants 602
 - protease 233, 345, 356, 357, 360, 530
 - automated screening 360
 - cleavage 556
 - investigation methods 556
 - groups 345
 - penicillin acylase 233
 - phosphodiesterase 233
 - role 350
 - usage 350
 - protease biocatalysts 358
 - protease-producing genes 360
 - protease recognition sequence 404
 - protected α -hydrazino esters 53
 - synthesis 53
 - protein 401, 407
 - average length 401
 - *de novo* design 433
 - functional 457
 - semisynthesis 407
 - solution structure 462
 - structural reorganization 460
 - protein biosynthesis 491
 - protein data bank (PDB) 506
 - protein engineering 342, 349, 379
 - directed evolution by tandem mutagenesis 342
 - gene-shuffling 342
 - ligase-assisted recombination 342
 - site-directed mutagenesis 342
 - protein expression 384
 - vectors series 383
 - pET 383
 - pQE 383
 - protein flexibility 526
 - protein folding 517
 - scaffolds 521
 - protein fragments 446
 - protein interactions measurement 509, 512
 - affinities measurement 514, 515
 - binding affinity, modulation of 515
 - discovering/establishing 512, 513
 - stoichiometry measurement 513, 514
 - protein kinases 476, 488
 - physiological protein substrates 476
 - physiological substrate 490
 - remote binding sites 476
 - RXL/KXL motif 489
 - classes of 488
 - phosphoryl transfer 488
 - mechanism of 488
 - protein ligation 380
 - protein molecules *see* enzyme
 - protein production technologies 489
 - protein-DNA interfaces 506
 - hydrogen bonds 507
 - protein-DNA recognition 505
 - protein-nucleic acid interactions 506
 - modularity 507
 - water 507
 - protein-protein interactions 416, 505, 506
 - computational algorithms 523
 - hotspots 509
 - large planar surfaces of 526
 - protein-protein interfaces 506
 - chemical properties of 506
 - enzyme active sites 507
 - hydrogen bonds 507
 - protein recognition 505
 - coupled folding and binding 515
 - disorder, advantages of 516–518
 - diversity 518–519
 - intrinsically unstructured proteins, characteristics of 516
 - introduction 515
 - post-translational modification (PTM) 505
 - protein-protein interactions 521
 - allosteric Inhibitors 526, 527
 - flexibility 526
 - optimization 523
 - small-molecule inhibitors 524–526
 - protein engineering 521
 - binding functionality 521–523
 - DNA-Binding 523, 524
 - protein interactions 509
 - introduction 509–510
 - irreversible interactions 510
 - measurement 512–515
 - regulatory interactions 510, 511
 - ultra-weak 511, 512
 - protein interfaces nature 506
 - binding sites, characteristics of 506, 507
 - hotspots 508–509
 - modularity and promiscuity 507–508
 - PTMs 519
 - and domains 519
 - histone modifications 520, 521
 - histones 520
 - interactions, regulation of 519
 - types of 519
- protein-splicing domain 405
- protein-splicing mechanism 405, 406
- protein-splicing structures 406

- protein splicing 404
- protein substrate, cleavage of 479
- protein synthesis 381
- protein thioesters 409
- proteinase inhibitor-inducing factor (PIIF) 617
- proteinase inhibitor (PI), production 617
- proteinogenic α -amino acids 52
 - electrophilic amination 52
- proteinogenic amino acids 385, 397
- proteins 510
 - CBP/ACTR 518
 - gyration, radius of 517
 - nonantibody scaffolds 522
 - regulatory functions 510
 - gene expression 510
 - intracellular signaling 510
- proteins 457, 459, 513, 554
 - iron porphyrin binding model 457
 - molecular weight of 513
 - N-terminal acetylation 554
 - natural 457, 459
- proteolytic enzymes 146, 345
 - serine proteases 146
 - small-molecule inhibitors 146
 - characteristics 345–348
 - mechanisms 345–348
- protic solvents, ethanol 312
- protozymes, development 438
- pseudopeptide, designing 233
- psychrophilic proteases 348
- pyrazole, regioselective synthesis 78
- pyridoxal phosphate enzymes 35, 36
 - γ -aminobutyric acid (GABA) transaminases 36
 - aspartate aminotransferase 36
 - histidine decarboxylase 36
 - inhibitors 35
 - mesodiaminopimalate decarboxylase 36
 - ornithine decarboxylase 36
- pyroglutamate aminopeptidase 392
- pyrrole-2-carbaldehyde Pa 401
- pyrrolidine ring 283

- r**
- rabbit reticulocyte cell-free translation system 392
- racemic boraalanine 151
- radical additions 15–17
- Raney nickel 63, 211
- rapid alkalization factor (RALF) 609
 - *Arabidopsis*/tomato plants treatment 609
 - ectopic expression 610
 - gene databank 609
 - HPLC peak 609
- Rayleigh scattering 513
- reaction media 315, 330
 - ionic liquids 315, 330
- reaction medium 413
- readout systems 555–557
 - cleavage reaction observation 555
- receptor-fusion protein 623
- receptor-ligand pairs 622
- receptors, class 533
- recombinant DNA technology 350
- recombinant fusion protein, treatment 404
- recombinant inteins 409
 - Mth RIR1 409
 - Mxe GyrA 409
 - Ssp DnaB 409
- recombinant protein 384
- red-shifted fluorescent dyes, rhodamine 556
- redox potential 459, 460, 463, 464
- reducing agents 414
 - borohydride 414
 - sodium cyanoborohydride 414
- regiospecific hydrolysis 350
- release-inhibiting factors, statins 534
- release factor 381
- renal tubules, *see* Malpighian tubules
- renin-angiotensin system 558
- repressed promoter 383
- residue-specific modifying reagents 412
- resin bound esters, nucleophilic cleavage 121
- resins 124
 - 2-chlorotrityl chloride polystyrene 126
 - chloro-functionalized 124
 - HOBt polystyrene, recycling 129
 - oxime polystyrene resin, 128. *see also* Kaiser resin
 - peptide, deprotection 127
 - polyethylene glycol grafted polystyrene 126
 - polymeric 124
 - rink acid 124
 - sasrin 124
 - trityl-based 124
 - Wang 124
- resin-immobilized Fx, *see* flexiresin
- restriction enzymes 446
- retro-Michael reaction 213
- reverse phase high-performance liquid chromatography (RP-HPLC) analysis 557, 644
- reverse transcription-polymerase chain reaction (RT-PCR) 644
 - analysis 610
- reverse turns 416
- reverse/retro-hydroxamates synthesis 117

- RF-ribosome interaction 381
Rhodococcus rhodocrous 342
 ribo-X 396, 397
 ribonuclease 451
 – activity 451
 – nanoparticle-based 455
 – RNase A 451
 – catalytic mechanism 451
 – RNase S-protein 451
 ribozyme 392, 394, 396
 – evolution 394
 – recognition motif 396
 rink acid resin 124
 RNA 445, 450, 453, 454, 456, 535
 – cleavage 454
 – dinucleotides 456
 – heterogeneous nuclear 535
 – hydrolysis 445
 – polyanionic substrate 453
 – ribosomal 451
 – single-stranded 451
 – transactivation responsive (TAR)
 model 454
 RNA library 395
 RNA ligation 401
 RNA models 450–456
 RNA variants 395
 RNAs, hydrolysis mechanism 451
 RNase mimic system 452
 Robinson-type annulation 285
 Robinson annulation sequence 286
 – (S)-proline catalyzed 286
 Robinson reaction 286
 – 6-(enolendo)-*exo*-trig asymmetric 286
 Rosenmund-von Braun reaction 326
 Rotundifolia4 (ROT4) gene 610
 – overexpression 610
 – protein encoded 610
 RXPA380 560
 – cocrystallization study 560
- S**
- S-adenosylmethionine (SAM) 634
 S-alkylation 5
 S-butyl-Cys50 mutant 418
 S-locus cysteine-rich peptide (SCR/SP11)
 gene 615
 – proteins 616
 S-locus glycoprotein (SLG) gene 616
 S-locus receptor kinases (SRKs) 616
Saccharopolyspora erythraea 641
Saccharomyces cerevisiae 387
 SAHA synthesis 107, 108
Salmonella typhimurium 153
 – D-alanine/D-alanine ligase from 153
 Sanglifehrín 38
 Sasrin resin 124
 scandium triflate 201
 Schöllkopf's reagent 271
 – alkylation of 265
 Schmitz oxaziridine 53
 SDCM method, advantage 417
 second-generation library 462
 secondary metabolites, *see* antibiotics
 secretory pathway 542
 – secretory granules 542
 – depot pool 542
 – secretory proteins 542
 Selenium-containing proteins 380
 Seleno amino acids 5
 self-aminoacylating RNA 395
 self-assembled monolayers (SAMs) 440
 – advantage 440
 self-recognition mechanisms 615
 semisynthetic enzymes 415
 – definition 379
 – examples 415–418
 semisynthetic protein, synthesis
 methods 382
 sense codons 381
 – reassignment 380–385
 sequential ligation strategy 411
 sequential synthesis 352
 Ser/His/Glu catalytic triad 493
 serine carboxypeptidase 477
 serine protease inhibitors 159
 – catalytic site-directed moiety 159
 serine proteinases 345, 346, 476
 – atomic resolution 477
 – catalytic Cys-His-Asn 481
 – catalytic mechanism 346
 – chymotrypsin 478
 – inhibitor-2 562
 – structural classes of 477
 – chymotrypsin-like 477
 – subtilisin-like 477
 – substrate recognition 478
 Sfp-type enzymes 642
 Shine–Dalgarno (SD) sequence 396
 shoot-apical meristem (SAM) 605
 short peptide inhibitors 564
 Si–C bond stability 272
 sialic acids, phosphonate acid analogs 225
 sialidase inhibitors 225
 side-chain selective reagents 412
 siderophores 95, 96
 – antimicrobial agent 97
 – applications 96

- feature of 96
- iron-containing 96
 - transport of 96
- natural/synthetic 97
- solid-phase synthesis 124
- signal transduction pathway 613
- signaling pathways, intervention 561
- signaling/nonsignaling binding
 - interactions 484
- pH-*k* profiles 484
- silanes 269
- silanols 262
- silica-supported NH_4HCO_3 196
- silicon 261, 262
 - electronegativity 261
 - nontoxic nature 261
 - substitution 262
 - consequences 262
 - steric/lipophilic effect 262
 - use of 261
- silicon-containing amino acids 261, 263, 271
 - chemistry 261
 - experimental procedures 276–278
 - reactions 271
 - functional group Protection 272
 - sterics/electronics 262
 - synthesis 263
 - α -silyl amino acids/derivatives synthesis 263
 - amino acids synthesis 269
 - β -silylalanine/derivatives synthesis 263
 - proline analogs synthesis 269
 - silyl-substituted phenylalanines synthesis 269
 - stereoselective method 263
 - ω -silyl amino acids/derivatives synthesis 267
- silicon-containing renin inhibitor 273
- silicon group 271
 - lower steric impediment 271
- silicon-substituted amino acids 272
 - bioactive peptides 272
 - β -silylalanine use 272
 - *N*-silylalkyl amino acids use 274
 - silaproline use 274
- β -silylalanine 266
 - Trost/Lee's umpolung approach 266
- ω -silyl amino acids, approaches 268
- α -silyl amino acid derivatives 272
 - instability of 272
- α -silyl- α -amino acids synthesis 264
- silyl enol ethers 58, 207
- silyl methyl-substituted peptides 274
 - reactivity, electrochemical/chemically oxidative conditions 274
- Sinapis alba* 486
- single peptide hormone, functions 535
- site-directed mutagenesis 344, 349, 358, 360, 390, 412, 415
 - (SDCM) strategy 415
- small-molecule synthetic inhibitors 99
 - design strategy 99
- small-size peptides 359
- $\text{S}_\text{N}2$ reaction 107
- solid-phase methods 159
- solid-phase peptide synthesis (SPPS) 351
 - advantages 351
 - program 269
 - systems 351
- solid-phase reactions 106
 - standard analytical techniques 106
- solid-phase synthesis 121, 122, 127
 - advantages 121
 - agitation method 122
 - limitations 121
 - resins 121
 - use 121
 - solid-supported reagents 121
 - techniques 73, 130
- solid-phase synthetic strategies 130
- solid-state ^{31}P -NMR cross-polarization magic angle spinning technique 192
- sorting by retention hypothesis 542
- sorting for entry hypothesis 542
- spectrophotometric assay 555
- sperm binding JH synthesis 580
- Sphingidae, *see Manduca sexta*
- splicing mechanism 405
- split-and-pool protocol 450
- SPPS, strategies 352
- standard analytical techniques 106
 - NMR spectroscopy 106
 - thin-layer chromatography 106
- stereoselective C–P bond-forming reaction 200
- stereoselective/catalytic enantioselective Mannich-Type reaction 58
- stereoselective/catalytic enantioselective Strecker reaction 56
- Stille couplings 13
- stop codon, *see* nonsense codons
- Strecker reaction 227
- streptavidin 395
- streptavidin-allophycocyanin conjugate 642
- Streptomyces coelicolor* 634
- Streptomyces griseus* trypsins 479
- Streptomyces hygroscopicus* 190

- Streptomyces noursei* 649
Streptomyces purpeofuscus 36
Streptomyces verticillus 642
Streptomyces viridochromogenes 227
 structure-activity relationships 157
 structure-based drug design, pharmacophore model 561
 suberoylanilide hydroxamic acid (SAHA), structure 103
 substrate-binding constant 440
 substrate engineering 358
 substrate recognition 476
 – aaRSs 490–492
 – by kinases 488
 – catalytic mechanism 478, 483
 – chymotrypsin 482
 – cysteine proteinases 480–485
 – depends on 482
 – electrostatic effects 480
 – enzyme catalyzes nucleophilic attack 474, 476
 – glycosidases 486
 – glycoside hydrolases 485–488
 – investigation of 479
 – key binding interactions 480
 – kinetic analysis 479
 – lipases 492, 493
 – molecular recognition processes 473
 – peptide substrates 479
 – protein kinases 488–490
 – serine proteinases 476–480
 β-substituted derivatives 12
 subtilisin-inhibitor complexes 478
 – crystal structures of 478
 subtilisin 350, 358
 – inhibitor 478
 succinimidyl esters 413
 sugar ring 487
 sulfhydryl group 345
 sulfonamide hydroxamic acids synthesis 108
 sulfonium salts 5
 sulfonyl chlorides 413
 sulfo succinimidyl esters 413
 super acid-sensitive linkers, solid supports 124
 supercritical fluids 354
 suppression techniques 387
 surface plasmon resonance 514
 syn-1,2-amino alcohols 302
 – direct Mannich reaction 302
 synthetic catalyst, aspect of 446
 synthetic catalytic pores, self-assembly 439
 synthetic peptide insert 411
 synthetic systems 433
 systemin 599
 – 18-amino-acid peptide 599
 – endoplasmic reticulum 602
 – Golgi-dependent post-translational modifications 602
 – JA-Ile 603
 – membrane receptor 602
 – mitogen-activated protein (MAP) kinase 603
 – palindromic sequence 602
 – protein binding 602
- t**
*t*Boc/Bzl multiple peptide synthesis 353
 T cell activation 244, 526
 template dependent T7 RNA polymerase 401
 template-mediated ligation method 402
 tepoxalin, structure 109
tert-butyl hydroperoxide (TBHP) 5
 tethering strategy 525
 – schematic illustration of 525
 tetraethyl ω-aminoalkylidene-1,1-bisphosphonates 224
 tetrahydrofuran 19, 210
 tetralkyl ammonium salt 54
 tetratricopeptide 522
 textile industries 342
 thermodynamic analysis 512
 thermodynamically controlled synthesis (TCS) 354
 – advantages 354
 – drawbacks 354
 thermophilic proteases 348
Thermus aquaticus (Taq) DNA 399
 – Klenow fragment (KF) 399
Thermus thermophilus 491
 thioester-linked intermediate 403
 thioesterase domains 631
 thiolation domains 635, 638
 thiolation domains, *see* peptidyl carrier protein (PCP) domains
 thiols, dithiothreitol 407
 thiol-reactive reagents, alkylating reagents 414
 thiol-subtilisin 380
 thionyl chloride 237
 three-base codons 399
 three-component reaction 195, 232
 – condensation 193
 – system 197
 three segmental fusion proteins 407
 thrombin inhibitor 157, 159, 162, 274
 – synthesis 159

- tissue-specific processing 551
- tissue hormones 533
- tissue peptidases 587
- pGlu-Arg-Phe-Ser-Aib-Trp-Gly-NH₂ 587
- TMS-activated H-phosphinic acids 234
- tobacco etch virus (TEV) 404
- Cys protease 404
- trans*-(±) 1,2-acetamidocyclohexanol 435
- kinetic resolution 435
- stereoselective acylation 435
- trans-Golgi network 535, 540, 542, 553
- trans-thioesterification 404
- reaction 403
- transferrin-mediated iron uptake 641
- transient electron-transfer complexes 511
- transition metal-catalyzed modification 415
- transition metal ions 95
- translation 381
- trialkyl phosphites 199, 223
- triazine derivatives 110
- trifluoroacetic acid 123, 351
- triisopropylsilyl 46
- triketones, intramolecular aldol cyclization 287
- β-trimethylsilylalanine 265, 266, 273
- asymmetric synthesis 265
- bioactive peptides 273
- enantioselective synthesis methods 266
- racemic 265
- trimethylsilyl (TMS)-phosphite 220
- tripeptide RGD (Arg-Gly-Asp) amide 360
- tris-ethyleneglycol methyl ether (TEG) 441
- units 443
- trityl-based resins 126
- trityl linker, solid supports 125
- tRNA 392, 395
- chemical acylation 392
- identity elements 387
- library 389
- mischarging 395–396
- tRNA aminoacylation 490, 491
- enzyme-aminoacyladenylate complex 490
- stages 490
- tRNA substrate 491
- electrostatic interactions 491
- trojan horse 97
- antimicrobial prodrugs delivery 97
- truncated protein 397
- trypanosomi cruzi* 487
- trypsin-like serine proteases 167
- plasma kallikrein 167
- plasmin 167
- thrombin 167
- tryptophan-heme interactions 459
- tumor necrosis factor 97
- tumor suppressor p53 524
- Tyr50, mutation 418
- tyrosine, binding of 492
- tyrosine kinases possess 488
- tyrosine residue, sulfation of 577
- tyrosine-sulfated peptides 613, 621
- tyrosyl-tRNA synthetase 491, 492
- crystallography 492
- tyrosylprotein sulfotransferase (TPST) 612
- Golgi-localized 612
- u**
- UDPGalNAc transition state analogs 243
- ultra-weak complexes 511
- undistorted glycosyl-enzyme 487
- nucleophilic attack 487
- unsaturated nitroso ester intermediate 269
- hetero-Diels-Alder reaction 269
- US Food and Drug Administration (FDA) 97
- α,β-unsaturated carbonyl compounds 51
- stereoselective α-hydrazination 51
- α,β-unsaturated ester 324
- α,β-unsaturated imides 44
- hydrazines, enantioselective conjugate addition 44
- α,β-unsaturated isocyano acetates 11
- uronium coupling reagent 113
- HATU 113
- chemical structures 114
- v**
- valyl-tRNA synthetase 490
- isoleucine, activation of 490
- van der Waals contacts 511
- vascular endothelial growth factor 522
- vinyl phosphonate 213, 214
- vinyl phosphorus derivatives 212
- reactivity 212
- w**
- Wang resin 122, 123, 126, 126
- development strategy 126
- water-soluble carbodiimides 412
- water-soluble model systems 462
- water-tolerant catalysts 196
- Watson-Crick base pairs 386
- Western blotting 646
- Wieland-Miescher ketone 286
- Wilkinson's catalyst 19
- Wittig reagents 9
- wobble base pair 386

x

- X-linked inhibitor of apoptosis (XIAP) 522
- X-ray absorption spectroscopy study 94
- X-ray crystallography 477, 482
 - oligopeptides 482
 - chloromethylketone derivatives of 482
- X-ray photoelectron spectroscopy 94

y

- yeast nucleus 512
- yeast transcription factor 512
- yeast two-hybrid (Y2H) 512
- ytterbium triflate 201

z

- Zimmerman-Traxler-type transition state 293
- zinc-binding group (ZBG) 99
 - hydroxamic acid 99
- zinc finger 446, 447, 451
 - applications 451
 - peptides 451
 - targeter 524
- zinc glycoprotein, chloride-dependent 559
- zirconium imine complex 263
- zirconocene species, synthesis from 172–174
- zwitterion 146

