

## Index

### **a**

absorption coefficient 219  
 acrydite-DNA sequence 228  
 acrydite-terminated DNA 228  
 adiabatic photolithography 28  
 – schematic presentation 28  
 adiabatic process 10, 11, 29  
 – fabrication 11  
 – photoresist 29  
 Al-coated mold 57, 59  
 AlGaAs barrier layer 76  
 angular frequency 24  
 angular spectrum 12, 245, 247, 248  
 annealing process 95, 97  
 antimonide-related material 80, 90  
 aperture pitch 135  
 APTES-guided technique 233  
 – molecular self-assembly 232  
 argon-ion laser 197  
 artificially assisted self-assembling (AASA)  
 173  
 atom-detecting devices 12  
 atom photonics 12  
 atomic-force microscope (AFM) 28, 29, 47,  
 58, 61, 72, 96  
 – image 28, 32, 47, 58, 62, 75, 76, 93  
 atomic-level material fabrication 2  
 – sapphire 37

### **b**

band-edge emission 112  
 bandgap semiconductors 71  
 band-pass filters 28  
 bar magnets 168  
 biotin-cDNA chains 228  
 bit-patterned media (BPM) 167  
 block-copolymer films 153, 159  
 – lithography 154

Bragg condition 182  
 bulk materials 116

### **c**

calculation models 56  
 – schematic of 56  
 capillary force 49, 51  
 carboxyl group 51, 54  
 Carniglia–Mandel model 12  
 catalyst-assisted vapor-liquid-solid (VLS)  
 107  
 catalyst-free metalorganic vapor-phase epitaxy,  
 107, 108  
 charge-neutrality equation 218  
 chemical-mechanical polishing (CMP) 60  
 chemical vapor deposition (CVD) 36, 243  
 – photodissociation 17  
 – processes 243  
 chip-to-chip interconnects 215  
 chlorine-based reactive ion etching (RIE) 95  
 coherent magnetization rotation 158  
 colloidal beads 50  
 colloidal gold nanoparticles 49, 51, 52, 53,  
 54  
 – self-assembly 49  
 – SEM image 52  
 complementary DNA (cDNA) 226  
 – biotin-linked 226  
 cone angle 20

### **d**

DC magnetron sputtering methods 155  
 Debye–Waller factors 180  
 density/emission wavelength 74  
 deposition rate 26  
 – higher-order power dependence 26  
 deposition techniques 45  
 diamond-like carbon (DLC), 211

- film surface 195, 197, 200, 202, 204, 208, 209, 210, 212
  - Raman spectra 197
  - stripes 205
  - dielectric wave guides 235
  - diffraction efficiency curves 186, 187
  - dipole–forbidden transition 12
  - DNA-directed self-assembly 227
    - mediated methods 216
    - programmable 227
  - dot arrays 159
  - DRAM technology 35
  - dry-etching process 150
- e**
- EB-patterned GaAs surface 95
  - electric dipole operator 24
    - components 24
  - electric-field intensity distribution 48
  - electroluminescence devices 102
  - electromagnetic field 1, 4, 5, 134, 135, 185, 244
    - distribution of 134
    - spectrum representation 244
  - electromagnetic interaction 4
  - electron-beam lithography 92, 95, 137, 152, 170, 224
    - equipment 71
  - electron-beam writing technology 9, 32, 180
  - electron-hole pair 216
  - electron microscopy images 114
  - electron orbital energies 179
  - electron projection lithography (EPL) 55
  - electronic devices 91
  - electronic dipoles 3
  - electronic integrated circuits 100
    - technologies 215
  - electronic/photonic devices 107
  - energy-beam irradiation 150
  - energy-density excitation 193
  - energy-dispersive X-ray spectroscopy 117
  - energy gap 71
  - excitonphonon-polariton (EPP) 20, 61
    - energy 24
    - model 20, 24, 26
  - exposure system 136
- f**
- fabricating arbitrary nanostructures 71
  - fabrication methods 232
  - fabrication processes 150, 151, 216
  - fabrication/quantitative innovations 36
  - fabrication technique 73, 100, 101
  - fabrication technology 71, 89, 145
  - far-field light 20
  - far-field propagating light 20
  - FePt dots 156, 158
    - array 156, 162
  - fiber-optic communication networks 83
  - fiber probe 10, 20, 44
  - field-emission gun scanning electron microscopy (FEG-SEM) 109
  - finite-difference time-domain (FDTD) 134, 216
    - calculation 58
    - method 30, 55, 58, 170, 221
    - simulation 30, 217, 220, 236
  - free electrons 211
  - full width at half-maximum (FWHM) 78, 187
- g**
- GaAs buffer layer 74, 80, 93, 95, 96, 98
  - GaAs spacer layer 97
  - GaAs substrate 72, 80, 90, 95
  - gain-dependent QD waveguide transmission 223
    - Monte Carlo simulation 223
  - GaN micropylamids 127
  - gas-phase DEZn 37, 41
  - gas-phase diethylzinc 17
  - GaSb surface 93
  - GC spectrum 204
  - GC surface 205
  - geometrical arrangement 246
  - gold ions 51
    - reduction of 51
  - gold nanoparticles 53
  - growth mode transition 112
- h**
- hard disk drives 131, 147
  - high-density InGaSb QD layer 82
  - high-density magnetic recording 168
  - high-density QDs 78
    - self-assembled QDs 83
  - high-density storage system 167
  - high-performance devices 73
    - photodetectors 73, 78
    - semiconductor laser 70
  - high-precision material 194
  - high-quality nanorod heterostructures 108
  - high-resolution optical lithography 224
  - high-resolution processing 193
  - high-speed electronic devices 105
  - high-speed signal processing 73
  - high quality fiber probes 2
  - higher-magnification SEM images 51

hydride vapor-phase epitaxy 107  
hydrofluoric acid solution 102

## **i**

InAs 79  
– AFM image 78, 79, 80  
– QDs 78, 80, 90  
InGaAlAs spacer layers 85  
InGaAlAs strain-compensation layers 85  
InGaSb QDs 81, 82  
– AFM image 82  
– high-density 81  
*in situ* vacuum shear-force microscopy 36  
integrated angular spectrum 248  
interband transition state 112  
interdot coupling efficiency 221

## **k**

KAP crystal 187

## **l**

laminar-type multilayer grating 181  
– schematic diagram 181  
laser pulse energy 198  
lattice constant 85, 90  
lattice-matched InAlAs buffer layer 85  
lattice-mismatched material system 71  
lattice-mismatched semiconductor material systems 80  
light-emitting devices 105  
light-emitting diodes (LEDs) 105, 106  
– arrays 127  
light-emitting semiconductor particles 9  
– GaN 9  
– ZnO 9  
light absorption/emission 69  
light-matter interactions 12, 193  
lithography system 131  
lithography technology 150  
low-density quantum dots 73, 76, 78  
low-intensity propagating light 11  
low-noise high-speed responses 83

## **m**

macroscopic subsystem 4  
magnetic crystal anisotropy energy 147  
magnetic domain 168  
magnetic dots 149, 150  
magnetic field 148  
magnetic force microscopy (MFM) 172  
– image 172, 174  
magnetic hysteresis curves 157  
magnetic islands 158, 167  
magnetic materials 167

magnetic media 148  
– schematic explanation 148  
magnetic nanodots 155, 175  
– fabrication of 155  
magnetic recording 168, 177  
material systems 85  
Maxwell's equations 185, 220  
metal catalyst-assisted vapor-liquid-solid (VLS) 107  
metal nanoparticle 41, 215  
metallic nanodot 46  
metallic nanoparticles 45, 46, 48  
metallic waveguides 3  
metalorganic molecule 10  
metalorganic vapor phase epitaxy (MOVPE) 36, 244  
– catalyst-free 107  
– system 107, 108  
– technique 107  
microfabrication processes 107  
Mie's theory of scattering 42, 48  
molecular beam epitaxy (MBE) 71, 92, 107  
– growth chamber 85  
– method 96  
molecular electronic/vibrational energies 25  
molecular-flux intensity 99  
molecular vibration modes 23  
monochromator crystals 179, 180  
Monte Carlo approach 236  
multiphoton absorption process 22  
multiple QD-type waveguide fabrication process 231  
multipolar quantum electrodynamics 24  
multiquantum wells (MQWs) 92, 107  
– Sb-QDs 92

## **n**

nanodot chain 48  
nanofabrication technologies 215  
– advances 215  
– schematic drawing 217  
nanoimprint lithography 132, 151  
– process 152  
– templates 152  
nanojet probe method 96  
nanometer-scale 116  
– dots 39, 40  
– photonic 105  
nanometer-sized templates 49  
nanometric metallic particles 1, 4, 5, 9  
– Al 9  
– Zn 9  
nanopatterned media 149, 160  
– schematic explanation 149

- nanophotonic devices 2, 8, 9, 49, 70, 73, 75, 81, 83, 105, 106, 126
    - design 2
    - operation 8
  - nanophotonic fabrication 35
  - nanophotonic/macrosopic photonic devices 7
  - nanophotonic switch 7, 8, 11
  - nanophotonic systems 11
    - quantum-dot system 4, 12
  - nanophotonics technology 5, 243
  - nanopositioned AlSb/GaSb QW structure 93
  - nanopositioned Sb-QW structure 93
  - nanorod axial MQWs 109
  - nanorod heterostructures 105, 106, 107, 122
    - schematics 106
  - nanorod quantum structures 105, 106, 107, 112, 124, 127
  - nanorod SQW structures 115, 116
    - schematic 115
  - nanoscale ablation 206
  - nanoscale structures 48
    - corrugations 211
  - nanosized QW structures 126
  - nanostructure devices 132, 211
  - nanostructure fabrication 60
  - nanostructured Sb-based semiconductors 100
  - near-field desorption 45
  - near-field etching 63
  - near-field generator 167
  - near-field intensity distribution 220
  - near-field lithography 29, 132, 137
    - optical 137
    - lithography 55, 59
  - near-field microscopy 91
  - near-field optical chemical vapor deposition (NFO-CVD) 18, 26, 35, 36, 44
    - nonadiabatic 26
    - schematic explanation 18, 36
    - shear-force images 26
  - near-field optics 1, 2
  - near-field phenomena 35
  - near-field photoluminescence spectrometers 2
  - near-field photomask 133, 136, 142, 143
  - near-field scanning optical microscopy (NSOM) 124
  - near-field spectrometer 2
  - negative-dielectric materials 236
  - negative-index optical fibers 215
  - next-generation lithography (NGL) 55
  - nonadiabatic optical near-field etching 62
  - nonadiabatic photochemical process 27, 29, 31
  - nonadiabatic photochemical reaction 35, 60, 184
  - nonadiabatic photodissociation process 26
  - nonadiabatic photolithography 27, 28
    - schematic presentation 28
  - nonadiabatic process 10
  - nonadiabatic lithography 32
    - AFM images of 32
  - nonmagnetic matrix 147
  - nonradiative competitive process 218
  - nonresonant optical near-field 19
  - nonresonant process 5
- o**
- ONF intensity 20
  - optical communication devices 72
  - optical-gain coefficient 222
  - optical-gain distributions 91
  - optical-gain materials 93
  - optical fiber probe 36
  - optical field intensity 57
    - localization of 57
  - optical nanofabrication techniques 9
  - optical near-field 145
    - interactions 243
    - lithography 138, 140, 144, 145
    - use 3
  - optical/magnetic hybrid disk storage density 11
  - optical power density 28, 29
  - opto electronic devices 105
    - nanodevices 105
  - organo-silane molecule 224
- p**
- particle-suspension contact angle 50
  - PbS photodetector 73
  - periodic ablation 201
  - phase-shift mask technology 136
  - phonon-coupled devices 7
    - nanophotonic switches 7
  - photochemical etching method 102
  - photochemical reaction 9, 10, 19, 60
    - adiabatic 60
  - photochemical vapor 10
    - deposition 9
  - photochemically etched layers 102
    - emission spectra 102
  - photodeprotection resist system 142
  - photodissociation 38
    - process 22
    - reaction 44

- schematic diagrams 38
- photoelectron spectroscopy 22
- photolithography 9
  - technology 145
- photoluminescence spectrum 94
- photomask 27
  - schematic diagrams 27
- photomultiplier tube (PMT) 73
- photon energy 9, 36, 43, 46, 48, 60, 111, 113, 123, 179
- photonic devices 1, 5, 70, 83, 93, 105
  - nanophotonic switches 105
- photonic integrated circuits 215
- photonic/electronic devices 27
- photonic systems 5
- PL emission energies 112
- PL spectra 75, 78, 113, 122, 124
  - measurement system 73
- plasma oscillation 9
- PMMA layer 232
- polishing method 63
- polishing pad 63
- polishing particles 60
- polymeric resin 198
- polystyrene-poly-methylmethacrylate (PMMA) 172
- position-controlled dot-chain formation 48
- position-controlled nanoscale structures 48
- potential curves 23
  - schematic diagram 23
- processor chip speeds 215
- propagating light-coupled device 7
- propylene glycol monomethyl ether acetate (PGMEA) 155
- prototype device 138, 144
- pulse energy 199
- pump-probe experiment 204, 212
  - technique 202
- pump pulse 202

**q**

- quantum dots 6, 91, 92
  - array 88, 217, 222, 234
  - based nanophotonic circuits 228
  - density 75
  - devices 99
  - diameter 77, 222
  - emission spectrum 75, 226
  - fabrication process 225
  - fabrication technique 71, 73
  - formation 88
  - layers 75, 108
  - materials 76
  - photonic devices 216

- semiconductor optical amplifier (SOA) 73
- structures 91, 93, 100, 116
- waveguide 216, 222, 224, 232, 235, 236
- quartz glass slide 174
- quasi-Fermi energies 218
  - utilization 116

**r**

- radial nanorod heterostructures 107, 123
- radial nanorod quantum structures 105
- radial nanorod SQWs 122, 125
- Raman spectroscopy 197, 198, 199, 201
- RCWA method 185, 189
- reactant-gas delivery system 107
- refractive index 55, 58, 181, 194
- rigorous coupled wave analysis (RCWA) 185
  - method 185

**s**

- sapphire substrate 21
  - shear-force image 21
- Sb-based QD 92, 100, 101
  - AFM image 93
  - semiconductors 100
  - shatter sequence 101
  - structures 92
- Sb-flux intensity 100
- scanning electron microscope (SEM) image 58, 170
- scanning near-field optical microscope (SNOM) 73
- scanning transmission electron microscope (STEM) 85
- scanning tunneling microscope (STM) probe 98
- selective-area formation technique 102
- selective-area growth technique 99
- self-assembled monolayer 224
- self-assembled QDs 71, 77, 90, 91
  - density/wavelength 77, 91
  - fabrication 80, 230
- self-assembling method 48
- semiconductor crystal growth 71
- semiconductor devices 89
- semiconductor films 71
- semiconductor industry 150, 151
- semiconductor lasers 71
  - realization 71
- semiconductor laser diode 73
- semiconductor layers 216
- semiconductor memory 131
  - solid-state drives (SSD) 131
- semiconductor nanorod growth methods 108

- semiconductor nanorod heterostructures 107
  - semiconductor nanorod quantum structures 107
  - semiconductor nanorods 107
  - semiconductor nanostructures 105
    - one-dimensional (1D) 105
  - semiconductor quantum dot (QD) 69, 215
    - structure 100
    - surfaces 92
  - sensing systems 2
  - Si-doped GaAs thin films 81
  - Si-MOS compatible nanophotonics technology 100
  - Si nanoparticles 102
    - photochemical etching method 102
  - Si photodetectors 78
  - Si wedge structure 53
    - SEM image of 53
  - signal-to-noise ratio (SNR) 147
  - signal-to-noise ratio 167
  - signal magnitude 6
  - silicon-related quantum structure fabrication technology 100
  - silicon nanoparticles 101
  - silicon quantum dots 100
  - silicon waveguides 3
  - single-crystalline semiconductor nanorods 107
  - single-electron transistors 105
  - single quantum-well structures (SQWs) 107
  - site-controlled fabrication technique 91
    - AFM image 97
  - site-controlled individual InAs QD structures 98
  - site-controlled nanostructures 91
    - fabrication techniques 91
  - site-controlled QD 99
  - size-controlled deposition methods 49
  - size-controlled dot-chain formation 48
  - size-dependent resonance 35, 39, 40, 41
  - smaller-scale structures 244
  - SNOM measurement 75, 81
  - solid-state drives (SSD) 131
  - solid-vapor 198
  - spin on glass (SOG) 138
  - SPM images 210
  - stacked structure 86
    - STEM image 86
  - STEM measurement 87, 88
  - step-and-repeat method 140
  - STM-probe assisted nanolithography technique 99
    - STM-probe-assisted site-controlling technique 98
  - storage technology 147
  - strain compensation 84
    - layer 85
    - method 84
    - schematic diagram 84
  - strain energy 85
  - streptavidin-bound QDs 226
  - subdiffraction QD waveguide 217
  - surface plasmon-polaritons (SPPs) 208
  - synthetic silica substrates 61
- t**
- temperature-dependent PL spectra 125
  - thermal annealing process 154
  - thermal diffusion equation 176
  - thermally assisted magnetic recording (TAR) 167, 169
    - conceptual diagram 169
  - thermoplastic elastomers 153
  - thin-film deposition technology 71
  - time-domain method 29
  - TiN film 196
    - SEM images 196
  - transmission electron microscopy 109
    - images 109, 110
    - measurements 112
  - tri-propylene-glycol-diacrylate monomer 57
  - two-dimensional fast Fourier-transform (2DFFT) image 88
- u**
- ultraflat silica surface 63
  - ultraflat surface substrate 60
  - ultrahigh-density QDs 83, 90
    - fabrication 83
  - ultrahigh-resolution images 2
  - ultralong nanodot chain 46
  - ultralow growth rate 79
    - shutter sequence 79
  - ultrathin-film photoresist 144
  - ultraviolet light 9
    - fiber probe 17
  - U-shaped groove guides 159
  - UV fiber probe 36
  - UV-sharpened fiber probe 37
- v**
- vapor pressure 75
- w**
- waveguide-characterization procedure 235
  - wavelength of self-assembled QDs 73

wave-optical picture 9  
wide-bandgap materials 107  
– GaN 107  
– ZnO 107

**x**

X-ray absorption spectroscopy 179  
X-ray diffraction 109  
– gratings 179  
X-ray diffractometer 184  
X-ray emission spectroscopy 179  
X-ray plasma sources 179  
X-ray spectrometry 179

**z**

Zn nanodots 41  
– SEM images 41  
Zn nanoparticles 43  
– radius distributions 43

ZnO 121  
– PL spectra 121  
ZnO axial nanorod quantum structures 108,  
126  
ZnO-based nanomaterials 126  
ZnO/GaN nanorod heterostructures 126  
– quantum phenomena 110  
ZnO nanoneedles 249  
ZnO nanorods 107, 108, 111, 118, 119, 120,  
121  
– arrays 107, 127  
– MQWs 108  
– PL spectra 118  
– synthesis methods 127  
ZnO QW layer 112  
– schematic diagrams 112  
ZnO/ZnMgO nanorod 112, 113  
– QD formation 113  
– TEM image 112

