

Index

- 1-D bimetallic heteronanostructures 174–179
- 3-D mesoscale bimetallic patterning 185–188
- a**
- absorbance-based biosensing 37–38
- absorption coefficients, Mie theorie 5
- Ag-core/Au-shell nanoparticles 198–201
- Ag-shell nanoparticles 201–204
- agents, therapy 29–31
- alloy metal nanoparticles, silica-coated 354–355
- alloy nanomaterials
 - and drug delivery 382
 - aspect ratio 378
 - bioimaging (magnetic resonance imaging) 381–382
 - characterization using X-ray absorption spectroscopy 377–400
 - EXAFS 380, 392–393, 396–397
 - particle size, shape and aspect ratio measurements 387–388
 - TEM 379–380
 - XAS methods 389–390
 - XRD 379
- alloy nanostructures 179–185
- alloys, profunctional bimetallic 224–229
- amperometric immunosensor 202
- anisotropic bimetallic nanomaterials, biofunctionalization 197–240
- anisotropic bimetallic nanoparticles, synthesis and functionalization 45–48
- anisotropic boron nitride nanomaterials 463–489
 - collapsed nanotubes 478–479
 - electrical properties 484
 - high-temperature chemical inertness 484
 - high thermal conductivity 485
 - hydrogen storage 487
 - life science applications 487–488
 - mechanical properties 486
 - multiwalled nanotubes 470–475
 - nanowires 480–482
 - properties and applications 483–488
 - single-walled nanotubes 476–477
 - spherical particles 464–469
 - synthesis 464–482
- anisotropic metallic NSET biosensors 103–139
- anisotropic oxide nanomaterials, life sciences 45–56
- anisotropically shaped nanoparticles, nanorods and nanowires 209–224
- anode catalysts, biofuel cells 90–91
- antibody conjugation 204
- aqueous-phase synthesis 248–255
- aspect ratio, core-shell nanomaterials 378
- Au–Ag nanocomposites, TEM images 249
- Au–Ag nanoparticles, TEM images 46
- Au_{core}/Ag_{shell} nanoparticles 201–204
- Au nanoparticles, in hollow silica spherical structures 363–366
- Au_{shell} nanoparticles 198–201
- Au@Pd nanocubes 174
- Au–Pt nanomaterials
 - biofuel cell applications 79–91
 - electrocatalytic oxidation of D-(+)-glucose 73–76
 - glucose oxidation 70–84

- oxygen reduction reaction 58–63
- synthesis and structural properties 71–72
- Au-silica core-shell nanoparticles, TEM images 164

b

- bacteria, detection by nanorods 271
 - bilirubin oxidase, oxygen reduction 66–70
 - bimetallic alloys
 - nanostructures 179–185
 - *see also* profunctional bimetallic alloys
 - bimetallic core-shell nanostructures 164–174
 - bimetallic heteronanostructures 174–179
 - bimetallic nanomaterials
 - anisotropic 45–54, 209–223
 - biofunctionalization 197–240
 - biosensing 48
 - encapsulated 225–228
 - functionalization 45–47
 - gene delivery 49–51
 - imaging 49
 - life sciences 48–54
 - spherical 198–208
 - synthesis 45–47
 - vaccine applications 52–53
 - bimetallic nanoparticles
 - dendrimer-encapsulated 225–228
 - spherical core-shell bimetallic 198–209
 - surface and core composition analysis 391
 - synthesis and functionalization 45–48
 - bimetallic nanorods 45–46, 243–245, 248–250
 - aqueous-phase synthesis 248–249
 - organic-phase synthesis 243–244
 - bimetallic nanostructures 164–185
 - biofunctionalization 206–209
 - core-shell 164–174
 - life sciences 161–196
 - bimetallic nanowires 47
 - bimetallic patterning, mesoscale 185–188
 - bimetallic/trimetallic oxide nanorods, aqueous-phase synthesis 252–253
 - biofuel cells
 - Au–Pt nanomaterials 79–91
 - glucose/oxygen 85–91
 - bioimaging, core-shell nanomaterials 381–382
 - biological detection, nanotechnology promises 105
 - biomolecular delivery vehicles, core-shell nanomaterials 319
 - biomolecule (protein) core–polymer shell core-shell nanoparticles 304
 - biosensors 48–49, 103–139
 - absorbance-based 37
 - gold nanoshell-based 35–37, 129–130
 - SERS 37
 - BNN, hexagonal *see* hexagonal boron nitride nanomaterials
 - borazinic precursors, direct pyrolyzing 439
 - boron nitride nanomaterials (BNN)
 - anisotropic *see* anisotropic boron nitride nanomaterials
 - hexagonal *see* hexagonal boron nitride nanomaterials
- c**
- cancer cells
 - detection by NSET 128–129
 - prostatic 30
 - cancer detection
 - in vitro 26–27
 - in vivo 28, 31–33
 - cancer imaging 29–31
 - and therapy agents 29
 - cancer therapy, BNN application 449
 - carbon-containing core-shell nanomaterials 313–315
 - carbon nanotubes-substitution reaction, nanotube synthesis 420–425
 - carbon template-substitution reaction 441–442
 - catalysis
 - core-shell nanomaterials 319
 - heterogeneous photo- 141–150
 - catalysts
 - biofuel cell applications 57–103
 - efficiency 75–76
 - electrocatalytic oxidation 73–77
 - surface characterization 74–75
 - catalyzation
 - bilirubin oxidase 66–70
 - glucose oxidation 78–85
 - laccase 64–66
 - CD8 responses, ovalbumin-specific 53
 - cell detection, NSET 128–129
 - chaperonin templates, engineered 233
 - charge separation principle, photocatalysts 154
 - chemical vapor deposition (CVD), nanotube synthesis 426–428
 - collapsed nanotubes 478–479
 - composites, BNN application 449

- core-dissolution, controlled 298–299
 - core-shell bimetallic nanoparticles 198–209
 - core-shell bimetallic nanostructures, biofunctionalization for the construction of 206–209
 - core-shell nanomaterials 281–286
 - and drug delivery 382
 - applications 316–319
 - aspect ratio 378
 - bioimaging (magnetic resonance imaging) 381–382
 - bioimaging applications 318
 - biological/medical applications 317–319
 - biomolecular delivery vehicles 319
 - biomolecule (protein) core–polymer shell 304
 - carbon-containing 313–315
 - catalysis applications 319
 - characterization using X-ray absorption spectroscopy 377–400
 - deposition of shells over 290
 - drug delivery vehicles 319
 - dye-doped silica–metal oxide 305
 - EXAFS 380, 392–393, 396–397
 - immunoassay applications 318
 - insulator–insulator 302–306
 - insulator–metal 301, 313
 - insulator–semiconductor 309
 - metal 288
 - metal core–dendrimer 300
 - metal core–semiconducting metal oxide 300
 - metal-dense metal oxide 292–293
 - metal-functionalized metal oxide 294
 - metal–insulator 291–300
 - metal–metal 310–312
 - metal–metal oxide 298–299
 - metal oxide 289, 305
 - metal oxide–carbon 313
 - metal oxide–dye-doped silica 305
 - metal oxide–metal 301
 - metal oxide–metal oxide 305
 - metal oxide–polymer 305
 - metal–polymer 295–297
 - metal–porous metal oxide 294
 - nonmagnetic 287
 - particle size, shape and aspect ratio measurements 387–388
 - polymer–metal 301
 - polymer–metal oxide 302
 - polymer–polymer 303
 - polymeric 290
 - semiconductor 290
 - semiconductor–insulator 307
 - semiconductor–semiconductor 308
 - semiconductor–semiconductor–dendrimer 308
 - spherical and anisotropic nonmagnetic 281–321
 - synthesis of cores 288–290
 - synthetic methods 316
 - TEM 379–380
 - types of 291–316
 - XAS methods 389–390
 - XRD 379
 - core-shell nanoparticles, DNA-assisted synthesis 205–206
 - core-shell nanostructures
 - bimetallic 164–174
 - biofunctionalization 206–209
 - building strategy 162–163
 - characterized by XAS 389–390
 - metal-oxide 163–164
 - polymer–metal 301
 - cosmetic materials, BNN application 448
 - CVD *see* chemical vapor deposition
- d**
- D-(+)-glucose, electrocatalytic oxidation 73–76
 - dendrimer-encapsulated bimetal nanoparticles 225–228
 - dendrite nanostructures 186
 - distance-dependent NSET 115–119
 - DNA
 - fluorescence intensity 115
 - functionalization of nanorods 218–219
 - NW/NR functionalization 218–220
 - DNA-assisted synthesis 205–206
 - DNA cleavage detection, NSET 125–127
 - DNA detection
 - by nanorods 269–270
 - multiplex NSET 119–120
 - DNA metallization 228–229
 - DNA plasmids, selective binding 219
 - DNA/RNA hybridization detection, NSET probes for 112–114
 - doped TiO₂ mixed-metal oxides
 - UV-light-sensitive photocatalysts 141–146
 - visible-light-sensitive photocatalysts 146–150
 - drug delivery vehicles, core-shell nanomaterials 319
 - dye-doped silica–metal oxide core-shell nanostructures 305

e

- EGFR *see* epidermal growth factor receptor
- electrical nanoinsulators, BNN application 452
- electrodes, oxidation process 70–77
- endothelial gap 24
- enhanced green fluorescence protein (EGFP), gene delivery 50–51
- environmental remediation
 - mixed-metal oxide nanomaterials for 139–156
 - TiO₂ heterogeneous photocatalysis for 141–150
- enzymatic catalysts
 - biofuel cell applications 57–103
 - enzymatic reduction of oxygen to water 63–69
 - enzyme immobilization 61–62
 - ORR 61–69
- epidermal growth factor receptor (EGFR) 230–231
- extended X-ray absorption fine structure (EXAFS), core-shell nanomaterials 380, 392–393

f

- FePt nanoparticles, TEM images 246
- Förster resonance energy transfer (FRET) 109
- fuel cells 85–91
 - performances 88, 91

g

- gap, endothelial 24
- gas adsorption, BNN application 450–451
- gaseous molecules, detection by nanorods 265
- GDH, glucose oxidation 78–79
- gene delivery, oxide nanomaterial application 49–52
- glucose
 - electrocatalytic oxidation 73–77
- glucose biofuel cells 85–90
- glucose electro-oxidation 59
- glucose oxidase, direct electron transfer 80–82
- glucose oxidation 70–85
 - Au–Pt nanomaterials 70–84
 - catalyst efficiency 75–76
 - catalyzation by GDH 78–79
 - catalyzation by Gox 79–85
 - via enzymes 77–84
- glucose/oxygen biofuel cells 85–91

- gold, dielectric function 6–7
- gold nanoparticles
 - Ag_{Core}/Au_{shell} 198–200
 - Au_{Core}/Ag_{shell} 201–203
 - hyperefficient quenching 107
 - quenching efficiency variation 117, 121
 - silver enhancement 204–205
- gold nanorods, coating of 344
- gold nanoshells 1–44
 - absorption efficiencies 3
 - bioconjugation 18–19
 - biodistribution 20–21
 - biomedical applications 26–37
 - biosensors 35–37, 129–131
 - drug delivery 34
 - extinction efficiencies 3
 - extinction spectra 12
 - in vitro cancer detection 26–27, 29–30
 - in vivo cancer detection 28
 - in vivo photothermal therapy 31–33
 - integrated cancer imaging and therapy agents 29
 - near-field enhancement 13–14
 - optical properties 2–5
 - physical properties 2–16
 - plasmon resonance hybridization picture 13
 - scattering efficiencies 3
 - synthesis 16–19
 - TEM picture 2
 - tissue welding 35
 - toxicity 25
 - transport mechanisms 19–26
- gold-platinum catalysts 73–77
- gold-platinum nanoparticles
 - diffraction patterns 72
 - lattice constant parameter 73
 - structural properties 71
 - synthesis 71–73
- GOx, glucose oxidation 79–85

h

- heterogeneous photocatalysis, environmental remediation 141–150
- heteronanostructures, 1-D bimetallic 174–179
- hexagonal boron nitride nanomaterials (BNN)
 - applications 447–452
 - as support for catalysts 452
 - carbon template-substitution reaction 441–442
 - composites 449
 - cosmetic materials 448

- direct pyrolyzing borazinic precursors 439
 - electrical nanoinulators 452
 - for cancer therapy and diagnostics 449
 - gas adsorption 450–451
 - meshes 439–442
 - mesoporous molds 440
 - mono- or few-layer sheets 443–445
 - nano-objects 433–438
 - pharmaceutical table lubricants 447
 - physical properties of 446
 - porous 439–442
 - synthesis and applications 411–453
 - ultraviolet lasers and LEDs 452
 - *see also* nanotube synthesis
 - high-temperature chemical inertness, anisotropic boron nitride nanomaterials 484
 - hollow metal–metal oxide shells 298–299
 - hybrid materials, silica-encapsulated magnetic nanoparticles 359–362
 - hybridization detection, NSET probe 112–115
 - hybridization picture, plasmon resonance 13
 - hydrogels, nanoshell–polymer 35
 - hydrogen storage, anisotropic boron nitride nanomaterials 487
 - hyperefficient quenching, gold nanoparticles 107
- i**
- imaging 49
 - cancer 26–28
 - in vivo 28–29
 - immunoassays, core-shell nanomaterials for 318
 - immunosensors, amperometric 202
 - insulator–insulator core-shell nanoparticles 302–306
 - insulator–metal core-shell nanomaterials 301
 - insulator–metal core-shell nanoparticles 313
 - insulator–semiconductor core-shell nanomaterials 309
 - integrated cancer imaging 29–31
- l**
- laccase, oxygen reduction 64–70
 - laser ablation, nanotube synthesis 416–419
 - laser irradiation, destruction of nanoshells 15
 - LEDs, BNN application 452
 - life sciences 45–56
 - anisotropic boron nitride nanomaterials 487–488
 - nanoparticle applications 48–54
 - nonmagnetic metal-oxide and bimetallic nanostructures 161–191
 - ligand exchange, profunctional bimetallic alloys 228–229
 - light-sensitive photocatalysts, metal-doped TiO₂ mixed-metal oxides 141–146
 - liposomes, migrating 24
 - low-temperature autoclaving, nanotube synthesis 430
 - luminescence intensity, enhanced by silica-coated metal nanoparticles 342–344
- m**
- magnetic metal oxide nanoparticles, silica-coated 356–358
 - magnetic resonance imaging, core-shell nanomaterials 381–382
 - material characteristics, photothermal 14–16
 - mediated electron transfer, glucose oxidase 82
 - mercaptoalkyl oligonucleotide modified Ag/Au core-shell particles 200
 - metal catalysts, oxygen reduction reaction (ORR) 60
 - metal core–dendrimer core-shell nanoparticles 300
 - metal core–semiconducting metal oxide shell nanoparticles 300
 - metal cores, synthesis 288
 - metal-dense metal oxide core-shell nanomaterials 292–293
 - metal-doped TiO₂ mixed-metal oxides
 - UV-light-sensitive photocatalysts 141–146
 - visible-light-sensitive photocatalysts 146–150
 - metal electrodes, oxidation process 70–77
 - metal-functionalized metal oxide core-shell nanoparticles 294
 - metal–insulator core-shell nanomaterials 291–300
 - metal ions, detection by nanorods 265–266
 - metal–metal core-shell 310–312
 - metal–metal oxide shells, hollow 298–299
 - metal nanoparticle stabilization, PAMAM dendrimers 226
 - metal oxide–carbon core-shell nanoparticles 313
 - metal-oxide core-shell nanostructures 163–164

- metal oxide cores, synthesis 289
 - metal oxide–dye-doped silica core-shell nanostructures, core-shell nanostructures 305
 - metal oxide–metal core-shell nanostructures 301
 - metal oxide–metal oxide core-shell nanomaterials 305
 - metal oxide nanomaterials, mixed *see* mixed-metal oxide nanomaterials
 - metal oxide nanoparticles, silica-coated 356–358
 - metal oxide nanostructures, nonmagnetic 161–163
 - metal oxide–polymer core-shell nanoparticles 305
 - metal oxide shells 305
 - metal–metal oxide 298–299
 - metal oxide–metal 301
 - polymer–metal oxide 302
 - metal–polymer core-shell nanoparticles 295–297
 - metal–porous metal oxide core-shell 294
 - metallic NSET biosensors 103–139
 - Mg²⁺-dependent RNA folding, NSET 121–124
 - Mie theory
 - absorption coefficients 5
 - gold nanoshells 13–14
 - migrating liposomes 24
 - mixed-metal oxide nanomaterials
 - environmental remediation 139–156
 - metal-doped TiO₂ 141–150
 - TiO₂ heterogeneous photocatalysis 141–149
 - molecular oxygen reduction, kinetic model 60
 - multicopper oxidases, molecular oxygen reduction 63
 - multielemental nanorods
 - absorption 256–257
 - analytical applications 241–280
 - aqueous-phase synthesis 248–254
 - bimetallic 243–244, 248–249
 - bimetallic/trimetallic oxide 252–253
 - catalytic properties 262
 - characterization 241–280
 - detection of gaseous molecules 265
 - detection of metal ions 265–266
 - detection of pathogens and bacteria 271
 - DNA detection 269–270
 - emission 258–259
 - magnetism 263
 - multisegmented 250–251
 - organic-phase synthesis 243
 - properties 255–263
 - semiconductor 245–247, 254
 - separation and sensing of proteins 267–268
 - surface-enhanced raman scattering 260–261
 - synthesis 241–280
 - multiplex DNA detection 119–121
 - multisegmented nanorods, aqueous-phase synthesis 250–251
 - multisegmented NRS 250–252
 - multiwalled nanotubes (MWNT) 470–475
- n**
- nanocubes 174
 - nanomaterial surface energy transfer (NSET) 109–129
 - biosensors 103–139
 - distance-dependent 115–118
 - for cancer cell detection 128
 - for DNA cleavage detection 125–127
 - for monitoring Mg²⁺-dependent RNA folding 121–124
 - multiplex DNA detection 119–120
 - portable probes 111
 - probes for DNA/RNA hybridization detection 112–114
 - problems and challenges 131
 - size-dependence sensitivity 114
 - nanomaterials
 - biofuel cell applications 57–103
 - core-shell *see* core-shell nanomaterials
 - for environmental remediation 139–161
 - life sciences 45–56
 - NSET biosensors based on 103–139
 - quenching properties 106–109
 - size- and shape-dependent super quenching properties 106–108
 - *see also* bimetallic nanomaterials nanoparticles
 - Ag_{core}/Au_{shell} 198–201
 - anisotropically shaped *see also* nanorods; nanowires 209–224
 - Au_{core}/Ag_{shell} 201–204
 - dendrimer-encapsulated 225–228
 - DNA-assisted synthesis 205–206
 - silver enhancement 204–205
 - synthesis 71–73
 - synthesis and functionalization 45–48
 - nanorods (NR) 209–224
 - bimetallic 45–46
 - coating of 344

- detection and sensing applications 220–224
 - functionalization by DNA 218–219
 - functionalization with protein molecules 212–217
 - multielemental *see* multielemental nanorods
 - surface modifications 210–211
 - synthesis 241–280
 - TEM picture 2
 - nanoshell destruction 15
 - nanoshell growth phases 17
 - nanoshell–polymer hydrogels 35
 - nanoshells, gold *see* gold nanoshells
 - nanostructures
 - alloy 179–185
 - bimetallic *see* bimetallic nanostructures
 - biofunctionalization 206–209
 - core-shell *see also* core-shell nanostructures, 162–163
 - hetero- 174–179
 - potential applications in the life sciences 161–196
 - nanotechnology, promises for biological detection 105–111
 - nanotube (NT) nano-objects
 - filled 433–435
 - functionalized 436–438
 - nanotube (NT) synthesis
 - arc discharge 413–415
 - arc-jet plasma 432
 - carbon nanotubes-substitution reaction 420–425
 - chemical vapor deposition 426–428
 - hexagonal boron nitride 412–433
 - laser ablation 416–419
 - low-temperature autoclaving 430
 - pore-template 430–431
 - solid–gas reaction 429
 - nanotubes (NT), collapsed 478–479
 - nanowires (NW) 47–48, 209–224, 480–482
 - bimetallic 47
 - synthesis 241–280
 - *see also* nanorods
 - neutral media, electro-oxidation of glucose 76
 - noble metal nanoparticles 332–337
 - nonmagnetic metal-oxidenanostructures, life sciences 161–196
 - NR *see* nanorods
 - NSET *see* nanomaterial surface energy transfer
 - NW *see* nanowires
 - NW/NR functionalization
 - DNA 218–220
 - protein molecules 212–218
- o**
- oligonucleotides, for modifying silica shells 338
 - optic materials dopants, silica-encapsulated magnetic nanoparticles 359–362
 - organic-phase synthesis 243–245
 - ORR *see* oxygen reduction reaction
 - ovalbumin-specific CD8 responses 53
 - oxidation 73–77
 - catalyzation by GDH 78–79
 - catalyzation by Gox 79–85
 - enzymes 77–85
 - glucose 70–85
 - metal electrodes 70–77
 - oxide nanomaterials
 - anisotropic 45–54
 - environmental remediation 139–161
 - gene delivery 49–52
 - life sciences 45–56
 - oxide NRS, bimetallic/trimetallic 252–254
 - oxide photocatalysts 150–156
 - oxides
 - UV-light-sensitive photocatalysts 141–146
 - visible-light-sensitive photocatalysts 146–150
 - oxygen, enzymatic reduction to water 63–70
 - oxygen biofuel cells 85–90
 - oxygen reduction
 - catalyzed by laccase 64–70
 - molecular 60
 - oxygen reduction reaction (ORR) 58–70
 - enzymatic catalysts 61–69
 - enzymatic reduction to water 63–69
 - enzyme immobilization 61–62
 - metal catalysts 60
- p**
- PAMAM dendrimers 226
 - pathogens, detection by nanorods 271
 - Pd/Au nanostructures
 - XAS methods 393–394, 398–399
 - pharmaceutical table lubricants, BNN application 447
 - photocatalysis, environmental remediation 141–150
 - photocatalysts 141–156
 - charge separation principle 154
 - mixed-metal oxide 150–156
 - UV-light-sensitive 141–146
 - visible-light-sensitive 146–150

- photoluminescence, gold nanoshells
 - 14–16
- photothermal therapy 31–34
 - in vivo 31–33
- plasmon resonance, quasi-static approximation 7–13
- plasmon resonance hybridization picture, gold nanoshells 13
- platinum, silica-encapsulated 345
- platinum catalysts 73–77
- platinum nanomaterials, biofuel cell applications 57–103
- platinum nanoparticles
 - in hollow silica spherical structures 363–366
 - synthesis 71–73
- polymer–metal core-shell nanostructures 301
- polymer–metal oxide core-shell nanomaterials 302
- polymer–polymer core-shell nanomaterials 303
- polymeric cores, synthesis 290
- polypyrrole film, glucose oxidase 83–85
- profuctional bimetallic alloys 224–233
 - dendrimer-encapsulated bimetal nanoparticles 225–227
 - DNA metallization 228
 - engineered chaperonin templates 232–233
 - epidermal growth factor receptor 230–231
 - miscellaneous 229–233
 - surface stabilization by ligand exchange 228
- prostatic cancer cells 30
- proteins
 - functionalization of nanorods 212–217
 - selective adsorption 216
 - separation and sensing by nanorods 267–268
- Pt *see* platinum
- q**
- quantum dots (QDs) *see* silica-coated quantum dots
- quenching, size- and shape-dependent 106–108
- r**
- RNA folding, Mg²⁺-dependent 121–124
- RNA hybridization detection, NSET probe 112–115
- s**
- scattering coefficients, Mie theory 5
- self-assembly, orthogonal 213
- semiconductor cores, synthesis 290
- semiconductor–insulator core-shell nanomaterials 307
- semiconductor nanorods 245–248, 254–255
 - aqueous-phase synthesis 254
 - organic-phase synthesis 245–247
- semiconductor–semiconductor core-shell nanomaterials 308
- semiconductor–semiconductor–dendrimer core-shell-shell nanoparticles, nanoparticles 308
- SERS *see* surface-enhanced Raman scattering
- shape-dependent super quenching, nanomaterials 106–109
- silica-coated alloy metal nanoparticles 354–355
- silica-coated magnetic metal oxide nanoparticles 356–358
- silica-coated metal nanoparticles
 - biofunctionalization 338
 - enhanced luminescence intensity 342–344
 - modified with oligonucleotides 338
 - noble metals 332–337
 - silica-encapsulated platinum 345
 - silica gold nanorods 344
 - sol–gel method for silica coating 334–337
 - surface-enhanced Raman scattering effect 339–341
- silica-coated quantum dots 345–350
 - advantages 346
 - hydrophilic 349–350
 - hydrophobic 347–348
 - types 347–350
- silica core, nanoshell growth phases 17
- silica-encapsulated magnetic nanoparticles 351–362
 - alloy metal 354–355
 - applications 359–362
 - forming hybrid materials 359–362
 - metal oxide 356–358
 - optic materials dopants 359–362
- silica-encapsulated platinum 345
- silica gold nanorods, coating of 344
- silica shell nanomaterials 331–367
 - hollow silica spherical structures 363–366

- *see also* silica-coated metal nanoparticles; silica-coated quantum dots, silica-encapsulated magnetic nanoparticles
 - silica spherical structures, hollow 363–366
 - silver enhancement, gold nanoparticles 204–205
 - single-walled nanotubes (SWNT) 476–477
 - size-dependence sensitivity 114–115
 - size-dependent super quenching, nanomaterials 106–109
 - sol–gel method, for silica coating 334–337
 - solid–gas reaction, nanotube synthesis 429
 - spherical and anisotropic bimetallic nanomaterials, biofunctionalization 197–240
 - spherical bimetallic nanomaterials, biofunctionalization 197–240
 - spherical BN particles 464–469
 - spherical core-shell bimetallic nanoparticles 198–209
 - spherical metallic NSET biosensors 103–139
 - super quenching, nanomaterials 106–109
 - surface energy transfer *see* nanomaterial surface energy transfer (NSET)
 - surface-enhanced Raman scattering (SERS)
 - biosensing 37
 - silica-coated metal nanoparticles 339–341
 - surface plasmon resonance, quasi-static approximation 7–13
 - surface stabilization, ligand exchange 228–229
- t**
- TEM *see* transmission electron microscopy
 - therapy, photothermal 31–34
 - therapy agents, and cancer imaging 29
 - thermal material characteristics 14–16
 - TiO₂ heterogeneous photocatalysis, environmental remediation 141–150
 - TiO₂ mixed-metal oxides
 - UV-light-sensitive photocatalysts 141–146
 - visible-light-sensitive photocatalysts 146–150
 - tissue welding, gold nanoshells 35–37
 - toxicity profile, gold nanoshells 19–26
 - transmission electron microscopy (TEM), core-shell nanomaterials 379–380
 - trimetallic oxide NRS 252–254
- u**
- ultraviolet lasers, BNN application 452
 - UV-light-sensitive photocatalysts, metal-doped TiO₂ mixed-metal oxides 141–146
- v**
- visible-light-sensitive photocatalysts, metal-doped TiO₂ mixed-metal oxides 146–150
- w**
- water, enzymatic reduction of oxygen to 63–70
 - WAXS *see* wide-angle x-ray scattering
 - welding, tissue 35–37
 - wide-angle X-ray scattering (WAXS), gold-platinum nanoparticles 71–73
- x**
- X-ray absorption spectroscopy (XAS)
 - characterization of surface interactions 399–400
 - core-shell nanomaterials 377–400
 - core-shell structure analysis 389–390
 - data collection and analysis 386
 - fundamentals 384–385
 - particle size, shape and aspect ratio measurements 387–388
 - review of characterization methodologies 392–398
 - surface and core composition analysis 391
 - X-ray diffraction (XRD), core-shell nanomaterials 379
 - XAS *see* X-ray absorption spectroscopy

