

Index

a

- accumulation
 - brain drug 376ff.
 - LDC 378
 - nanocarrier 123, 139, 292
 - organic nanoparticle 223, 273
 - poly(ethylene glycol) (PEG) 124
 - tissue 273
 - tumor 140
- aggregation
 - carboxy-functionalized NPs 328
 - copolymer 243f.
 - in vivo 344
 - micellar 75
 - monomer 371
 - organic nanoparticle 223, 225
 - poly(divinyl benzene) (poly-DVB) 35
 - polymer 35, 237
 - polymersomes 163
 - radiopaque iodinated P(MAOETIB–GMA) 357f.
 - solid lipid nanoparticles (SLNs) 370ff.
- atomic force microscopy (AFM)
 - lipid-polymer films and coatings 278
 - molecular crystal nanorod 442f.
 - nanogel 49f.
 - nanotube forest 111
 - rosette nanotubes (RNTs) 498

b

- biocompatibility
 - alginate 298
 - carbon nanotubes (CNTs) 76, 108
 - chitosan 298
 - core–shell magnetic NPs 293
 - nanofibrous scaffolds 398
 - poly(ethylene glycol) (PEG) 298
 - polymersomes 164, 229
 - polysaccharide-derived particles 203
 - quantum dots (QDs) 127

- scaffolds 418
- biodegradable
 - cellular uptake 323f.
 - core–shell polymeric NPs 288ff.
 - nanogels 47
 - polyester 321ff.
 - poly(ethylene glycol) (PEG) 124
 - poly(n-butylcyanoacrylate) (PBCA) 320f.
 - SRP 74
- biofouling 267
- blood–brain barrier (BBB) 165, 321, 365ff.
 - reversible disruption 368
- bond
 - acetal 47
 - coordination 42ff.
 - covalent 47, 430
 - disulfide 4, 47
 - ester 47
 - hydrogen 4, 42f., 61, 430
 - intra-gel 6
 - ionic 42f.
 - labile 4ff.
 - noncovalent 42, 444ff.
 - nonreactive 5
 - permanent 4f., 8
 - ph-cleavable 132
 - reformation 7
 - reversible 7
 - rupture 7f., 12f.
 - stiffness 7, 10, 12
 - thiol 4
- bottom-up approach, *see* synthesis
- brain imaging, *see* medical imaging
- bulk heterojunction (BHJ) architecture 445

c

- cancer therapy
 - chemotherapy 139, 298
 - photodynamic therapy (PDT) 300f., 381
 - photothermal therapy 482f.

- polymeric-based core–shell NPs 300ff.
- radiofrequency ablation 483f.
- solid lipid nanoparticles (SLNs) 366ff.
- thermotherapy 382
- Cauchy–Green strain tensor 16, 20
- cell
 - adhesion 82, 105
 - differentiation 329ff.
 - penetration 136f., 169
- cellular
 - therapeutics 314ff.
 - uptake 73, 312, 315, 317ff.
- central nervous system (CNS)
 - disorder 365
 - targeting 381
- chelator 138f., 459f.
- chemotherapy, *see* cancer therapy
- chromatography
 - dye affinity 86
 - gel-permeation (GPC) 43, 45, 50, 263
 - high-performance liquid (HPLC) 263
 - thin-layer (TLC) 263
- circular dichroism spectroscopy 498
- click chemistry 32, 77
- cluster
 - grape-like 46
 - nanogel 12, 19
- coating
 - fibers 411f.
 - lipid– 269ff.
 - nanotubes 108
 - pinhole-free 70
 - PNIPAAm 79
 - polyelectrolyte 297
 - polysorbate 80– 376ff.
 - stimulus-responsive polymer (SRP) 73
- complexes
 - anionic polymer– cationic polymer 43f.
 - anionic polymer–metal ion 43f.
 - avidin 165
 - drug–polymer 298
 - gadolinium 316
- computational fluid dynamics (CFD) simulation 200f.
- computed tomography (CT) 127, 345, 349ff.
- confocal microscopy 166, 294
- conjugates
 - CNTs–PNIPAAm 76
 - ligand–PEG–PE 128f.
 - lipid–drug (LDC) 377f.
 - oligonucleotide (ODN)–PEG 132
 - PEG–lipid 125
 - pro drug 377
 - SRPs–QDs 73f.
 - SWNTs–paclitaxel (PTX) 480
 - transferrin–PEG–liposomes 129
- contact angle, *see* wettability
- continuum elasticity theory 5
- contrast agents, *see* medical imaging
- copolymers
 - crosslinking methods 40f.
 - diblock 34, 38, 43, 50, 65, 158
 - graft 44, 158
 - multiblock 158ff.
 - radiopaque iodinated P(MAOETIB–GMA) 351ff.
 - random block 158
 - star 36f., 158
 - tetrablock 160
 - triblock 40, 62, 74, 158
- core–shell biomedical applications 285, 293ff.
 - bioimaging 293f.
 - biosensing in Diabetes Mellitus 295f.
 - glucose monitoring 295f.
 - labeling 293f.
- core–shell nanostructures
 - colloids 290, 292
 - functionalized 298ff.
 - multifunctional 286, 293f.
 - nanocapsules 286, 288, 316f., 334, 370
 - nanofibers 405ff.
 - nanogels 31, 35, 46
 - nanospheres 286, 370
 - quantum dots 286
 - polymeric NPs 286ff.
 - surface-properties 292
 - synthesis 289
- critical micellar concentration (CMC), *see* micelle
- critical micelle temperature (CMT), *see* micelle
- critical solution temperature
 - lower (LCST) 35, 41, 46, 61ff.
 - upper (UCST) 61ff.
- crosslinking agent
 - divinyl benzene (DVB) 28, 32, 34f., 37
 - methylenebis(acrylamide) (BIS) 28, 30, 33ff.
 - methyl methacrylate (MMA) 32
- crosslinking
 - bifunctional 29
 - covalent 28, 75, 291, 316
 - density 39
 - dual 4f., 7ff.
 - intermolecular 46
 - ionically 291
 - linear chains 40f.

- micelles 36
 - nanocomplexes 41
 - nanoparticles 41
 - noncovalent 28, 42
 - photothermal 39
 - side-chain 39
 - cytoplasmic localization 327
 - cytotoxicity
 - QDs 295
 - SLN 383
- d**
- Damkohler number 236, 243
 - defects 4, 466
 - deformation
 - bulk 17, 22
 - elastic 16
 - gel 6, 8ff.
 - -gradient tensor 16
 - modes 22
 - plastic 13
 - tensile 4, 8f., 13f.
 - detection
 - labeling 293f.
 - -free 455f.
 - real time 463f.
 - dialysis 41, 199
 - dispersion
 - mono– 286
 - nano– 199, 245
 - poly– 232, 273
 - precipitation–redispersion 199
 - stabilization 223
 - divinyl benzene (DVB), *see* crosslinking agent
 - DNA
 - complexation 204
 - encapsulated 174
 - intracellular delivery 135f.
 - drug delivery for the brain 366ff.
 - solid lipid nanoparticles (SLNs) 369ff.
 - strategies 368f.
 - drug delivery systems (DDSs)
 - bifunctional core–shell nanostructures 296ff.
 - controlled (CDDS) 77f., 203, 344
 - dendrimers 127
 - encapsulated PLGA–PEG NPs 245f.
 - green 46
 - in vitro release 290
 - liposome-mediated 65, 76, 233f.
 - long-circulating liposomes 124ff.
 - longevity 122ff.
 - magnetically-sensitive 133f., 136
 - microfluidic-related organic NP 244ff.
 - multifunctional nanocarrier 121ff.
 - nanofibrous scaffolds 399
 - nanowire conducting polymer (CP) 467f.
 - nonliposomal long-circulating 126f.
 - organic NPs 222, 226f., 244ff.
 - pH-sensitive systems 130ff.
 - polymersomes 76, 170
 - polysaccharide-based nanoparticulate 287, 291, 296
 - quantum dots (QDs) 127
 - redox-sensitive 135f.
 - stimuli-responsive release 130f., 246ff.
 - targetability 122ff.
 - temperature-sensitive 133f., 136
 - theranostics 138ff.
 - ultrasound-sensitive 134
 - drug expulsion 375
 - dynamic light scattering (DLS)
 - lipopolymers 273
 - rosette nanotubes (RNTs) 498
- e**
- ellipsometry
 - lipid-polymer films and coatings 278
 - emulsification, *see* synthesis
 - emulsion
 - double 230, 269, 369
 - inverse mini– 314
 - micro– 195, 370
 - mini– 29f., 195, 313ff.
 - oil-in-oil 195
 - oil-in-water 29, 33, 195, 197, 370
 - organic NPs 228ff.
 - water-in-oil 29, 269, 370
 - water-in-oil-in-water 269, 369
 - single 159, 269
 - endocytosis of NPs 331f., 379
 - endocytotic pathway 312, 331f.
 - enhanced permeation and retention (EPR)
 - effect 122f., 301
 - enzymatic degradation 368
 - extracellular matrix (ECM) 79, 397ff.
 - extravasation 123
- f**
- field-effect transistors (FETs)
 - CNT-based biosensors 464, 481
 - covalent organic nanostructures 444
 - nanowire CP 463
 - peptide nanostructures 111
 - finite element approximation
 - deformation of nanogels 16, 18
 - flow
 - cytometry 323

- -driven microcapsules 5
- fluorescence-activated cell sorting (FACS) 315, 319, 325
- fluorescence microscopy
 - molecular crystal nanorod 442
 - near infrared (NIR) 169, 486
 - organic NPs 206
 - QDs 300
 - self-assembled peptides 113, 116
 - solid lipid nanoparticles (SLNs) 378
 - thioflavin 113, 116
- fluorescence recovery after photobleaching (FRAP)
 - lipid-polymer films and coatings 278
- Food and Drug Administration (FDA)
 - cetylpalmitate SLN 383
 - PEGylated QDs 287
 - polyester polymers 383
 - poly(ethylene oxide)–poly(propylene oxide) (PEO–PPO) 158
 - poly(*N*-isopropylacrylamide) (PNIPAAm) 61
- Fourier transform (FT) 302
 - fast (FFT) filtering 166
 - infrared spectroscopy (FTIR) 263, 347
- functionalization 66
 - nanoparticles (NPs) 72f., 129f., 312f., 324ff.
 - ORMOCER 113ff.
 - scaffolds 397, 418
 - surface 312f., 324ff.

g

- gadolinium-based contrast agents (GBCAs) 316f., 335, 380f.
- gamma-scintigraphy, *see* medical imaging
- gene therapy
 - contrast agents 314
 - polysomes 174f.
 - organic nanoparticles 204
- generally recognized as safe (GRAS) 382
- grafting
 - density 76, 86
 - -from 69, 413
 - poly(ethylene glycol) (PEG) 70
 - polymer onto surface 413f.
 - -to 69f., 413

h

- half-life
 - circulation 265, 267, 272, 275, 298
 - gadolinium-based contrast agents (GBCAs) 380f.
 - lipopolymer hybrid NPs 265

- heterojunction, *see* bulk heterojunction
- Hookean spring 6, 8
- hydrophilic
 - conformation 66, 161
 - monomer 35
 - poly(ethylene glycol) (PEG) 124
 - polymer 38f., 64, 124, 163
 - poly(*N*-isopropylacrylamide) (PNIPAM) 31
- hydrodynamic
 - flow focusing 231ff.
 - radius 49, 65, 346, 351, 355
- hydrogel 60ff.
 - cationic 64
 - chitosan 64
 - layer 292
 - PDMAEMA 64f.
 - salt-responsive 86
 - swelling–deswelling 64, 72
- hydrophobic
 - monomers 33
 - polymer 35, 38f., 65, 106f., 371

i

- immobilization
 - CP nanowire 460
 - enzyme 62
 - spiropyran 35
- immunoresponse 292
- interaction
 - cell–cell 403
 - cell–ECM 403
 - cell–nanofiber 401ff.
 - cell–nanoparticle 248, 317ff.
 - cell–scaffold 403
 - cellular 311
 - chain–chain 372f.
 - drug–carrier 123
 - enhanced repulsive 124
 - enzyme–hydrogel 302
 - Hookean spring 6, 8
 - host–guest 204
 - hydrophobic 42, 44f., 106, 371
 - inter-gel 6, 18
 - intermolecular 46
 - intramolecular 64
 - nanoparticle–organelle 249
 - π – π stacking 77, 432, 475, 479
 - particle–particle 374
 - potential 6f., 34
- interface
 - solid/liquid 169, 375
 - water/oil 317
- interfacial

- energy 371
 - film 197
 - polyaddition 317
 - tension 167, 375
 - interferometric reflectance spectroscopy 72
 - intracellular delivery
 - cell-penetrating peptide (CPP)-mediated 136f.
 - of drug nanocarriers 122, 135ff.
 - targeting 130ff.
 - irradiation
 - electron beam 41, 413, 429
 - γ - 370, 413
 - quantum-ray 41
 - ultraviolet (UV) 39, 41ff.
 - Israelachvili's packing parameter 371
- k**
- kinetics
 - enzyme 83
 - growth 329
 - homogeneous competitive 244
 - organic NP formation 244, 253
 - uptake 312, 320, 334
 - Krieger's equation 374
- l**
- labeling, *see* detection
 - lab-on-a-chip technology 204, 221f.
 - laser scanning microscopy (LSM) 315
 - confocal (cLSM) 323, 327f., 334
 - subcellular localization 327f., 334
 - lattice spring model (LSM), *see* model
 - Levi–Civita tensor 20
 - lipid-coated, *see* coating
 - lipid-polymer nanomaterials, *see* lipopolymers
 - lipopolymers
 - applications, *see* nanostructure application
 - coatings 260, 275, 277ff.
 - conjugates 260f.
 - films 260, 277ff.
 - glycolipids 262
 - hybrid NPs 260, 264ff.
 - packing 371ff.
 - phospholipids 262
 - properties 263
 - synthesis 261f., 266ff.
 - synthetic 260f.
 - tether 278
 - liposomes
 - large multilamellar vesicles (LMV) 266
 - large unilamellar vesicles (LUV) 266
 - long-circulating 124ff.
 - PEGylated 137f., 267f.
 - polymer-decorated 60
 - small unilamellar vesicles (SUV) 266
 - stimulus-responsive polymers (SRPs) 75f., 267
 - lithography
 - electron-beam 193, 251
 - holographic 193
 - nanoimprint (NIL) 193f., 251, 460f.
 - particle replication in nonwetting templates (PRINT) 193f.
 - photo- 193
 - step- and flash imprint (S-FIL) 194
 - X-ray 193
- m**
- macrogels 30
 - magic bullets 226
 - magnetic resonance image (MRI), *see* medical imaging
 - marker
 - bio- 293
 - chemical 5
 - damage 5
 - sensing of disease 462f.
 - mass spectrometry (MS)
 - nanotubes 109
 - lipopolymers 263
 - mean residence time (MRT) 377
 - medical imaging
 - brain imaging 380ff.
 - contrast agents 138f., 311, 314, 316f.
 - gamma-scintigraphy 138
 - in vitro 140
 - in vivo 139f.
 - magnetic resonance image (MRI) 137f., 169f., 300, 311, 314f
 - ultrasonography 138
 - membrane
 - alumina 71
 - aluminum oxide (AAO) 435
 - bilayer 267, 278
 - conformations 159ff.
 - contactors 200
 - fluidity 161
 - fusion 162f.
 - lipid 277f.
 - mixers 200
 - permeability 85f., 161
 - polymersomes 159ff.
 - porous 60, 71f., 85
 - stability 170
 - thickness 161
 - mesenchymal stem cells (MSCs)

- clathrin-mediated uptake 334
 - intracellular uptake 326f.
 - proliferation rate 404
 - methylenebis(acrylamide) (BIS), *see* crosslinking agent
 - methyl methacrylate (MMA), *see* crosslinking agent
 - micelle
 - critical micellar concentration (CMC) 74, 132, 223
 - critical micelle temperature (CMT) 77
 - crosslinked 36ff.
 - flower-like 40
 - formation 36
 - ph-sensitivity 132
 - polyion complex 43
 - polymeric (PM) 237
 - spherical 167
 - unimeric 75
 - microcapsule 4
 - microelectrode array (MEA) 111, 114
 - microfluidic
 - batch synthesis of organic NPs 222ff.
 - channels 234f., 247, 249
 - microfluidic devices 204f., 221f., 227ff.
 - aggression time 236f.
 - continuous-flow 224
 - flow rate ratio (FRR) 234, 241
 - flow velocity 235f.
 - heat transfer 240f.
 - kinetic control 242f.
 - microfluidic dimensions 235f.
 - micromixing 238f., 243
 - mixing time 235ff.
 - operating parameters 234ff.
 - reactors 228ff.
 - residence time distribution (RTD) 239
 - solvent-resistant 250
 - thermal control 240
 - microfluidic
 - high-throughput processes 249, 251f.
 - synthesis of organic nanoparticles 227ff.
 - synthetic operations 238ff.
 - T-junctions 229, 231
 - microgel 28, 36ff.
 - model
 - atomistic 5
 - Bell 7
 - gel lattice spring model (gLSM) 15f., 18
 - lattice spring model (LSM) 5ff.
 - seven-node 6
 - molecular weights
 - high-molecular weight polymers 161, 168, 188
 - low-molecular weight compounds 42, 168, 295
 - multifunctional low-molecular weight initiators 37
 - nanogels 31
 - ultra-high-molecular weight compound 302
 - weight-average 49
- n**
- nanobelts 455
 - nanocapsules, *see* core–shell nanostructures
 - nanocarrier, *see* drug delivery systems (DDSs)
 - nanofiber
 - biomolecule attachment 416f.
 - chemical modification 412f.
 - coating 411f.
 - fiber diameter 403f.
 - fiber orientation 404f., 408ff.
 - fiber surface optimization 410ff.
 - plasma treatment of 414ff.
 - polycaprolactone (PCL) 406, 409, 412
 - polymer grafting 413f.
 - tissue engineering 397ff.
 - nanogel
 - anionic 31
 - dumbbell 37
 - capsules 34
 - cationic 31, 33
 - chemical 28ff.
 - cholesterol-bearing pullulan (CHP) 44ff.
 - degradable chemical 47f.
 - dynamics 7
 - hairy 32f., 37, 50
 - hexagonal particle 18f., 21ff.
 - hollow 34, 39
 - Janus 35, 160
 - mechanical stability 13f.
 - network 6, 8f., 86
 - *N*-isopropylacrylamide (NIPAM) 31, 34f., 47f., 133
 - physical 28, 42ff.
 - polyacrylamide (PAM) 34
 - poly(*N*-isopropylacrylamide) (PNIPAAm) 30ff.
 - poly(vinyl caprolactam) (PVCL) 63
 - poly(vinylimidazole) (PVI) 34
 - poly(vinyl methyl ether) (PMVE) 41, 6163
 - poly(2-vinylpyridine) (P2VP) 34
 - poly(4-vinylpyridine) (P4VP) 35
 - self-healing 3ff.
 - size 28, 30, 34

- star-like 36ff.
- synthesis 28ff.
- three-dimensional (3-D) 18
- tripatite 37
- two-dimensional (2-D) 8, 18
- viscoelastic 21ff.
- nanointerfaces 59ff.
- nanoparticles (NPs)
 - dual-reporter 314
 - encapsulated 4, 60
 - Fe₃O₄ 32
 - functionalization 72f., 129f., 312f., 324ff.
 - gadolinium 316f., 335, 380
 - gold (AuNPs) 34, 67, 72f., 129, 345
 - iodinated 344f.
 - kinetically frozen 236
 - magnetic 73, 108, 126, 140, 247, 314
 - MAOETIB 346ff.
 - PACA 382f.
 - PEGylated 129f.
 - polyester 321ff.
 - poly(n-butylcyanoacrylate) (PBCA) 320f.
 - polysaccharide-based 287, 291
 - radiopaque 343ff.
 - silica 34, 72
 - soft 188
 - solid organic 188ff.
 - sterilization 370f.
 - stimulus-responsive polymer (SRP) 72ff.
 - superparamagnetic iron oxides (SPIOs) 133f., 136f., 140, 170, 311, 314ff.
 - ultrasmall superparamagnetic iron oxides (USPIOs) 380
 - very small superparamagnetic iron oxides (VSPIOs) 380
- nanoprecipitation, *see* synthesis
- nanorods
 - solvent-annealed molecular crystal 440ff.
 - stimulus-responsive polymer (SRP) 72
- nanoshell, *see* coating
- nanospheres, *see* core–shell nanostructures
- nanostucture applications
 - chemical sensing 445f.
 - core–shell biomedical applications 285, 293ff.
 - lipopolymers 263f., 275f., 279
 - nanowire conducting polymer applications 464f., 480ff.
 - organic nanoparticle applications 207f.
 - nanotubes 464, 480ff.
 - photomechanical actuation 446ff.
 - polymersomes biomedical applications 161, 169ff.
- stimulus-responsive polymer (SRP) application 77ff.
- nanosprings 455
- nanostucture
 - fabrication, *see* synthesis
 - one-dimensional (1-D) 430f., 433, 439, 455
 - size-controlled growth 429f.
 - three-dimensional (3-D) 18, 114f., 405, 418
 - two-dimensional (2-D) 8, 18, 405
 - zero-dimensional 433
- nanotubes
 - applications, *see* nanostucture applications
 - carbon (CNTs) 76, 107, 430, 455
 - charge-transfer organic salt 439
 - chelator CP 459f.
 - dibenzoylmethane (DBM) 437f.
 - fabrication 474ff.
 - horizontal alignment 108
 - multi-walled carbon (MWNTs) 107, 478, 484
 - PEGylated 127, 129
 - peptide-based 494ff.
 - poly(3,4-ethylenedioxythiophene) (PEDOT) 437, 467
 - polymeric-based 300
 - rosette (RNTs) 493ff.
 - single-walled (SWNTs) 478ff.
 - stimulus-responsive polymer (SRP) 72, 76f.
 - vertical alignment 107
- nanowire conducting polymer applications
 - biosensors 462f., 480
 - chemiresistive immunosensor 463
 - detection 464ff.
 - sensing of disease markers 462f.
- nanowire conducting polymer
 - assembly/alignment 461, 463
 - carboxylated 459
 - fabrication 457f., 474ff.
 - magnetic alignment 461f.
 - segmented 457, 460f.
 - surface modification 458f.
- nanowires
 - polyaniline (PANI) 464f., 481
 - poly(3,4-ethylenedioxythiophene) (PEDOT) 437
 - POPOP 438
 - supramolecular self-assembly 430, 431
- neo-Hookean compressible material 17
- nuclear magnetic resonance spectroscopy (NMR) 263

- radiopaque iodinated P(MAOETIB) NPs 347
 - rosette nanotubes (RNTs) 497ff.
- o**
- opacification 350, 352
 - oponization 124, 290, 292, 378
 - optical
 - bioimaging 484ff.
 - microscopy 229
 - organic nanoparticle
 - applications, *see* nanostructure applications
 - dendrimers 188f.
 - fullerenes 188f.
 - growth 200, 224, 243f., 252
 - macromolecules 188f.
 - monodisperse 229
 - nucleation 200, 224, 243f., 252
 - preparation, *see* synthesis
 - properties 226
 - size-dependent effects 189, 223, 225
 - osmotic pressure 344
- p**
- patterning
 - inkjet technology 107, 109, 111
 - laser-induced forward transfer (LIFT) 111ff.
 - three-dimensional (3-D) nanostructures 114ff.
 - PEGylated, *see* poly(ethylene glycol)
 - peptides, *see* self-assembled peptide nanostructures
 - pharmaceutical nanocarriers, *see* drug delivery systems (DDSs)
 - pharmacological
 - activity 344
 - inhibitors 312
 - phase
 - separation 165f.
 - transition temperature 271
 - phospholipids, *see* self-assembled
 - photodynamic therapy (PDT), *see* cancer therapy
 - photo-Fenton reaction, *see* reaction
 - photoisomerization 66ff.
 - photothermal therapy, *see* cancer therapy
 - plastic, elongation, *see* structural rearrangement
 - polyanions 64ff.
 - polycations 62, 64
 - polydispersity 69
 - polyelectrolyte 203f., 291, 297
 - poly(ethylene glycol) (PEG) 40
 - -block-polyions 43
 - cell adhesion inhibitor 82
 - -containing monomers 33
 - grafting 70
 - PEGylated nanocarriers 125ff.
 - sterical protecting 124, 128
 - polyisoprene (PI) 318f., 323
 - polymer
 - amphiphilic 44, 124, 126, 139, 157ff.
 - blending 410f.
 - brushes 60, 128, 161
 - conducting (CP), *see* nanowires
 - core-crosslinked star 36ff.
 - cushion 277f.
 - degradation 322
 - density 7
 - longevity 123f.
 - star 36ff.
 - polymerization
 - anionic 370
 - arm-first method 36f.
 - atom transfer radical (ATRP) 31ff.
 - cationic 36f.
 - controlled radical (CRP) 69, 75
 - core-first method 37f.
 - dispersion 35
 - electron-beam 71
 - heterogeneous 345
 - in liposomes 34
 - in situ 40, 436
 - in templates 29ff.
 - inverse miniemulsion 29, 33
 - living 36ff.
 - macroinitiator-type 39
 - macromer-type 40
 - micelle crosslinking 38ff.
 - miniemulsion 29f., 195
 - nitroxide-mediated radical (NMRP) 32, 37, 69
 - on inorganic NPs 34
 - photo- 442
 - photoiniferter-mediated 69
 - plasma 70f.
 - precipitation 29f., 33, 35
 - reversible addition-fragmentation chain transfer (RAFT) precipitation 35f., 41f., 46ff.
 - ring-opening (ROP) 36f., 69, 263
 - surfactant-free emulsion (SFEP) 29f., 32ff.
 - suspension 29f.
 - two-photon 114
 - two-step 32
 - polymersomes biomedical applications

- artificial cells and organelles 173
- cancer therapy 172
- controlled release 161
- delivery vectors 172
- gene therapy 174f.
- medical imaging 169ff.
- nanoreactors 172f.
- near-infrared (NIR)-polymersomes 169
- polymersomes 76, 157ff.
 - chemistry 158ff.
 - membrane 159ff.
 - PEO-based 161, 163ff.
 - porous 171
 - preparation 167ff.
 - properties 160f., 167
 - proteo- 171
 - responsive 163f., 167
 - size 162f.
 - surface chemistry 164ff.
- polyplexes 132
- polystyrene (PS) 32, 40, 314, 318, 320, 323, 347
 - latex particles 126
 - negatively 329
 - tissue culture (TCPS) 71, 81
- polyzwitterions 65f.
- protein
 - adhesion 79
 - adsorption 80, 292
 - cell junction 79
 - denaturation 46

q

- quantum confinement 189
- quantum dots (QDs)
 - encapsulation 73, 141, 170
 - PEGylated 127, 130, 287
 - size-controlled 429
 - stimulus-responsive polymer (SRP) 73
 - synthesis 243, 429
- quartz crystal microbalance (QCM) 68

r

- radiofrequency ablation, *see* cancer therapy
- radioopaque iodinated P(MAOMETIB) NPs 346ff.
 - characterization 346f.
 - effect of initiator concentration 348f.
 - effect of MAOMETIB concentration 347f.
 - effect of surfactant concentration 349
- Raman spectroscopy 486
- reaction
 - conjugation 261
 - diffusion-limited homogeneous 243

- photo-Fenton 41
- polyaddition 195
- polycondensation 195
- side-chain 41
- receptor
 - folate (FR) 130, 504
 - human epidermal growth factor (EGFR) 503f.
 - transferrin (TfR) 129, 503f.
 - vasoactive pituitary adenylate cyclase (VPAC)-activating peptide 503
- repair-and-go strategy 5
- reticuloendothelial system (RES) 123, 264, 267, 273, 287, 344, 360, 378
- Reynolds number 233
- RNA
 - delivery carrier 44
 - small interfering (siRNA) 33, 44, 276
- Runge–Kutta algorithm 7
- rupture 9ff.

s

- saturation parameter 13f.
- scaffolds
 - core–shell fibers 405ff.
 - fabrication 399ff.
 - fiber diameter 403f.
 - fiber orientation 404f., 408ff.
 - fiber surface optimization 410ff.
 - functionalization 397, 418
 - mechanical properties 398, 418
 - polycaprolactone (PCL) 406, 409, 412, 415
 - porosity 398, 407f., 418
 - structure 401ff.
 - three-dimensional (3-D) 405, 418
 - tissue engineering 397ff.
 - two-dimensional (2-D) 405
- scanning electron microscopy (SEM)
 - cold-field emission gun high-resolution (CFEG-HRSEM) 107
 - molecular crystal nanorod 440, 442f.
 - nanotube forest 107ff.
 - peptide microelectrode array (MEA) 114
 - polycaprolactone (PCL) scaffold 406
 - segmented CP nanowire 462
- self-assembled
 - amphiphilic lipids 259, 265, 271, 371
 - block copolymers 38, 230, 243, 265
 - G[^]C motif 495ff.
 - layer-by-layer 286, 297, 412
 - lipid core–polymer shell hybrid NPs 298
 - nanotubes 474f., 495ff.
 - nanowires 474ff.

- self-assembled peptide nanostructures
 - controlled positioning 105ff.
 - dielectrophoresis 110f.
 - direct transfer 112f.
 - fibrils 106, 115ff.
 - horizontal alignment 106ff.
 - inkjet technology 107, 109, 111
 - laser-induced forward transfer (LIFT) 111ff.
 - nanotube 106f., 494ff.
 - nonlinear lithography 114ff.
 - three-dimensional (3-D) nanostructures 114ff.
 - transactivating–transduction (TAT) derivative 369
 - vapor deposition methods 107ff.
 - vertical alignment 106f., 110
- self-assembled
 - phospholipids 157f.
 - polysaccharide-based nanoparticles 291
 - supramolecular 430, 432
- side groups
 - amino 324, 327, 333
 - carboxylic 324ff.
 - charged 325ff.
- sodium dodecyl sulfate (SDS), *see* surfactant
- sodium dodecylbenzene sulfonate (SDBS), *see* surfactant
- sol–gel, *see* synthesis
- solid lipid nanoparticles (SLNs) 234, 246, 365ff.
 - brain drug accumulation 376ff.
 - brain targeting 375f.
 - crystallization 375
 - melting temperature 365, 373, 375
 - polymorphism 372f., 375
 - size 373f.
 - stability 375f.
 - sterilization 370f.
 - structure 371ff.
 - synthesis 369ff.
- solubility
 - CNTs 478f.
 - drugs 368
 - lipopolymer hybrid nanoparticles 265
 - monomer 33
 - organic nanoparticles 245
 - poly(ethylene glycol) (PEG) 124
 - polymer 33, 124
- stealth 165, 267, 292, 377
- stimulus-responsive polymer (SRP)
 - application
 - control of biointerfacial interaction 79ff.
 - controlled drug delivery 77ff.
 - microfluidic valves 82ff.
 - molecular separation 85f.
 - based systems 288
 - dual– 67ff.
 - multi– 67ff.
 - nanointerfaces 59f., 69ff.
 - covalent routes 69f.
 - grafting-from techniques 69
 - grafting-to techniques 69ff.
 - nanoparticles 72ff.
 - noncovalent routes 70f.
 - photoresponsive 66f.
 - ph-responsive 62ff.
 - thermoresponsive 60ff.
 - structural rearrangement 9, 11ff.
 - subcellular
 - distribution of charged NPs 327f.
 - localization 312, 315
 - substrates
 - silicon 71, 107
 - stimulus-responsive polymer-functionalized 71f.
 - tissue culture polystyrene (TCPS) 71
 - surface area to volume ratio 445
 - surface
 - charge 288, 300, 325f.
 - crack 9
 - functionalization 312f., 324ff.
 - lotus-type 108
 - wettability 64, 71
 - surface-enhanced resonant Raman scattering (SERS) 252
 - surfactant
 - brain targeting 375f.
 - -free 29
 - -initiated 30
 - polysorbate 80 (P80) 376ff.
 - sodium bis(2-ethylhexyl) sulfosuccinate (AOT) 33
 - sodium dodecyl sulfate (SDS) 30, 35
 - sodium dodecylbenzene sulfonate (SDBS) 30, 32
 - sorbitan monooleate (Span-80) 33
 - through polymerization 30
 - synthesis
 - batch synthesis 222f.
 - bottom-up approach 29f., 108, 190, 194ff.
 - coacervation 369
 - chemical vapor deposition (CVD) 406, 429, 478
 - comminution method 223

- cyclical freeze-thaw 266
 - electrophoretic deposition 110f., 438
 - electrospinning 289, 369, 397, 399ff.
 - emulsification 289, 434
 - emulsion 29, 33, 194f., 197, 229ff.
 - ether injection 266
 - extrusion 266
 - freeze-drying 197f.
 - hard-templating methods 434ff.
 - high-pressure homogenization 268f., 369f., 376
 - ionic gelation 289, 298
 - lithographic methods 193f., 458, 460f.
 - mechanical milling 190f., 431
 - mechanical stretching 458
 - mechano-chemical 289, 431
 - melting-recrystallization 437f.
 - membrane-mixing 433
 - microfluidic devices 204f., 221ff.
 - monomer MAOETIB 345f.
 - nanoprecipitation 230f., 271f.
 - precipitation by polyelectrolyte complex formation 203f.
 - radiopaque iodinated P(MAOETIB-GMA) 343f., 353
 - reactive ion etching (RIE) 109
 - reprecipitation 198f., 432f.
 - reverse-phase evaporation 266
 - sol-gel 72, 76, 289, 298, 434
 - solvent-annealing method 439ff.
 - sonication 266, 269, 369
 - star-like nanogel 36, 40
 - sublimation 438
 - supercritical fluid techniques 202f.
 - supersaturation 231
 - template-assisted synthesis of nanostructures 436f., 476ff.
 - thin-film hydration method 266, 269
 - top-down approach 29, 190f., 222, 399
 - vapor condensation-based methods 206f.
 - vapor growth 431
- t**
- targeting
 - active 292
 - brain 375f.
 - intracellular 130ff.
 - ligand 128f.
 - magnetic drug (MDT) 122, 134
 - passive 122, 292
 - receptor-mediated 502ff.
 - template
 - aluminum oxide (AAO) 430, 435ff.
 - assisted synthesis of nanostructures, *see* synthesis
 - biomolecule 460f.
 - directed fabrication 457f., 460
 - pores 435ff.
 - Whatman 435
 - theranostics, *see* drug delivery systems
 - thermosensitivity
 - nanogels 30f.
 - stimulus-responsive polymers 60ff.
 - thermotherapy, *see* cancer therapy
 - time-to-flight secondary ion mass spectrometry (ToF-SIMS) 80
 - PNIPAAm coatings 80
 - tissue engineering 79, 397ff.
 - tissue regeneration 416
 - top-down approach, *see* synthesis
 - toxicity
 - contrast agent 344
 - drugs 265
 - PACA NPs 382f.
 - poly(ethylene glycol) (PEG) 124
 - quantum dots (QDs) 170
 - solid lipid nanoparticles (SLNs) 365, 369, 382f.
 - transfection agents 325
 - transcytosis of NPs 379
 - transfection agents 137, 315, 319, 324ff.
 - transformation
 - crystal-crystal 442
 - nanogels-microgels 46
 - structural 48
 - transition
 - hydrogels 61
 - non-reversible 163
 - sol-gel 28, 47, 60
 - temperature 61
 - transmission electron microscopy (TEM)
 - cellular uptake of NPs 323f.
 - core-shell nanostructures 299, 406f.
 - lipopolymers 270, 273f.
 - molecular crystal nanorod 441f., 444
 - nanotubes 108, 475
 - polymersomes 166
 - radiopaque iodinated P(MAOETIB-GMA) 355f.
 - radiopaque iodinated P(MAOETIB) NPs 346f.
 - subcellular location 316, 327f.
- u**
- ultrasonography, *see* medical imaging
 - ultraviolet (UV) light 39, 41ff.
 - uptake

- cellular 73, 312, 315, 317ff.
- concentration-dependence 319
- density–uptake relationship 312, 326
- dynamic raft-dependent 332
- influence of polymer 318ff.
- influence of transfection agents 319, 324ff.
- kinetics 312, 320
- lipid raft-dependent 332
- size dependency 328f.
- solid lipid nanoparticles (SLNs) 377, 379

v

- vesicles, *see* polymersomes
viscoelastic behavior 5, 15ff.

w

- Weibull statistical analysis 9ff.
wettability
 - contact angle 64, 108
 - controlled 67

- polymer interfaces 66
 - surface 64
- Wolff rearrangement 68
wound dressing 302, 399

x

- X-ray absorption spectroscopy (XRS) 242
X-ray diffraction 438, 442
X-ray imaging 344f., 353, 358ff.
 - in vitro visibility of MAOETIB 349f.
 - in vivo visibility of MAOETIB 351, 358ff.X-ray scattering 224

y

- yield stress 12
Young's moduli 105

z

- zwitterionic
 - headgroups 262f.
 - poly– 65f.