

Index

a

ACQUITY Column Calculator 83, 102
 ADC (analog digital converter) 14, 18, 25, 40, 221
 adsorption 214, 220 f.
 AIA files 29, 46, 55, 114, 126
 AMDIS (automated measure of spectral deconvolution and identification system) 231 f.
 analysis
 – gradient 45
 – isocratic 46
 – of variances (ANOVA) 180 ff.
 – residue 235
 – sequence 236
 – side-product 45, 48, 68 ff.
 – time 7, 77
 – trace elements 221, 237
 – ultra-trace 235
 analytical data
 – bins 167 f.
 – dispersion 168 f., 172
 – frequency 167 f.
 – interpretation 333
 – mean 168 ff.
 – normal distribution 167 ff.
 – number of series 180
 – prediction intervals 171
 – true parameters 168 f., 171
 analytical procedure 183 f.
 APCI, *see* ionization
 ASCII files 126
 assay 310, 317, 330 ff.
 – intra-assay variation 310
 – tests 310 f.
 ASTM 326 f.
 asymmetry factor 6, 69, 105, 107, 110

b

background
 – concentration units 158
 – conductivity 264 f., 268
 – correction 229
 – signal 9, 155 f., 231, 244
 band compression factor 96
 bandspreading 83
 baseline
 – complex 141, 143 f.
 – drift 9, 15, 33 f., 88, 101, 128, 141
 – extrapolated 315, 325 f.
 – limit 296 f.
 – noise 88, 100 f.
 – plate-shaped 33, 63
 – point 13, 79 f.
 – progress 128 f.
 – real 88
 – reset 66 f.
 – separation 8, 37, 59, 65, 70, 107 f., 128
 – shift 141
 – simulated 65
 – spike 9
 – unclear 37
 – value 287
 blank 128, 141 f., 319, 326
 boiling-point 30, 215, 219
 bottom-up approach 174, 202
 bunching
 – factor 258
 – rate 12
 Bureau International des Poids de Mesures (BIPM) 192
 by-products 70, 123

c

- calibrating
 - concentration 113, 155
 - test 114
- calibration 43 f., 156 ff.
 - check 236
 - correction factor 53
 - curve 147, 275, 281
 - external 237, 239, 290
 - fit functions 292 ff.
 - flow rate 295
 - functions 268
 - GPC/SEC 274 f., 281, 290 ff.
 - instrument 299
 - intercept 53, 154 ff.
 - internal 239
 - linear 237, 268, 275
 - non-linear 281
 - on-line 290
 - points 154 f., 157, 159
 - range 156
 - run 225
 - simulation 47 f., 51 f., 113
 - solution 115
 - standard 235 f.
 - standard addition 268
 - standard curve 45, 47 f.
 - straight line 53, 115 f., 154 ff.
- carrier gas 3, 214 f., 220
- center of gravity 125
- Certified Reference Material (CRM),
see reference material
- chromatogram
 - artificial 101
 - extracted ion 233, 238
 - ion stream 228
 - isocratic 20, 31 f., 55, 91, 95
 - real 7, 19 f., 28, 71, 76 f., 147 ff.
 - TIC (total ion current) 227 f., 233, 237
 - UV 244, 255
- chromatogram simulation 18 f., 26, 28 ff.
 - digital 29 f.
 - gradient 63 ff.
 - isocratic 55 ff.
 - post-simulation 76 ff.
 - temperature program 44, 63
 - tenfold 55 ff.
 - Westerberg report 77 f., 132 ff.
- chromatographic data system (CDS)
17, 20, 25 f., 28 f., 33, 46, 55, 121 f.,
126 f., 149
- chromatography
 - GC, *see* gas chromatography
 - gradient 33, 59, 91, 95 ff.
 - HPLC, *see* liquid chromatography
 - IC (ion chromatography), *see* liquid chromatography
 - LC, *see* liquid chromatography
 - packed column 126, 214
 - RFIC (Reagent-Free™ IC) 262 f.
 - reversed-phase 91
 - size-exclusion 84
 - thin-layer 305
 - water dip, *see* liquid chromatography
- Chromeleon, *see* integration programs
- coefficients of variance (CV) 20, 23, 25 f.,
28, 158
- column
 - bleed 220
 - C8 84
 - C18 7, 25, 84, 113
 - capacity separation 264
 - capillary 7, 214
 - dead time 91, 95 f.
 - dimensions 225 f., 317
 - guard 84
 - high-resolution separating 224
 - ion-exchange 267
 - length 4, 7, 83, 214, 323 ff.
 - non-polar 216, 218
 - permeability 214
 - plate 84
 - PLOT-column 219
 - pressure 226
 - separating 219 f., 226, 266
 - switching 244
 - temperature 214 f., 220, 225 f., 317
 - trap 262
 - two-column technology 225
 - volume 5
- compendial procedures 311, 321, 330
- compounds
 - carbonyl 217 f.
 - complex 223
 - thermally stable 215
 - volatile 214 f., 238
- concentration 115, 155 f., 185 ff.
 - precision 185
 - quotient 114, 120 f.
 - unit 116
- confidence
 - interval 169 ff.
 - limits 170 f.
 - statistical 169
- contamination 219, 266 f.
- correction factor 159, 161, 169, 239 f.
- coverage factor, *see* measurement
uncertainty

- critical time zone 244 f.
- curve
- approximation 123, 126 f., 130, 135, 141, 144 f., 147 f.
 - gradient 141
 - sum 123 f., 126, 128, 130, 135, 144 f., 147 f.
- d**
- data analysis guidelines 277 f.
- data acquisition 12, 14 f., 31, 45, 221 f.
- data
- bunching 14, 16, 59
 - collecting rate 12, 16, 31
- data evaluation
- GPC/SEC 274, 278 f.
 - LC-MS 243 ff.
 - IC (ion chromatography) 261 ff.
 - software 299
- data point 37, 39 ff.
- distance 31
 - interval 37, 40
 - number 288 f.
- data processing 271 ff.
- decomposition 219 f., 231
- deconvolution 117, 123 ff.
- different tailing 137 ff.
 - gaussian-shaped peaks 129 ff.
 - gradient runs 141 ff.
 - programs 231 f.
 - software applications 126 f.
 - spectrum 231 f.
 - tailing peaks 134 ff.
 - two-peak 117, 120
- degradation
- in situ 316
 - /stress studies 310
- derivatives 217 f., 220
- derivatization 215, 243, 331
- detection
- amperometric 262
 - conductivity 262 ff.
 - fluorescence 262
 - light-scattering 290, 295, 297 ff.
 - limits 310, 326
 - on-line 290, 297 f., 300
 - UV/VIS 262, 273, 290, 329
 - wavelength 317
- detector 8 f., 31 f., 215, 220, 287, 298
- analogous signal data 14, 16
 - angles 298
 - concentration 295, 299
 - constant 298 f.
 - data acquisition rate 221 f.
 - digital signal data 14
 - drift 287 f.
 - FID 220, 227, 236, 239
 - inter-detector delay 295, 297 ff.
 - linearity 221
 - noise 32, 221, 285 ff.
 - noise filter 221
 - response 221, 273
 - signal value 31, 34
 - SPD 10 AV UV 33
 - temperature 215
 - TIC (total ion current) 239
 - time constant 87, 90, 221
 - UV-detector 72, 305
 - wavelength 72, 323 f.
- diffusion broadening 7
- dilution factor 245 ff.
- DIN (German Institute for Standardization) 299
- displacement desorption 239
- dissociation equilibrium 263
- distortion 127, 161
- instrumental 124
 - peak 93, 147
- Donnan exclusion 261
- dosing technology 219, 238, 310
- syringe dosage 219
- DPhG (Deutsche Pharmazeutische Gesellschaft)-Approach 331 ff.
- dwelt
- time (DT) 3, 234, 255 ff.
 - volume 318, 324
- e**
- effect triangle interactions 214
- effective carbon number (ECN) 240
- electrolytic suppression 262
- electron collision ionization (EI) 227 f., 230
- electronic pressure control (EPC) 226
- eluent 262 ff.
- elution
- co-elution 224 f., 229, 233, 236, 252, 317
 - delayed 245
 - gradient-elution 245, 262, 265, 323, 329
 - order 98
 - point 96, 99
 - volume 274, 276, 280, 297, 299
- EMG model, *see* Gauss function
- EPA (Environmental Protection Authority) 219
- error
- absolute 162
 - compensation 111, 120
 - dosing 219, 236

- independent 28
- injection 28 f., 40
- probability 169 f.
- propagation 174
- systematic 53, 198
- total 28
- volume 162
- ESI (electrospray interface) 243
- evaluation 258 f., 299, 341 ff.
 - parameters 299 f.
 - software 258 f., 299
- excel files 29 f., 44 ff.
 - Normdist 30
 - simulation of noise 46 f.
- excel spreadsheet
 - Analysis Simulation.xls 114
 - ANOVA.xls 181 f.
 - Optimisation.xls 184
 - Simulation with Tailing.xls
 - Westerberg.xls 77 f.
 - Zufalls-Chromatogramm.xls 45
- expectation intervals 173 f.
- exponential decay 125
 - function 86, 89
 - values 138
- extraction
 - HS-SPME 239
 - liquid-liquid (LLE) 244
 - multiple headspace (MHE) 239
 - solid phase (SPE) 244 f., 253, 255, 267
 - solid phase dynamic (SPDE) 216
 - solid phase micro- (SPME) 216
 - solvent-free 216, 238
 - stir bar sorptive (SBSE) 216
- extrapolation
 - baseline 141
 - graphical 123, 136
 - linear 141
- EZChrom elite, *see* integration programs

f

- FDA guideline 237, 309, 329, 334, 345
- feed gas speed 225
- FID, *see* detector
- fishbone diagrams 174
- flow
 - gas 226
 - inhomogeneity 7
 - marker 294
 - pump 299
 - rate 317, 323 ff.
 - split 219
- Fourier transformation 125
- F-test 343

g

- gas chromatography (GC) 7, 28, 30, 44, 213 ff.
 - capillary (KGC) 44, 213 f., 217 ff.
 - fast 45, 222 f.
 - GC-AED (Atomic Emission Spectroscopy) 223 f.
 - GC-FTIR (Fourier Transform Infrared Spectroscopy) 223 f.
 - GC-MS 128, 203, 223 f., 226 ff.
 - GC/MS-SIM-Trace analysis 234
 - GLC (gas liquid) 214
 - GSC (gas solvent) 214
 - HS-GC (Headspace-) 216, 238 f.
 - isothermal 220
 - packed column 126, 214
 - pyrolysis- 215
 - simulation 44 f., 63 ff.
 - temperature-programmed function (TPGC) 220, 225
- Gaussian function
 - exponential modified Gauss function (EMG) 5 f., 18 f., 68, 85 ff.
 - skim 19, 61, 66
 - symmetric function 4, 30
- Gaussian law of propagation of uncertainty 200
- Gaussian normal distribution 84 f., 167
- Gaussian peak 5 f., 30 f., 43, 45, 61, 63, 78, 84 ff.
 - exponential modified 85 ff.
 - height 44
 - superimposition 37
- good laboratory practice (GLP) 306
- good manufacturing practice (GMP) 306
- gradient
 - chromatogram simulation 63 f., 95 ff.
 - compression factor 99
 - execution 95 f., 98, 100
 - linear 32
 - retention factor 95, 99
 - reversed-phase 96
 - run 26, 33, 79, 96, 128, 141 ff.
 - run time 95 f., 100 f.
 - simulation 33
 - slope 95 f., 98
 - steepness parameter 96
 - system 318
 - technique 3
 - time 318
- Guide to the expression of Uncertainty in Measurement (GUM) 48

h

- HS (headspace), *see* gas chromatography
- histograms 167 ff.
- Horwitz function 185 f.
- Hu*-curve 7
- hydrophobic 261, 266

i

ICH

- guideline 180, 309 f., 332
- reporting threshold 316, 318
- impurities 20, 307, 310, 315 f.
 - determination 332
 - procedure 308
 - testing 328
- inflection
 - point 10 f., 43
 - tangent 11
- information density 55
- infusion method 244 ff.
- injection 28 f., 72, 172, 176 f., 218 f.
 - cold-on-column-injection 219
 - duplicate 183
 - error 25, 28 f., 40
 - hot 219
 - limit of duplicate 172, 178
 - multiple 184
 - precision 172, 176 ff.
 - re-injection 28
 - sample 28, 218 f.
 - system 128
 - temperature-programmed (PTV) 217, 219
 - volume 50, 162, 299, 323 f.
- injector
 - pressure 219
 - temperature 215, 219
- integration
 - asymmetric peaks 105 ff.
 - errors 17 ff.
 - limit 296 f.
- integration methods
 - Apex Track mode 12, 26 f., 50, 60, 66 f.
 - exponential skim 19, 71, 117 f., 123, 129
 - gaussian skim 19, 61, 66, 71, 123, 129 ff.
 - manuel mode 26 f.
 - perpendicular drop 18 f., 26 f., 34, 38, 40, 61, 71, 74 ff.
 - perpendicular skim 123, 129 ff.
 - tangent 18, 26 f., 61, 71, 73 ff.
 - tangential skim 129 ff.
 - Traditional mode 27, 50, 61, 118
 - valley to valley 19 f., 38, 40
- integration parameter 9 ff.

integration programs

- Chromeleon 14, 47, 50 ff.
- Empower 12, 20, 23 ff.
- EZChrom elite 14, 20, 23 ff.
- GCSolution 46 f.
- HSM 110, 117, 120, 127, 138 f., 149
- LCSolution 20 f., 26 f., 33, 35 ff.
- Peak Fit 126 f., 134 f., 139 ff.
- interference 218, 244, 252
 - factors 29
 - signals 236
- inter-laboratory 301, 310
- International System of Units (SI) 191
- intra-laboratory 300, 310
- ion
 - characteristic 234 f.
 - chromatogram 233, 238
 - dynamic ion exchange 262
 - exchange 261
 - high intensity 235
 - interaction 262
 - ion-pair formation 262
 - ion-pair reagent 261
 - ion-pair separation 261
 - multiple ion recording (MID) 234
 - nonspecific 235
 - qualifier 235, 251
 - quantifier 251
 - quasi-molecular 235
 - selected ion traces 231, 233, 235
 - single ion monitoring (SIM) 234 f., 237
 - total ion stream 233, 237
 - traps 255
- ionization
 - APCI (atmospheric pressure chemical ionization interface) 243
 - chemical (CI) 235
 - electrospray (ESI) 245
 - process 252
- Ishikawa diagram 48, 127, 174
 - LC system precision 175
- isomerization 218
- isotope 231, 236
 - dilution analysis (IDA) 237
 - MS/IDA 238
 - natural 252
 - stable isotope dilution analysis (SIDA) 237
- isotope-labeled 237 f., 244, 252
- isotopic transfer 252

j

- Johnsson table 158 ff.

k

key comparisons (KC) 192

l

labeled

- isotope 237 f., 244, 252
- peaks 307

Langmuir 18 f.

liquid chromatography (LC)

- GFC (gel filtration chromatography) 271
 - GPC (gel permeation chromatography) 271
 - GPC/SEC 271 ff.
 - gradient-elution-HPLC 245
 - IC (ion chromatography) 261 ff.
 - ion exchange 261, 263
 - ion-exclusion 261
 - ion-pair 261 f.
 - HPLC (high-pressure liquid chromatography) 3, 7, 18, 28, 30, 44, 83, 213 ff.
 - HPLC-UV 252, 255
 - LC-MS 243 ff.
 - reconstructed ion 233
 - SEC (size-exclusion chromatography) 271
 - water dip 263 ff.
- LOQ, *see* quantification
- Losef
- function 68, 70
 - peak 71, 74 ff.

m

MAD (median of the absolute differences) 335

Mandel test 47

Mark-Houwink coefficients 276, 287

Marquardt non-linear least-square method 127

mass analyzer 227

mass fragmentography 233

mass

- nominal 227
- number 227, 233 f., 238
- range 228 f.
- scan mode 227 f.

mass-selective detection 215, 233

mass spectrometer

- adjustment 255
- cycle time 228
- fast scanning 223
- high-resolution 227
- tandem 248, 252, 255
- time of flight (TOF-MS) 223

mass spectrometry (MS)

- /MS technique 235, 243 ff.
 - structure information 223, 226
- mass spectrum libraries 229 f., 231
- extraction 231
 - linear 227
 - NIST 226
 - NIST/EPA/NIH Mass Spectral Library (NIST05) 229 f.
 - purity index 229
 - reference 229
 - similarity index (SI) 229

matrix

- biological 244
- effect 78, 197, 237, 239, 244 ff.
- suppression 249

MCDS (macromolecular chromatography data system) 280

measurement engineering, *see* metrology

measurement technology, *see* metrology

measurement trueness 204

measurement uncertainty 193 ff.

- calculation 202 ff.
- combined standard 195, 197
- coverage factor 195, 197, 200
- expanded 200 f.
- Guide to the Expression of Uncertainty in Measurement (GUM) 194 ff.
- limiting value 205
- standard 195 ff.
- systematic 198

measuring accuracy 47, 52, 163 f., 336 f.

method capability index 169, 330

method coefficients of variance (VKK) 114, 116, 158 f.

method design 309 ff.

method standard deviation (VSD) 158

metrology 191 ff.

- Mutual Recognition Agreement (MRA) 192
- national institutes 192

molar mass calibration standard 299

molar mass distribution 275, 279 ff.

- Schulz-Flory distribution 279, 284 ff.
- Wesslau 279

molecular

- response factor 240
- weight 91, 97, 215, 235, 240, 275 f.
- weight averages 274 ff.
- weight distribution 273

molecule 91

- neutral 228
- polarity 215, 219, 225, 240
- size 215

- moment theory 127
- Monte Carlo simulations 200, 204
- MRM
 - mode 243 ff.
 - transition 255 ff.
- n**
- new drug
 - ANDA (Abbreviated New Drug Application) 306, 309
 - NDA (New Drug Application) 306, 309
 - IND (Investigational New Drug) 309
- NIST spectrum library, *see* mass spectrum libraries
- noise 32 f., 37, 44, 46, 50, 53, 71, 88 f., 134, 327
 - amplitude 33
 - high-frequency 129
 - limit 32
 - long-time 129
 - low-frequency 129
 - short-time 129
 - simulation 32 f.
 - white 33
- non-parametric 324
- normalization coefficient 299
- o**
- offset 33, 50
- optimization parameter 83
- outlier test 334
- p**
- particle size 7, 83, 323 f.
- pattern recognition 223
- peak
 - amplitude 123 f., 127, 132
 - apex 4, 9 ff.
 - area 26, 29, 31 f., 34, 45, 60 f., 64 f., 70
 - asymmetric 105 f., 124 ff.
 - broadening 3, 7, 37
 - cluster 141, 144
 - detection 126, 144, 226
 - factor (PF) 32 f., 44, 46, 55, 74 ff.
 - forest 29, 153
 - fusion 71
 - greasing 71
 - height 13, 26, 29, 31 f., 37 f., 40, 49, 53, 60 f., 154 f.
 - hidden 126 ff.
 - homogeneity 128
 - maximum 9
 - merged together 34, 39 f., 46, 48, 55, 59, 105 f., 108 ff.
 - narrow 40, 44, 93, 222
 - number 128
 - overlap 93 f., 123 ff.
 - pairs 112 ff.
 - peak-slice 14 f.
 - purity 224, 310, 313
 - real 107
 - shoulder 26, 60 f., 63, 68, 71, 76, 133
 - side-product 68, 70 ff.
 - simulation 84 ff.
 - swallowed 128
 - symmetrical 84, 124, 126, 131
 - symmetry 129, 316
 - tall 20, 23, 25 f., 34, 65 f., 68, 78
- peak recognition 12, 14, 16
 - classic method 9 f., 12
 - parameters 12
 - sensitivity 15
- peak shape 4, 30, 90 f.
 - EMG, *see* Gaussian function
 - EMG-GMG hybrids 126
 - extreme value 4-parameter 126
 - Giddings 126
 - half-gaussian modified gaussian 126
 - Harloss–Van der Linde 126
 - log normal 4-parameter 126
 - non-linear chromatography 126
- peak-to-valley ratio 314, 316 f., 325 f.
- peak width 4, 6 f., 12, 43 f., 60, 63, 77
 - at half height 8, 43, 107, 319, 326
 - minimum 16
- pharmacopoeia
 - European Pharmacopoeia 313 ff.
 - USP (United States Pharmacopoeia) 309, 313 ff.
- phase
 - equilibria 214
 - gas 214 f.
 - high-capacity stationary 261
 - mobile 83 f., 91, 93 f., 124, 214, 225, 245, 261, 323 f.
 - stationary 3, 124, 214, 219 f., 225, 230, 261, 323 f.
 - steam 214
 - vapor 214 f.
- phosphate buffer with Acetonitril 25, 113
- plate count 84 f., 90 ff.
 - isocratic 97, 99
 - number 3, 5, 7 f., 30 ff.
- plate
 - height 7
 - number calculations 106
 - theoretical plate number 308, 325, 329

- polydispersity (PDI) 276, 279, 281, 283
 - index 283, 286, 289
- population density 88
- precipitation 244 ff.
- precision
 - concentration dependence 185 ff.
 - injection 172, 176 ff.
 - intermediate 176
 - levels 175 ff.
 - marksman 28
 - system 176 ff.
 - testing 310
- prognosis interval (PI) 47, 163 f.
- proportionality factor 84
- pump 294, 299
- pyrolysis 214 f., 218

- q**
- qualification
 - analytical instrument 322
 - DQ (Design Qualification) 306
 - equipment 305
 - GPC/GFC/SEC 271 ff.
 - instrument 306 f.
 - IQ (Installation Qualification) 306
 - OQ (Operational Qualification) 306
 - PQ (Performance Qualification) 306 f.
- qualitative analysis 223 ff.
 - fingerprint analysis 223 f.
 - interpretation 313
 - parameters 314
 - peak purity 224
 - retention times 224 ff.
- quality
 - analytical procedure 305 f.
 - assurance 191
 - control 48, 205, 321 f.
 - detector 71
 - pharmaceutical product 305, 321
- quantification limit (LOQ) 26, 48, 63, 129, 153, 255, 258 f., 316, 318
 - DIN 32645 48
 - tenfold simulation 55
- quantitation
 - in dissolution 307
 - limits 310, 326, 332
 - reliable 308
- quantitative analysis
 - in GC 236 f.
 - interpretation 318 ff.

- r**
- rate release testing 307
- Rayleigh ratio 299

- reference materials (RM) 206 f.
 - Certified Reference Material (CRM) 198, 207, 273, 288 f.
 - CRS (chemical reference substance) 315, 319
- reference procedure 203, 207
- refractive index (RI) 287, 290, 298 ff.
- regression
 - linear 154, 156 ff.
 - weighted linear 161 ff.
- repeatability 18 f., 176, 178 ff.
 - GPC/SEC analysis 299, 301
 - injection 308
 - intra-laboratory variability 185
 - system 317
- reproducibility 176, 179 f., 181 ff.
 - benchmarking 182, 185
 - collaborative 185
 - drug products 183 ff.
 - GPC/SEC analysis 299, 301, 307
- residuals 126, 144, 157 f., 172
- resolution 8, 29, 34, 44, 79 f., 93, 101, 121, 128, 130, 141, 236, 307, 314, 325
- response factor (RF) 155, 221, 239 f.
 - molecular 240
 - relative (RRF) 221
- retention
 - area 5, 18
 - factor 4, 8, 37, 91 f., 95 ff.
 - height 5
 - index 237
 - linear retention index (LRI) 225 f.
 - modeling 84, 91 ff.
 - relative 315, 317
 - simulation 91
- retention time 4 f., 224 f., 234, 315, 325
 - locking (RTL) 226
 - quotient 3 f.
 - relative 225
- robustness 311
- round-robin test 299 ff.

- s**
- sample
 - concentration 295, 299
 - preparation 162, 174, 183 ff.
 - size 173 f.
- sampling
 - frequency 14
 - period 14
 - point 53
 - rate 12, 14, 94, 231
- second derivative method 126 f.

- selectivity 3, 8, 214, 225, 234, 261
 - sensitivity 158, 255, 262, 268
 - separation 25, 29
 - factor 3, 8
 - isocratic 5, 37, 98
 - performance 7, 83
 - point 63
 - quality 8, 108, 121
 - signal/noise ratio 14, 19, 25, 32 f., 37, 44, 48 ff.
 - 10-fold 48, 50, 114
 - signal
 - height 84
 - quenching effect 244
 - smoothing 14, 16
 - stability 252
 - value 45 f., 155 ff.
 - single ion monitoring (SIM) 228
 - slice
 - concentrations 275, 298
 - method 274
 - volume 274
 - smoothing function 258
 - solvent
 - composition 91 ff.
 - high boiling 214 f., 239
 - peak 264
 - polarity 219
 - specification
 - out-of (OOS) 334, 344
 - limit 327, 330 ff.
 - spectra, *see* mass spectra
 - spiking studies 310
 - spreadsheet 84, 86, 91 ff.
 - exponential decay 86
 - function 87 f.
 - notation 92
 - simulation 87
 - standard
 - addition 236, 238 f., 268
 - analyte-free sample 238
 - curve 45, 47 f.
 - external 236
 - extraction 236
 - GPC/SEC 277 ff.
 - internal 25, 29, 155 f., 236 f., 252 ff.
 - ISO/IEC 17025 191 f.
 - molar mass calibration 281
 - national measurements 192
 - surrogate 236
 - uncertainty 194 f.
 - statistical moments 125, 127
 - structural information 235
 - Student-*t*-Factor 169, 328, 331 f.
 - switching value 30
 - substance
 - active 315 f.
 - exchange 7
 - suppressor 262 ff.
 - surface 214
 - active 219, 238
 - adsorption 214 f., 219
 - symmetry factor 325 f.
 - system suitability
 - criterion 315, 317 f.
 - mixtures 318
 - parameters 321, 329
 - requirements 318, 328
 - tests (SST) 306 ff.
- t**
- tailing 6, 37, 44, 49, 68 f., 70 f., 85, 89 f., 97, 100, 105 ff.
 - catching 72
 - degree of 123, 126
 - factor 69, 105, 329
 - simulation 107
 - target
 - analysis 223, 226 f.
 - area 44 f., 48, 55, 65, 70, 110 f., 129 f., 134 f., 138, 146 f.
 - non-target analysis 223
 - standard deviation (TDS) 330
 - temperature 83, 215
 - column 214 f., 220
 - detector 215
 - injector 215
 - isothermal test 220
 - turbospray 250 ff.
 - time
 - axis 14, 18
 - constant 126
 - mobile 3 f.
 - top-down approach 176, 202
 - traceability 192 f., 205 ff.
 - analytical measurements 205 ff.
 - cause/effect diagram 193
 - chain 206
 - transfer studies 182
- u**
- uncertainty, *see* measurement uncertainty
- v**
- validation 182, 201
 - analytical procedure 306, 321
 - CDER Reviewer Guidance 308

- characteristics 309
 - GPC/SEC 279 ff.
 - parameters 309
 - regulatory methods 306
 - valley 108 f., 112 f., 120 f., 131
 - height 112, 121
 - point 108, 117
 - valuation 341 ff.
 - Van Deemter *Hu*-curve 7
 - variability 330 ff.
 - analytical 174 ff.
 - variance 47, 84 f., 125, 161, 180 ff.
 - analysis of (ANOVA) 180 ff.
 - homogeneity 47, 161 f.
 - inhomogeneity 161
 - instrument 162 f.
 - inter-serial 180 f., 331
 - intra-serial 180 f.
 - process coefficients 114
 - quotient weighting 163
 - ratio 335
 - volume dependent 162 f.
 - versatility 223
 - viscometry
 - GPC/SEC-viscometry 285
 - on-line 285, 287, 290, 295
 - viscosity 276, 285
 - intrinsic 288, 297
 - Void-Volume Treatment 265 f.
 - volatile
 - compound 214 ff.
 - impurities 220
 - volatility 215, 220
 - VSD, *see* method standard deviation
 - VVK, *see* method coefficients of variance
- w**
- weighting
 - exponent WE 162 f.
 - factors 164
- z**
- zero
 - point 163
 - signal 156
 - zone, forbidden 245