

Index

a

- abdominal pain 136, 212, 213
- Aboriginal populations 156, 157, 227
- absenteeism 44
- access to care 273, 283
 - drug treatment 101, 102, 121
 - systemic barriers 188–190
- accident benefits system 149
- accreditation standards 220, 221, 258, 260, 261
- acetaminophen 102, 103
- acetylsalicylic acid (ASA; aspirin) 101, 103
- action plans 171
- activity limitation 35–37, 96
- acupressure massage 124, 125
- acupuncture 122, 156
 - evidence for efficacy 158, 159
 - safety 161
- acute pain
 - intensity 70–72, 74–76, 78
 - transition to chronic 69–79
- addiction 98, 205–208
 - concerns about 54, 217
 - defined 198, 199
- adolescents, *see also* children 212
 - self-management interventions 174–176
- adverse drug events 46, 47, 160, 220
- age gradient, chronic pain 33–35, 76
- Alberta
 - “Back@It” Campaign 237–240, 245, 246
 - epidemiology of chronic pain 29
 - policy recommendations 305
- Alberta Chronic Pain Ambassador Program (ACPAP) 265, 266
 - assessing evidence 268, 269
 - description 266–268
 - limitations 269
 - outcomes 269
- allied health professionals 275
- allodynia 60
- alternative medicine, *see* complementary and alternative medicine
- American College of Rheumatology (ACR), definition of chronic widespread pain (CWP) 31
- amitriptyline 104, 105, 112, 113
- amputation 70–72
- analgesic medications, *see* medications
- anger 95, 186
- angina
 - interventional treatments 136, 137
 - self-management program (CASMP) 172–174
- ankylosing spondylitis 89
- anticonvulsants 102, 105, 106, 114
- antidepressants 102–105
 - concurrent mental illness 189
 - topical 112, 113
- anxiety 76, 94, 95
- arthritis 89, 90
 - economic burden 44
 - indigenous populations 225, 230
 - self-management 169, 170, 174–176
- Arthritis Self-Management Program (ASMP) 169, 170
- arts, visual 8, 9
- Arts and Humanities in Health and Medicine (AHHM), University of Alberta 14
- aspirin (acetylsalicylic acid; ASA) 101, 103
- astrocytes 63
- atypical facial pain 104
- Australia, VWA Back Campaign 237–242
- autobiographies 5, 6
- autonomy 54, 55
- axons 60–62

b

- The Back Book* 239–242, 245, 248
- back pain (low) 86–89, 195
 - Alberta ambassador program 265–271
 - CAM 156–158, 160
 - drug treatment 104, 111
 - economic burden 43
 - factors influencing recovery 196, 197
 - interventional treatments 132–135
 - mass media campaigns 233–250
 - multidisciplinary management 142–144, 146, 147
 - non-drug treatments 122–126
 - prevalence 33, 194, 234
 - primary prevention 234, 235
 - psychologically-based interventions 125, 199
- back schools 143, 147
- baclofen 108, 113
- balneotherapy 126
- Bandura, Albert 169
- Beecher, Henry Knowles 24
- behavior change theory 236, 246
- behavioral treatment 141
 - chronic low back pain 142, 143
 - headache 145
 - older studies 146, 147
- beneficence 53, 56
- benzodiazepines 111
- biofeedback 144, 145
- biopsychosocial model 47, 76, 213
- Bishop, George H. 24, 25
- bone grafts 74
- botulinum toxin injections 133, 134
- buprenorphine 189, 208
- buprenorphine plus naloxone 189

c

- calcium 63
- Calgary, Alberta 307, 308
- CAM, *see* complementary and alternative medicine
- Canada
 - direct healthcare costs 42, 43
 - epidemiology of chronic pain 29, 30
- Canadian Community Health Survey (CCHS) 38
- Canadian Consortium for the Investigation of Cannabinoids (CCIC) 115
- Canadian Consortium on Pain Mechanisms Diagnosis and Management (Cure Pain) 115
- Canadian Council on Health Services Accreditation (CCHSA) 220, 221, 258, 260, 261
- Canadian Foundation for Innovation (CFI) 115
- Canadian Institutes of Health Research (CIHR) 65, 177
- Canadian Pain Society 79, 109, 258
- Canadian Pain Trials Network (CPTN) 115
- cannabinoids 102, 109, 113–115, 189, 190
- cannabis (marijuana) 101, 109, 110
 - buccal spray 109–111
 - cautions 189, 190
- capsaicin 112
- carbamazepine 105–108
- care pathways 274, 275
- case-based workshops 266–268
- catastrophizing 76
- causalgia 93
- CBT, *see* cognitive behavioral therapy
- central sensitization 62, 72, 74
- cervical epidural injections 132, 133
- cervical pain, *see* neck pain
- chemical mediators of pain 62, 63
- children 211–214
 - historical context 211, 212
 - prevalence of chronic pain 32, 33, 212
 - proposed policies 213, 214
 - review of literature 212, 213
 - self-management interventions 174–176
- chiropractic 156, 159, 160
- Chronic Angina Self-Management Program (CASMP) 172–174
- chronic disease 94
- chronic fatigue syndrome, *see also* fibromyalgia 146
- chronic pain (CP), definitions 31
 - clinical presentation 85–99
- Chronic Pain Ambassador Program, *see* Alberta Chronic Pain Ambassador Program (ACPAP)
- Chronic Pain Rehabilitation Program (CPRP), Tampa 277, 283
- Chronic Pain Self-Management Program (CPSMP) 170–172, 177
- Chronic Pain Strategy Committee (CPSC), proposed 305, 306
- chronic pelvic pain 158
- chronic post-surgical pain (CPSP) 70–79
 - epidemiology 69, 70
 - policy implications 78, 79
 - preemptive/preventive analgesia 73
 - proposed model 77
 - risk factors 75, 76
- chronic widespread pain (CWP)
 - definitions 31
 - prevalence studies 32, 33

- clomipramine 104
 - clonidine 113
 - codeine 109, 111
 - coeliac nerve blocks 136
 - cognitive behavioral therapy (CBT) 122, 123, 141
 - children 213
 - chronic low back pain 142, 143
 - headache 145
 - injured workers 199
 - older studies 146, 147
 - temporomandibular joint pain/dysfunction 145, 146
 - cognitive impairment (dementia) 217–219
 - cold therapy 125, 126
 - Collen, Mark R. 9, 12
 - communication, interdisciplinary/interlevel 279
 - community-based management 98, 99
 - comorbidities 94, 186–188, 207
 - compensation 23, 24
 - mass media campaigns and 241, 242
 - whiplash associated disorders 87
 - worker outcomes and 197
 - competency requirements 259, 260
 - complementary and alternative medicine (CAM) 153–163
 - classification 155
 - epidemiology of use 155–157
 - evidence of safety/efficacy 157–160
 - physicians and 154
 - policy implications 161, 162
 - regulation 162
 - research methodology 161
 - safety concerns 160, 161
 - complex regional pain syndrome (CRPS) 93, 94
 - interventional treatments 133–136
 - consultation
 - rates 42, 43
 - reasons for 97
 - continuum of care (services) 274
 - criteria for success 300
 - discharge planning and 280
 - injured workers 198, 200
 - Quebec province 294–297
 - coordination of care 279, 280, 285
 - coping 96, 97
 - cost effectiveness 46
 - CAM 161
 - mass media campaigns 241, 242
 - multidisciplinary pain management 148, 149
 - self-management programs 170, 176
 - costs
 - direct 42, 43
 - indirect 43–45
 - credibility, experiential evidence 12
 - cultural practices 225, 229
 - cultural variations, prevalence 33
 - curriculum 256, 257, 259, 260
- d**
- dementia (cognitive impairment) 217–219
 - demographic change 217
 - depression 76, 95
 - epidemiologic studies 36, 37, 188
 - pharmacotherapy 189, 190
 - Descartes, René 27
 - desipramine 104
 - diabetic neuropathy (DN) 91
 - CAM 156
 - drug treatment 101, 102, 112
 - interventional treatments 133
 - diagnosis 97
 - diclofenac, topical 112
 - DIPEX website 10–12
 - disability 96
 - epidemiologic studies 38
 - management strategies 199–201
 - prevention of back pain-related 233–250
 - work 195
 - discharge planning 280
 - distress (emotional) 186, 187
 - epidemiologic studies 36, 37
 - pain clinic patients 94–98
 - dorsal horn 62–64
 - dorsal root ganglia 61
 - doubt 15
 - doxepin, topical 112–114
 - dronabinol 109, 110
 - drug treatment 101, 102
 - combination approach 102, 103
 - concurrent mental illness and 189, 190
 - costs 43, 44, 114, 115
 - elderly 219
 - evidence base 102, 103
 - policy implications 78, 154
 - specific agents 103–115
 - drugs, *see* medications
 - dualism 27
 - duloxetine 105, 113
- e**
- economics 41–48
 - direct costs 42, 43
 - indirect costs 43–45

- multidisciplinary pain management 47, 148, 149
 - pain management strategies 45–47
 - self-management programs 170
 - wider impact 45
 - worker injuries 44, 195, 198
 - education and training, professional 255–261
 - Alberta chronic pain ambassador program 265–271
 - CAM 162
 - geriatric pain management 219–221
 - international initiatives 258, 278
 - multidisciplinary 256, 257, 266
 - pediatric pain management 214
 - policy strategies 256–260
 - post-licensure 257, 258, 260, 261
 - pre-licensure 256–260
 - effectiveness 46
 - efficiency 46, 47
 - elbow pain, lateral 122, 159
 - elderly persons 217–221
 - post herpetic neuralgia 92, 93
 - prevalence of chronic pain 33, 217
 - electroacupuncture 122
 - emotional disorders 187
 - emotional responses to pain, *see also* distress 186, 187
 - definitions of pain 24–26
 - historical aspects 20–24
 - employers, mass media campaigns 242, 248
 - energy therapy 159
 - epidemiology
 - CAM use 155–157
 - chronic pain 29–38
 - chronic post-surgical pain 70–72
 - injured workers 194
 - epidural analgesia, perioperative 74, 77–79
 - epidural injections, cervical and lumbar 132, 133
 - equity 47
 - erythromelalgia 61
 - ethical issues 51, 52
 - evidence
 - ambassador program 265, 266, 268–271
 - quality of experiential 11, 12
 - evidence-based data 291, 294, 295, 300, 301
 - exercise 123, 143
 - exhaustion 95, 96
 - experience of pain 3–18
 - barriers to communication 12–14
 - core themes 15, 16
 - knowledge translation 14
 - multidisciplinary chronic pain program 303, 304, 306, 307
 - quality of evidence 11, 12
 - sources 11, 12
 - expert centers 296, 298, 299
- f**
- facet joint injections/radiofrequency denervation 134, 135
 - facial pain, atypical 104
 - failed back surgery syndrome (FBSS) 88, 89, 136
 - family physicians, *see* general practitioners
 - fatigue 95, 96
 - fentanyl patch 109
 - feverfew 158
 - fibromyalgia (FM) 75, 87, 90
 - CAM 156, 159, 161
 - drug treatment 101, 102, 104, 105
 - multidisciplinary management 146
 - non-drug treatments 123
 - financial strain 96
 - First Nation populations 156, 157, 225–230, 233–237
 - French national pain program 275, 276
 - education of healthcare providers 278
 - evaluation 280–283
 - process of care 279
 - structure elements 277
 - frustration 95
- g**
- gabapentin 74, 103, 105–108
 - gate control theory 63
 - gender differences 32–35, 76
 - children 212
 - general practitioners (GPs) 275
 - health system organization 278–280
 - impact of media campaigns 240, 241
 - reasons for referral 97–99
 - glucosamine 158
 - glutamate 62, 63
 - goal setting 171
 - gout 89
 - GPs, *see* general practitioners
 - group-based approach
 - chronic pain ambassador program 266–268
 - exercise 123
 - self-management 169–171, 173
 - guanethidine 134
 - guidelines 258
 - Guillain-Barré syndrome (GBS) 105, 107

h

- hand-shoulder syndrome 93
- headache 104–106
 - CAM 157–159
 - children and adolescents 212
 - multidisciplinary management 144, 145
- health, impact of chronic pain 42, 45
- Health Evidence Network of Alberta (HENA) 306
- health professionals 241
 - mass media campaigns 241, 242, 244, 247, 248
- Health Services and Technology Assessment Agency, Quebec (AETMIS) 293, 295
- health system organization 273, 274
 - care pathways and 274, 275
 - evaluation 280, 282
 - evidence for improved outcomes 283, 284
 - monitoring patient outcomes 282, 283
 - process elements 278–280
 - recommendations 305
 - structure elements 277
 - training of healthcare providers 278
 - two example jurisdictions 275–277
- health technology assessment (HTA) 266, 274, 307
- healthcare costs, direct 42, 43
- healthcare seeking behavior 194, 195
- heat therapy 125, 126
- herbal remedies 154, 156, 157
 - evidence for efficacy 158
 - safety 160
- hierarchy of services 274, 275, 277, 284, 296
- history of pain 19–27
- HIV-neuropathy 108
- holistic approach 154, 155
- home care
 - elderly 218–220
 - health system organization 279, 280
- Home Telehealth program 279, 280
- home visits 220, 228
- hospital-based care 275, 277
- hospitalization rates 42, 43
- hostility 186
- hydromorphone 109
- hyperalgesia 60, 206
 - secondary 60
- hyperpathia 60
- hypnosis 145

i

- IASP, *see* International Association for the Study of Pain
- ibuprofen 103
- imipramine 104
- indigenous populations 156, 157, 225, 230
- inflammatory pain 60
- injection therapy 132–135
- injured workers, *see* workers, injured
- innovative technology 280
- insurance systems
 - elderly 218, 219
 - indigenous populations 225, 226, 230
 - worker outcomes 197
- integrative pain medicine 162
- integrity 55, 56
- interdisciplinary approach 279, 284
- International Association for the Study of Pain (IASP) 14, 55, 258
 - CAM education 162
 - complex regional pain syndrome 93
 - definitions 26, 27, 31
- internet
 - experiences of pain 8–11
 - healthcare system support 276, 279
 - mass media campaigns 239, 243–245
 - self-management programs 174–176
- interprofessional collaboration 256, 260, 261
- interprofessional pain education 256, 257, 266
- interventional treatments 131–138
- intervertebral disc, prolapse/rupture 88
- intrathecal (IT) medication pumps 137
- intravenous lidocaine infusion 133
- intravenous regional sympathetic blockade (IRSB) 134
- invisibility 15
- ischemia, lower limb 136, 137

j

- journals, professional 7–10, 12, 14
- justice 55
- juvenile idiopathic arthritis (JIA), web-based intervention 174–176

k

- ketamine and tricyclic antidepressants, topical 112, 113
- Knowledge Exchange Task Force (KETF) 177, 178
- knowledge generation 65
- knowledge translation 14, 177, 266

I

labeling of patients 53, 54
 lamotrigine 105, 106, 108
 laser therapy 123, 124
 leg pain 87, 88, 132, 133
 lidocaine
 – intravenous infusion 133
 – topical 113
 literature 7, 15, 16
 local anesthetics
 – intravenous infusion 133
 – paravertebral/paraspinal blocks 134
 – sympathetic blockade 135, 136
 – trigger point injections 133
 long-term care (LTC) facilities 217–221
 low back pain, *see* back pain
 lumbar epidural injections 132, 133
 lumbar sympathetic block 135, 136

m

magnetic resonance imaging (MRI) 87
 manipulation 124, 160
 marijuana, *see* cannabis
 mass media campaigns 233–250
 – descriptions of specific 236–246
 – design and evaluation 246–250
 – methods 236
 – rationale 235, 236
 massage therapy 124, 125, 156, 158
 mechanisms of pain 65
 media campaigns, *see* mass media campaigns
 medications, *see also* drug treatment, *see also* prescription drugs 102
 – adverse effects 46, 47, 160, 220
 – costs 43, 44, 114
 – derived from herbal remedies 154
 – development of new 115
 – problem use 98, 206, 207
 medicine wheel 229
 meditation 125, 156, 159
 mental health disorders 185–190, 207
 methadone 109, 207, 208
 microglia 63
 migraine
 – drug therapy 219
 – non-drug management 144, 145, 158
 Military and Veterans Pain Care Act 281
 mobilization 124
 morphine 109, 111
 motor vehicle collisions 75, 76, 87
 movement therapies 159
 multidisciplinary pain centers (MPCs) 275, 277

multidisciplinary pain clinics, *see* pain clinics
 multidisciplinary pain education 256, 257, 266
 multidisciplinary pain management 141–150
 – children 214
 – chronic low back pain 142, 144
 – components 142
 – economics 47, 148, 149
 – evaluation 281
 – fibromyalgia/chronic fatigue syndrome 146
 – headache 144, 145
 – health system organization 274, 275, 277, 279
 – neck pain 144
 – patients' experiences 304
 – recommendations 149, 150
 – temporomandibular joint pain/dysfunction 145, 146
 – unspecified/mixed pain disorders 146, 147
 muscle relaxants 111
 musculoskeletal pain 44, 86
 music therapy 159
 myelinated axons 60, 61
 myofascial pain syndromes 133

n

nabilone 109, 110
 naloxone 189
 narratives, patient 4, 8, 11–14
 National Cancer Policy Board Committee on Cancer Survivorship (U.S.) 78, 79
 National Center for Complementary and Alternative Medicine (NCCAM) 155
 National Population Health Survey (NPHS) 33, 34, 42
 natural health products (NHPs), *see also* herbal remedies 160
 neck pain 86, 87
 – CAM 158, 159
 – interventional treatments 132–135
 – multidisciplinary management 144
 – non-drug treatments 122–125
 – prevalence 33
 nerve injury 70, 77, 78, 93
 nerves, peripheral 60–62
 neurolytic sympathetic blocks 136
 neurones 61–64
 neuropathic pain 60, 86, 90, 91
 – drug treatment 102, 104
 – interventional treatments 133

- pathophysiology 61
- topical analgesics 112
- neurotransmitters 62, 63
- nociception 59–63
 - chemical mediators 62, 63
 - non-neuronal cells 63
- nociceptive pain 60
- nociceptors 59–61
- non-drug treatments 121–127
- nonmaleficence 53, 54, 56
- non-steroidal anti-inflammatory drugs (NSAIDs) 102, 103, 113
 - adverse effects 46, 47, 103
 - COXIB 113
 - interactions with herbs 160
 - topical 112
- nortriptyline 104
- Norwegian Back Pain Network
 - “Active Back” Campaign 237–240, 243, 244
- number needed to treat (NNT) 103
- nurse practitioners (NPs) 219–221
- nursing homes, *see* long-term care facilities

o

- occupational therapy 125
- older people, *see* elderly persons
- omega-3 fatty acids 157
- operant conditioning model 76
- opioids 102, 108, 109
 - addiction 205–208
 - adverse effects 46, 109
 - concurrent mental illness and 189
 - ethical considerations 52–54
 - improving availability 207, 208
- opium 101
- osteoarthritis 89, 94
 - CAM 156–159
 - drug treatment 103, 112
 - non-drug treatments 123, 124, 126, 127
- osteopathy 160
- over-the-counter medications 43
- oxcarbazepine 107, 108
- oxycodone 109

p

- Padfield, Deborah 8, 12
- pain, definitions 24–27
- pain assessment
 - children 212
 - elderly 217–221
 - evaluating provision 281, 282
- pain clinics 85–99, 277
 - access to 114

- multidisciplinary treatment *see* multidisciplinary pain management
- pain conditions 86–94
 - patient characteristics 85, 86
 - presentation to 94–97
 - reasons for consultation 97
 - reasons for referring to 97–99
 - waiting lists 149
- pain conditions 86–94
- PAIN Exhibit* 9, 12
- pain management, *see also* drug treatment, *see also* treatment of chronic pain
 - basic science 63
 - community based 98, 99
 - economics 45–47
 - evaluation of quality 281, 282
 - monitoring patient outcomes 282, 283
 - policy recommendations 305
- pain management teams 306
 - inter-level communication 279
 - LTC facilities 220, 221
- paravertebral/paraspinal blocks 134
- patellofemoral pain syndrome 123, 126, 127
- pathophysiology of chronic pain 59
- patient education
 - low back pain 143, 147
 - neck pain 144
 - self-management programs 168, 169
- patients, help with managing 98
- pediatric patients, *see* children
- Perceptions of Pain* 8
- peripheral neuropathy 123, 156
- phantom limb pain 70, 71, 105
- pharmacotherapy, *see* drug treatment
- physical conditioning programs 125
- physical functioning 96
- physical therapy 125–127, 199
- piriformis syndrome 88
- post herpetic neuralgia (PHN) 92, 93
 - drug treatment 102, 104, 105
 - interventional treatments 133
 - topical analgesics 112
- post stroke pain 93, 106
- postoperative pain
 - control 73, 78, 79
 - intensity 72
- post-traumatic stress disorder 23
- preemptive analgesia 73–75
- pregabalin 106–108
- prescription drugs, *see also* drug treatment
 - abuse 206
 - availability to elderly 219

- costs 44
- evidence for using 102, 103
- indigenous people 229, 230
- presentation of chronic pain, clinical 85–99
- prevalence
 - back pain 33, 194, 234
 - CAM use 155, 156
 - chronic pain 29–34
 - – in elderly 33, 217
 - – in workers 194
 - median point 30
 - opioid addiction in chronic pain 206
 - pediatric chronic pain 32, 33, 212
 - psychopathology 187, 188
 - preventive analgesia 73–75
 - primary care 275, 284
 - pain management education 276
 - physicians *see* general practitioners
 - psoriatic arthritis 89, 112
 - psychiatric comorbidity 187, 188
 - psychogenic pain 25, 26
 - psychological interventions, *see also*
 - cognitive behavioral therapy 122, 123, 142
 - children 213
 - injured workers 198, 199
 - psychopathology 185–190
 - pharmacotherapy 189, 190
 - prevalence and types 187, 188
 - proposed systemic change 190
 - systemic barriers to access 188, 189
 - psychosocial factors 186, 187
 - children 212
 - chronic post-surgical pain 73, 75
 - historical aspects 20
 - impact of ignoring 13, 14
 - transition of acute to chronic pain 76
 - worker outcomes 195, 196
 - psychotropic drugs 189
 - public education 221

q

- Qigong 159
- quality control, healthcare delivery 281, 282, 299
- quality of life 45, 86
- Quebec chronic pain management strategy 291–301
 - background to development 293
 - context 292, 293
 - current and future progress 299
 - development process 294–299

r

- radiofrequency denervation 134, 135
- railway workers 23
- referrals
 - process 278, 279
 - reasons for 97–99
- referred pain 62
- reflex sympathetic dystrophy 93
- rehabilitation
 - injured workers 198–200
 - multidisciplinary 142–144, 147, 149, 150
- rehabilitation centers 275, 296
- relaxation therapy 125, 142, 143, 145, 159
- research
 - analgesic medications 114
 - CAM 161
 - funding 65, 79, 114, 115
 - linking to practice 265–270
 - pain self-management 176, 177
 - pediatric pain 214
 - recommendations 305
- Resident Assessment Instrument (RAI) 219
- return to work (RTW)
 - factors affecting 195–197
 - management strategies 198–200
 - pain clinic programs 143, 144, 147, 148
- rheumatoid arthritis 75, 89
 - CAM 157–159
 - non-drug treatments 122, 124–127
- risk management, opioid therapy 207, 208
- rubefacients 112

s

- sadness 95
- safety concerns, CAM 160, 161
- salicylates, topical 112
- sciatica 88, 132, 134, 135
- Scotland, Working Backs Scotland Campaign 237–240, 242, 243
- secondary care 275
- sedentary (inactive) lifestyle 38
- selective serotonin reuptake inhibitors (SSRIs) 104
- self-efficacy 169–172
- self-management 167–178
 - angina 172–174
 - arthritis 169, 170
 - children 174–176
 - chronic pain 170–172
 - health system organization 279, 280
 - history and overview 168, 169
 - policy implications 176–178
- serotonin norepinephrine reuptake inhibitors (SNRIs) 104

- severity of pain 86
 – economic aspects 43
 – epidemiologic studies 32, 34, 35
 shingles 92
 shoulder pain 122, 127, 159
 sickness absences 44, 143, 144, 243, 244
 sleep disorders 95, 96, 212
 social functioning 96
 social marketing, *see* mass media campaigns
 social responsibility 55
 sodium channels 61
 solicitous responding by others 76
 somatoform disorders 187
 spa therapy 126
 specialists, pain management 275
 spinal cord 61, 62
 spinal cord injury 105–107, 156
 spinal cord stimulation (SCS) 136, 137
 spinal manipulation therapy 124
 spinal pain 86–88
 spinal surgery 88, 89
 splanchnic nerve blocks 136
 spontaneous pain 60
 stellate ganglion block 135
 stereotypes 14
 steroids
 – epidural injections 132–133
 – paravertebral/paraspinal blocks 134
 – trigger point injections 133
 stump pain 70, 71
 substance abuse, *see also* addiction
 – previous history 55, 206
 substance P 61, 63
 Sudek's atrophy 93
 suffering 45
 suicide 95, 188
 sumatriptan 113
 sun dances 228
 supra-regional services 296, 298, 299
 sweats 228
 Swedish Council on Technology
 Assessment in Health Care (SBU) 266
 sympathectomy, neurolytic 136
 sympathetic blockade 135, 136
 systematic reviews 266, 268
- t**
- T'ai Chi 159
 temporomandibular joint (TMJ) pain/
 dysfunction 145, 146, 156
 tendonitis 125
 tertiary care 275, 296, 298, 299
 tetrahydrocannabinol (THC) 109–111
 thermotherapy 125, 126
 thoracotomy 70, 71
 tic douloureux, *see* trigeminal neuralgia
 timing of care 273
 tissue injury 60
 topical analgesics 102, 112
 topiramate 106–108
 touch, therapeutic 159
 traditional healers 225, 229
 training, *see* education and training,
 professional
 tramadol 109
 transcutaneous electrical nerve stimulation
 (TENS) 126
 transparency, experiential evidence 12
 traumatic brain injury 198
 treatment of chronic pain, *see also* pain
 management
 – ethical aspects 51–56
 – interventional 131–138
 – non-drug 121–127
 – referral for 97
 triangulation 12
 tricyclic antidepressants 102–104
 – ketamine, topical 112
 trigeminal neuralgia (TN) 91, 92
 – drug treatment 121
 trigger point injections 133
 tryptans 113
- u**
- ultrasound, therapeutic 126, 127
 undertreatment of chronic pain
 – addiction concerns 54, 206
 – economics 43
 – elderly 217, 218
 – ethical aspects 52–55
 – strategies to prevent 261
 universal precautions approach 208
 unpredictability 15, 16
- v**
- venlafaxine 104, 105
 Veterans' Health Administration (VHA)
 National Pain Management Strategy 276,
 277
 – education of healthcare providers
 278
 – evaluation 281–284
 – process 278–280
 – structure elements 277
 Victoria WorkCover Authority (VWA) Back
 Campaign, Australia 237–242
 videoconferencing 280
 visceral pain 86

W

- waiting lists/times 147, 149, 292
- web, *see* internet
- whiplash 87, 133, 144
- whiplash associated disorders (WAD) 87, 198
- widespread pain 90
- wind-up 62
- women 85, 86
- words for pain 20–22
- work, return to, *see* return to work
- work absences, *see* sickness absences
- work conditioning/hardening 125
- workers, injured 193–201
 - characteristics 195–197
 - compensation/insurance and 197
 - disability 195
 - economics 44, 195
 - epidemiology 194
 - healthcare seeking behavior 194, 195
 - historical aspects 23, 24
 - management strategies 198–200
 - recommendations 149
- Working Backs Scotland Campaign, Scotland 237–240, 242, 243
- workplace
 - back pain education 243, 244, 248
 - environment 196
- World Health Organization (WHO) 55, 194, 233, 258
 - opioid control 232
 - Ottawa Charter 234
- worry 94, 95

Y

yoga 159