

Index

a

adiabatic IP/EA 144–146
 adjacency matrix 72
 affinity, electron, *see* electron affinity
 algorithms
 – Newton–Raphson 197
 – velocity Verlet 172–173, 192
 – Verlet 170–171
 all-metal clusters 198, 202–205
 – planar 147
 ammonia molecule 21
 – irreducible representation 138–139
 amplitudes, vibrations 32
 Andersen thermostat 187
 angle
 – dihedral 13–15
 – torsion, *see* dihedral
 angular frequency 29
 angular momentum 108, 172–173
 anharmonic oscillator 181
 annealing, simulated, *see* simulated annealing
 annulenes 67
 antisymmetric stretching 114, 123–124
 – water molecule 131–132
 approximations
 – Born–Oppenheimer 69, 117, 169, 199
 – harmonic 25–27, 114–115
 – ideal-gas 154–156
 aromaticity, Hückel’s rule 78
 asymptotics, exponential 50
 atmosphere, infrared spectrum 115
 atomic energy levels 53
 atomic masses, vibration amplitudes 32
 atomic orbitals 47–55

– LCAO 7, 48, 69–70, 130
 – orthonormalization 51
 atoms
 – electron affinity 57–66
 – Schrödinger equation 47–49
 – Slater rules 59–61
 averages, thermodynamic 188
 axes, rotational 15

b

bending 114, 123–124
 – water molecule 131–132
 Berendsen thermostat 186–187, 190
 BFGS method 96
 binding energies of electrons 59–61, 74–75
 bipyramidal structure 205
 biradicals, stable 110
 ‘black-box’ strategy 1
 bond length 13–14
 – 1,4-difluorobenzene 136
 – methane 161
 – molecular dynamics 190
 – reduced mass 28
 – steepest descent method 98–101
 bond order 83–84
 bonding, fulvene molecule 89
 Born–Oppenheimer approximation 69, 117, 169, 199
 – simulated annealing 200
 Born–Oppenheimer molecular dynamics (BOMD) 168
 butadiene molecule 85–88

c

canonical ensemble 182, 186
 Car–Parrinello molecular dynamics (CPMD) 168

- carbon atoms
 - conjugated π systems 67–81
 - sp^2 hybridized 85
 - carbon dioxide molecule 20–21
 - normal modes 114
 - thermodynamic properties 164
 - vibrational modes 120
 - carbon monoxide molecule
 - Hessian-based Newton–Raphson optimizer 100–102
 - Morse potential 30
 - point groups 20–21
 - steepest descent method 98–100
 - total energy 177
 - vibrational frequency 43
 - Cartesian coordinates 11–12
 - single-vector representation 127–128
 - center of inversion 15
 - character tables, vibrational spectroscopy 127–141
 - charge order 84–85
 - chemistry
 - computational
 - thermochemistry 151–165
 - classical mechanics 35–37
 - classical molecular dynamics (CMD) 168, 174–178
 - classical vibrations, harmonic approximation 114–115
 - closed systems 173
 - clusters 147, 198, 202–205
 - computational chemistry 167–169
 - basics 1–9
 - simulated annealing 197–207
 - conjugated π systems 67–81, 83
 - conservation of physical quantities 172–173
 - coordinates
 - Cartesian and internal 11–12
 - mass-weighted 121
 - single-vector representation 127–128
 - Coulomb integral 71
 - critical point 155
 - cubic groups 17–18
 - cyanide, hydrogen 97, 124
 - cyclopropene, 1-methylene- 72
 - cyclopropenyl 75–78
- d**
- degeneracy 131–132, 162
 - orbitals 77–78
 - degrees of freedom 114, 136
 - external 185
 - molecular partition function 156
 - density, probability 38, 42
 - density-functional calculations 64
 - detachment energy, vertical 146
 - diamagnetic molecules 107
 - diatomic molecules 5
 - forces 93–94
 - geometry optimization 91–105
 - Morse potential parameters 31
 - vibrations 25–45
 - 1,2-dichloroethene molecule, isomers 140
 - dichloromethane molecule, irreducible representation 138–139
 - differential equation, partial 39
 - 1,4-difluorobenzene molecule 136–137
 - difluoroethene molecule 92
 - infrared and Raman spectra 125
 - isomers 164, 200
 - dihedral angle 13–15
 - direct product, wavefunctions 133
 - discrete solutions 39
 - dissociation energy 26, 36
 - distortion, Jahn–Teller 109
 - double bond 84
 - dynamics, molecular, *see* molecular dynamics
- e**
- EA, *see* electron affinities
 - eigenenergy 40
 - eigenfunctions 41
 - eigenvalues 76–77
 - butadiene molecule 85
 - translational and rotational motions 129
 - electron affinity 57–66
 - adiabatic 144–146
 - calculation 61–62
 - influence of geometry 144–146
 - molecules 143–149
 - second period elements 65
 - vertical 144–146
 - electron binding energy, π electrons 74–75
 - electron configuration 53
 - electron spin 107–112
 - electronic contribution to molecular partition function 160
 - energy
 - atomic levels 53
 - binding 59–61

- conservation 172–173
- dissociation 26, 36
- free 151–153
- internal 152–153, 163
- molecular orbitals 86
- orbital 48
- π electron binding 74–75
- potential energy surface, *see*
potential energy surface
- total 172, 177
- units 164
- vertical detachment 146
- zero-point 36, 43, 152, 163
- energy operator, kinetic 38
- ensembles 182–183
 - canonical 186
- enthalpy 151–153
 - reaction 164
- entropy 153
 - methane 163
- equilibrium distance 189
- equilibrium position 26, 30
- ergodic theorem 183–185
- ethane molecule
 - irreducible representation
138–139
 - simulated annealing 205
- ethene molecule, bond order 84
- excitation operator 133
- exclusion principle, Pauli 107
- exponential asymptotics 50
- extended Hückel theory (EHT) 67
- external degrees of freedom 185
- external heat baths 186–188
- extrapolation, position vector 95

f

- fluorine molecule 194
- force constant 27
- force-constant matrix 117, 121
- forces, diatomic molecules 93–94
- formamide molecule 19–20
 - Z-matrix 20
- formic acid 22
- Franck–Condon principle 144
- free energy 151–153
- free enthalpy 151–154
- frequencies
 - analysis 139
 - vibrational 28–30, 113
- frontier orbital 86
- fullerenes 67, 78
 - isomers 98
- fulvene molecule, bonding 89

g

- gap, HOMO–LUMO 73
- gas phase, relative abundance of
isomers 160–161
- Gaussian function 41
- geometry
 - influence on IP and EA 144–146
- geometry optimization 3, 33
 - all-metal clusters 202–205
 - diatomic molecule 91–105
 - 1,4-difluorobenzene 136
 - global 97–98
 - local 97–98
 - methane 161
 - Morse potential 97
- Gibbs' equations 155
- global geometry optimization
97–98
- global maximum/minimum 92–93,
203–205
- gradients, calculation 173
- grand canonical ensemble 182

h

- Hamilton integral 69
- Hamiltonian operator 37
 - off-site matrix elements 71
- harmonic approximation 25–27
 - classical vibrations 114–115
- harmonic oscillator 115–117
 - probability density 42
 - quantum mechanical 35
 - wavefunctions 40
- harmonic potential 27
- harmonics, spherical 59
- Hartree unit 60, 62
- heat bath 174
 - external 186–188
- heat capacity 156
 - methane 163
- Hermite polynomials 41
- Hessian-based Newton–Raphson
optimizer 7, 95–96
 - carbon monoxide molecule
100–102
- Hessian matrix 94, 96, 119–121
 - character tables 127–129
- highest occupied molecular orbital
(HOMO) 58, 61
- HOMO–LUMO gap 73, 86–87
 - stability of polyenes 88
- Hooke's law 27, 115
- horizontal mirror plane 17
- Hückel postulates 70–71

- Hückel theory 7, 67–90
 - bond order 83–84
 - charge order 84–85
 - extended 67
 - molecular orbitals 83–90
 - Schrödinger equation 68
- Hückel's rule for aromaticity 78
- Hund's rule 77–78, 109–110
- sp² hybridized carbon atoms 85
- hypersurface, potential energy 92

- i**
- ideal-gas approximation 154–156
- ideal-gas equation 154
- in-plane bending 114, 123–124
- inactive vibrations 120
- inertia, moment of 159
- infrared spectroscopy
 - atmosphere 115
 - difluoroethene 125
 - intensities 119–120, 133
 - selection rules 133–135
- internal coordinates 11–12
- internal energy 152–153
 - methane 163
- inversion, center of 15
- iodide, hydrogen 103
- iodine molecules 103
- ionization potential (IP) 57–66
 - adiabatic 144–146
 - calculation 61–62
 - influence of geometry 144–146
 - molecules 143–149
 - second period elements 64
 - vertical 144–146
- ions, Slater rules 59–61
- irreducible representation 131–134, 138–139
- isolated pentagon rule 78
- isomers 92
 - 1,2-dichloroethene 140
 - difluoroethene 164, 200
 - fullerenes 98
 - relative abundance 160–161
 - simulated annealing 197
- iteration 99–100, 172

- j**
- Jahn–Teller distortion 109
- Jahn–Teller effect 108–110

- k**
- kinetic energy 172
 - macroscopic systems 183
 - operator 38
- Koopmans' theorem 61, 147

- l**
- laws and equations
 - ergodic theorem 183–185
 - Franck–Condon principle 144
 - Gibbs' equations 155
 - Hooke's law 27, 115
 - Hückel's rule for aromaticity 78
 - Hund's rule 77–78, 109–110
 - ideal-gas equation 154
 - isolated pentagon rule 78
 - Koopmans' theorem 61, 147
 - Maxwell–Boltzmann distribution 185
 - Morse potential 5, 25
 - Newton's law 27, 116
 - Newton's second law 172
 - Pauli exclusion principle 107
 - Schrödinger equation, *see* Schrödinger equation
 - Stirling formula 155
- Lennard-Jones potential 198
- linear combination of atomic orbitals (LCAO) 7, 48, 130
 - Hückel theory 69–70
- linear groups 17–18
- linear molecules, vibrational modes 120–124
- local geometry optimization 97–98
- local maximum/minimum 92–93, 198
- lowest occupied molecular orbital (LUMO) 61
 - *see also* HOMO–LUMO gap

- m**
- macroscopic systems
 - kinetic energy 183
 - thermodynamics 185–186
- many-body quantum mechanics 2
- mass
 - reciprocal 174
 - reduced 27–28
- mass spectrometry 143
- mass-weighted coordinates 121, 128
- matrix
 - adjacency 72
 - force-constant 117, 121
 - Hessian, *see* Hessian matrix
 - topology 71–72
 - Z-matrix 12–13, 19–20, 191, 202–203

- maximum, global/local 92–93
 - Maxwell–Boltzmann distribution 185
 - MD, *see* molecular dynamics
 - mechanics, classical/quantum 35–37
 - mesomeric structures 75
 - metal clusters 198, 202–204
 - methane molecule
 - Cartesian and internal coordinates 14–15
 - geometry optimization 161
 - thermodynamic properties 161–164
 - Z-matrix 15
 - 1-methylene-cyclopropene molecule 72
 - microcanonical ensemble 182, 191
 - minimum, global/local 92–93, 198, 203–205
 - mirror planes 15–17
 - modes
 - normal 114, 129–132
 - vibrational 117–124
 - molecular coordinates 11–23
 - molecular dynamics (MD) 9
 - algorithms 3
 - basic concepts 167–179
 - basic thermodynamics 181–196
 - classical 168, 174–177
 - energetics 178
 - hydrogen chloride 178
 - simulated annealing 197–207
 - molecular orbitals 51
 - 3D 53
 - energy levels 86
 - highest occupied, *see* highest occupied molecular orbital
 - Hückel theory 7, 67–90
 - lowest occupied, *see* lowest occupied molecular orbital
 - π electrons 74
 - theory 68–70
 - theory, *see* also Hückel theory
 - molecular partition function 156–160
 - degrees of freedom 156
 - molecular point groups 20–21
 - carbon monoxide/dioxide 20–21
 - molecular units 154
 - molecules
 - ammonia 21, 138–139
 - butadiene 85–88
 - carbon dioxide, *see* carbon dioxide molecule
 - carbon monoxide, *see* carbon monoxide molecule
 - diamagnetic 107
 - 1,2-dichloroethene 140
 - dichloromethane 138–139
 - 1,4-difluorobenzene 136–137
 - difluoroethene 92, 125, 164, 200
 - electron affinity 143–149
 - ethane 138–139, 205
 - ethene 84
 - fluorine 194
 - formamide 19–20
 - fulvene 89
 - hydrogen 103
 - hydrogen chloride 178
 - hydrogen cyanide 97, 124
 - hydrogen iodide 103
 - iodine 103
 - ionization potential 143–149
 - linear 120–124
 - methane 14–15, 161–164
 - 1-methylene-cyclopropene 72
 - nitrogen monoxide 110
 - ozone 147
 - paramagnetic 107
 - planar 22
 - water, *see* water molecule
 - moment of inertia 159
 - momentum
 - angular 108
 - conservation 172–173
 - Morse potential 5, 25
 - carbon monoxide 30
 - diatomic molecules 31
 - geometry optimization 97
 - Schrödinger equation 36
 - thermochemistry 174–176
 - thermodynamic averages 188
 - multi-dimensional problems 117
 - multiplicity 108
- n**
- Newman projection 14
 - Newton–Raphson algorithm 197
 - Newton–Raphson optimizer 7, 95–96, 100–102
 - Newton’s law 27, 116
 - Newton’s second law 171
 - nitrogen monoxide molecule 110
 - nodes 52, 54
 - non-axial point groups 17–18
 - normal modes 114
 - carbon dioxide molecule 114
 - character tables 129–130

- symmetry 130–132
 - visualization 140
 - normalization 38, 48, 50
 - Nosé–Hoover thermostat 187–188
 - NP-hard problems 198
 - nuclear charge 59
 - nuclear fission 190
 - nucleus–nucleus repulsion 68
 - NVE ensemble 182
 - NVT ensemble 182, 186
- o**
- off-site Hamilton matrix elements 71
 - open systems 173
 - operations, symmetry 16–17
 - optimization, geometry, *see* geometry optimization
 - optimizer, Newton–Raphson 7, 95–96, 100–102
 - orbital energy 48
 - orbital overlap 71
 - orbital shape 51
 - orbitals
 - atomic, *see* atomic orbitals
 - degenerate 77–78
 - frontier 86
 - molecular, *see* molecular orbitals
 - valence 53
 - orthogonality 48
 - orthonormality 43, 51
 - oscillator, anharmonic 181
 - out-of-plane bending 114, 123–124
 - overlap, orbital 71
 - overlap integral 69
 - 1,2,5-oxadiazole 22
 - ozone molecule 147
 - π electron binding energy 74–75
 - π systems, conjugated 67–81
 - conjugated 83
- p**
- paramagnetic molecules 107
 - Parrinello, *see* Car–Parrinello molecular dynamics
 - partial differential equation 39
 - particle spin 49
 - partition function 152–154
 - molecular 156–160
 - Pauli exclusion principle 107
 - PES, *see* potential energy surface
 - phenyl rings 110
 - planar all-metal clusters 147
 - planar molecules 22
 - Planck constant 36
 - point, critical 155
 - point groups 17–19
 - carbon monoxide/dioxide 20–21
 - character tables 134
 - molecular 20–21
 - non-axial 17–18
 - symmetry numbers 159
 - polyenes, stability 88
 - polynomials, Hermite 41
 - position vector, extrapolation 95
 - potential
 - harmonic 27
 - ionization, *see* ionization potentials
 - Morse, *see* Morse potential
 - pair 198
 - pseudo-potential 63
 - potential energy 172
 - thermochemistry 151
 - potential energy surface (PES) 5, 25, 91–93
 - simulated annealing 200
 - thermochemistry 174–176
 - principal quantum number 49, 60
 - probability density 38
 - harmonic oscillator 42
 - π electrons 74
 - product, direct 133
 - projection, Newman 13–14
 - propagation of atoms 169
 - pseudo-potential 63
- q**
- quantization 40
 - quantum chemical methods 2
 - quantum mechanics 35–37
 - harmonic oscillator 35
 - quantum molecular dynamics (QMD) 168
 - quantum number 48
- r**
- radical, triphenylmethyl 108
 - Raman spectroscopy 115
 - difluoroethene 125
 - intensities 119
 - selection rules 133–135
 - reaction enthalpy 164
 - reciprocal mass 174
 - reduced mass 27–28
 - reference atom 13–14
 - relative abundance of isomers 160–161

- representation, irreducible 131–134
- repulsion, nucleus–nucleus 68
- rings, phenyl 110
- rotational axes 15
- rotational contribution to molecular partition function 158–159
- rotational motions, eigenvalues 129
- σ/π separation 70
- S**
- saddle point 93
- scaling thermostat 186
- SCF, *see* self-consistent field technique
- Schrödinger equation 5–6, 33, 35–45
 - atom 47–49
 - Hückel theory 68
 - simulated annealing 201
 - solutions 39–42
 - stationary 37–39
 - thermochemistry 151
- screening constant 59–61
- second period elements, IP and EA 64
- selection rules 133–135
- self-consistent field (SCF) technique 111
- shielding constant 60
- simple scaling thermostat 186
- simulated annealing 197–207
 - potential energy surface 199–200
 - stationary points 202–203, 205
- simulations 1, 167–169
- single-vector representation, Cartesian coordinates 127–128
- Slater rules 59–61
- spectrometry, mass 143
- spectroscopy
 - infrared/Raman 115, 119
 - simulation 1
 - vibrational 113–141
- spherical harmonics 59
- spin
 - angular momentum 108
 - electron 107–112
 - particles 49
- spreadsheets 174–177
- stability
 - biradicals 110
 - conjugated carbon π systems 67–81
 - polyenes 88
- starting point, iterations 103
- startup conditions 169
- stationary points 202–203, 205
- stationary Schrödinger equation 37–39
- statistical thermodynamics 152
 - ergodic theorem 184
- steepest descent method 94–95
 - bond length 98–101
 - carbon monoxide molecule 98–100
- step size 100–102
- Stirling formula 155
- stretching 114, 123–124, 131–132
 - antisymmetric, *see* antisymmetric stretching
- structural isomers 92
- surface, potential energy, *see* potential energy surface
- symmetric stretching 114, 123–124
 - water molecule 131–132
- symmetry
 - basics 15–16
 - elements and operations 16–17
 - molecular coordinates 11–23
 - normal modes 130–132
 - water molecule 130–132
- symmetry elements, water molecule 16
 - water molecule 132
- symmetry numbers 159
- system size 148
- T**
- tables, character 127–141
- Taylor series 26
- temperature 183–185
- tensor of moments of inertia 159
- thermochemistry 151–165
 - ideal-gas approximation 154–156
- thermodynamic functions 152–154
- thermodynamic properties
 - carbon dioxide molecule 164
 - methane 161–164
- thermodynamics
 - averages 188
 - ensembles 182–183
 - macroscopic systems 185–186
 - molecular dynamics (MD) 181–196
 - statistical 152
- thermostats 174, 186–188
 - Berendsen 186–187, 190
- topological structures 201
- topology matrix 71–72
- torsion angle 14
- total (angular) momentum 172–173
- total energy 172
 - carbon monoxide 177

- trajectory 169
- transformed model system 29
- transition states 202
- translational motions 157–158
 - eigenvalues 129
- triphenylmethyl radical 108

- u**
- units
 - energy 164
 - molecular 154

- v**
- valence orbitals 53
- velocity Verlet algorithm 171–172, 192
- Verlet algorithm 170–171
 - velocity 192
- vertical detachment energy 146
- vertical IP/EA 144–146
- vertical mirror plane 17
- vibrational contribution to molecular partition function 159–160
- vibrational frequencies 28–30, 113
 - carbon monoxide 43
 - 1,4-difluorobenzene 138
- vibrational levels 36
- vibrational modes 117–124
 - carbon dioxide molecule 120
 - linear molecules 120–124
 - water molecule 131–132
- vibrational spectroscopy 113–126
 - character tables 127–141
 - intensities 119–120
- vibrations
 - diatomic molecules 25–45
 - harmonic approximation 114–115
 - wavenumber 32
- visualization, normal modes 140

- w**
- water molecule
 - Cartesian and internal coordinates 11
 - symmetry 130
 - symmetry elements 16
 - vibrational modes 131–132
 - Z-matrix 12–13
- wavefunctions 38
 - direct product 133
 - harmonic oscillator 40
 - Slater rules 59–61
- wavenumber, vibrations 32

- z**
- Z-matrix 12–13, 19–20
 - formamide molecule 20
 - methane molecule 15
 - molecular dynamics 191
 - simulated annealing 202–203
 - water molecule 12–13
- zero-point energy 36, 43, 152, 163