

## Index

### a

- A-B-A block copolymer 11, 43, 54
- PHS-PEO-PHS 43
- ab initio* emulsion polymerization 209, 217
- absorption spectroscopy 173
- 2-acrylamido-2-methyl-1-propanesulfonic acid (AMPS) 252, 281, 283, 286
- acrylic polymer 211
- butyl acrylate (BA) 211
- clay nanocomposites 226
- methyl methacrylate (MMA) 211
- adsorption process 12
- aliphatic epoxides 109
- dimethylsulfoxide (DMSO) 109
- alkylammonium cation(s) 248, 302
- amino-undecanoic acid (AUA) 250, 256
- derivatives 250
- ammonium peroxodisulfate (APS)
  - emulsion 268
  - polymerization process steps 268–269
- amphiphilic dextran(s) 111, 116–118, 123, 125
- derivatives 117, 125
- emulsifying properties 111
- amphiphilic lipid molecules 229
- phospholipids 229
- amphiphilic polymer 114, 191
- block copolymers 191
- grafted polymers 191
- anionic molecular surfactant 128
- sodium dodecyl sulfate (SDS) 128
- anionic polymerization 192
- anionic surfactant 174, 177, 278, 281
- AOT 278
- SDS 281
- anisotropic metal nanoparticles 157, 167–180, 183
- inverse microemulsion 157

- preparation 157
- synthesis 164, 183
- armored latex, *see* clay platelets
- aromatic epoxide 109
- phenylglycidylether 109
- asymmetric straight-through microchannel array 151
- schematic illustration 151
- atomic force microscopy (AFM) 59
- Avogadro's constant 14
- azoisobutyronitrile (AIBN) 108, 278
- 2,2'-azoisobutyronitrile 278

### b

- Bancroft rule 23, 198, 205
- batch miniemulsion copolymerization 215
- formulation 215
- B/C network 90, 93
- decoration of nodes 93
- B/C system 91, 92
- $F_g$  components 92
- benzoyl peroxide (BPO) 260, 262, 298
- concentration 260
- blank emulsion latex (BE) 213
- blank miniemulsion latex (BM) 215, 223
- small-angle X-ray scattering patterns 223
- Bloch's law 259, 307
- block copolymer 192–195, 197–199
- biocompatibility 194
- biodegradability 194
- emulsifier(s) 199, 205
- micelles 194
- use 192
- Boltzmann constant 10, 59
- bovine serum albumin (BSA) 129, 145, 146
- Bragg's law 301

- breakdown processes 75
  - coalescence 75
  - flocculation 75
  - Ostwald ripening 75
  - phase inversion 75
- Brownian diffusion 32, 35, 43, 51, 60
- Brownian motion 2, 51, 163
- bubble pressure technique 48
  
- c**
- calcein-containing W/O emulsions 235
  - fluorescent microphotographs 235
- capping agents 177, 297
- cation-exchange capacity (CEC) 211, 249
- cationic amphiphilic comb-like copolymers 122
- cationic exchange process 249
- cationic surfactant 145, 172, 292
  - cetyl trimethylammonium bromide (CTAB) 145
  - tri-*n*-octylmethylammonium chloride (TOMAC) 145
- ceria nanoparticle 179
  - self-assembly 179
- cerium oxide nanorods 178
  - diagrammatic images 178
  - selected area electron diffraction (SAED) 178
- cetyl trimethylammonium bromide (CTAB) 145, 159, 168, 173, 180, 268, 284
  - concentration(s) 169, 179
  - derivatives 250
  - micelles 172
  - monomers 173
  - surfactant 164
- charge-stabilized emulsions 41
- Chern's study 282
- clay platelets 246, 258, 306
- clay/polymer nanocomposites 260
- Cloisite 30B monomer dispersion 220
  - small-angle X-ray scattering patterns 220
- Cloisite clays 247, 261
- Cloisite inorganic fillers 296
- Cloisite platelet(s) 271, 273, 277, 282
  - polymer-modified 273
- cluster insertion energy 84–90
  - definition 84
- cluster transformation energy 85–90
- coefficient of variation (CV) 133, 233
- cohesive energy ratio (CER) concept 29–31
  - interaction parameters 30
- colloidal forces 249, 304
- colloidal particles 9
  - assessment 201
  - stability 201
- computational fluid dynamics (CFD) 141
  - analysis 141
  - calculations 147
  - method 153
  - results 142
  - simulation 141
  - studies 154
- concentrated emulsions 53
  - viscoelastic properties 53
- coprecipitation reaction 166
- cosmetic emulsions 97
  - application 97
  - physical chemistry 97
  - sensory properties 97
- critical aggregation concentration (CAC) 202, 270
- critical association concentration, *see* critical micelle concentration (CMC)
- critical coagulation concentration (CCC) 202
  - values 202
- critical flocculation concentration (CFC) 40
- critical flocculation temperature (CFT) 40
- critical flotation volume (CFV) 40
- critical micelle concentration (CMC) 14, 15, 69, 169, 173, 179, 263, 305
  - values 271
- critical packing parameter (CPP) 31
- cryo-transmission electron microscopy 279
- cutting-edge semiconductor microfabrication techniques 152
- cyanoacrylate anionic polymerization 127
  - soft-chemistry techniques 184
  
- d**
- Debye attraction forces 7
- Debye–Hückel parameter 9
- defined nanoparticles preparation 123
  - poly(butylcyanoacrylate) 126
  - poly(styrene) 123
- degree of hydrophobic modification 110
- degree of polymerization (DP) 68, 193
- depletion flocculation 37
  - schematic representation 37
- Deryaguin–Landua–Verwey–Overbook (DLVO) theory 10, 71
  - calculation 71
  - energy-distance curve 10
- dextran 108, 110, 126, 127
  - amphiphilic derivatives 108, 114, 126
  - anionic derivatives 112, 118
  - chains 126
  - chemical modification 110

- coated poly(alkylcyanoacrylate) nanoparticles 126
  - coated poly(butylcyanoacrylate) nanoparticles 129
  - coated poly(styrene) nanoparticles 129
  - native 108
  - T40<sup>®</sup> sample 109
  - diblock copolymers 195
    - applications 195
  - differential scanning calorimetry (DSC) 296
  - diffusion coefficient 22, 38, 116, 122
  - diffusion/stranding mechanism 193
  - dimethylsulfoxide (DMSO) 110
    - <sup>1</sup>H NMR spectrum signals 110
  - dipole-dipole interactions 252, 303
  - disproportionation, *see* Ostwald ripening
  - DNA strands 184
  - dodecane-in-water emulsions 113, 117
    - droplet size 113
    - Ostwald ripening rates 117
  - dodecylbenzenesulfonic acid sodium salt (NaDBS) 254, 283
  - donor-acceptor interactions 297
  - Dougherty–Krieger equation 53
  - droplet deformation 21
    - surfactants role 21–24
  - droplet generation mechanism 136, 144
  - droplet generation rate 147
  - droplets fusion-fission phenomena 161
  - drybase electrorheological (ER) fluids 245
  - dry foams 83
  - dynamic light scattering (DLS) 59, 197, 215, 257
- e**
- edges-to-face agglomeration 220
  - Einstein limit 51
  - electrostatic repulsion 9–11
  - emulsification devices 133
    - high-pressure homogenizers 133
    - rotor-stator systems 133
  - emulsification mechanism 16–18, 24
  - emulsification process 17–19, 112, 133, 135, 138, 139, 144, 146, 150, 192, 195, 203, 205
    - aspect ratio 139
    - asymmetric straight-through MC array 150
    - channel shapes effect 139
    - emulsifiers effect 144–146
    - experimental set-up 138
    - schematic illustration 135
    - surfactants effect 144–146
    - symmetric straight-through mc arrays 139, 144
    - to-be-dispersed phase flux effect 148
    - to-be-dispersed phase viscosity effect 146
  - emulsification set-up 137–139
  - emulsified fluid foundation 97
    - play-time 97
  - emulsifier-surface interactions 153
  - emulsifiers selection 25
  - emulsion aging rate 116, 118
    - mechanism 116
    - polymerization conditions 118
  - emulsion breakdown processes 1, 5, 6
    - coalescence 3, 6, 43–46
    - creaming 2
    - flocculation 3, 6
    - free energy path 6
    - Ostwald ripening 3, 6
    - phase inversion 3
    - schematic representation 2, 6
    - sedimentation 2
    - thermodynamics 5–7
  - emulsion droplet(s) 7, 8, 108, 142
    - generation 142
    - interaction energies 7–12
    - size measurement 108
  - emulsion films stabilization 67, 68
    - correlation 67
    - emulsion stability 67
    - interaction forces 67
  - emulsion flocculation mechanism 38–41
    - electrostatically stabilized emulsions 38
  - emulsion formation process 5, 6, 17, 19
    - schematic representation 6, 17
    - surfactants role 19
    - thermodynamics 5–7
  - emulsion polymerization process 226, 266, 271, 279, 281, 284, 285
  - emulsion polymerization route 210
    - advantage 210
  - emulsion rheology 53
    - droplet deformability influence 53
  - emulsions 1, 3
    - catastrophic inversion 45
    - classification system 1
    - flocculation 37
    - industrial applications 3, 4
    - oil-in-oil (O/O) 1
    - oil-in-water (O/W) 1
    - preparation 58, 108
    - sedimentation process 32–37
    - sedimentation rates 33, 34
    - stability 201, 202
    - transitional inversion 45
    - types classification 2
    - water-in-oil (W/O) 1

- emulsions creaming 32–37
    - prevention 35–37
    - schematic representation 33
  - emulsion selection 31
    - critical packing parameter 31
  - emulsions rheology 46
    - bulk rheology 50
    - concentrated emulsions rheology 51
    - interfacial dilational elasticity 47, 48
    - interfacial dilational viscosity 48
    - interfacial rheology 46, 47
    - interfacial viscosity measurement 47
    - non-newtonian effects 49
  - emulsion stability investigation 59
    - using INUTE<sup>®</sup> SP1 59, 60
  - emulsion systems 4
    - physical chemistry 4, 5
  - entrapment yield determination 232
  - epoxides 107, 109
    - aliphatic 107, 109
    - aromatic 107, 109
  - ethylene glycol (EG) 175
  - ethylene oxide (EO) units 15
  - European synchrotron radiation facility (ESRF) 216
- f**
- facial make-up 97
    - emulsified fluid foundation 97
  - Fanning's friction factor 136
  - film pressure balance technique 69
  - flocculation kinetics 38, 39
  - flocculation process 36
  - flocculation rate 40
  - Flory–Huggins interaction parameter 11
  - fluffy structure 306
  - foam film destabilization 80
  - food emulsions 3
  - foundation bulk drying 99
  - foundation D 102
    - drying 99, 100
    - viscosity/evaporated mass curve 102
  - foundation jams 103
  - fragmentation process 90
  - free polymer 37
  - free radical reactions 306
- g**
- $\gamma$ -gradient 22, 23
  - gas chromatography (GC) 99
  - gas constant 20
  - gel-permeation chromatography (GPC) 212, 218
  - gel polymer formation 222
  - gel-sol method 165
  - giant vesicles (GVs) 229, 234, 236, 238, 240
    - average diameters 236
    - diameter 241
    - entrapment efficiency 229
    - mechanical stability 238
    - membranes 229
    - microphotographs 234
    - preparation characteristics 229
    - size control 229, 234
    - structure 236
    - suspension 232
  - giant vesicles formation 231–232, 239, 240
    - characteristics 237
    - schematic flowchart 239
  - giant vesicles preparation process 233, 238
    - monodisperse W/O emulsions 233
  - Gibbs adsorption equation(s) 14, 15, 20
  - Gibbs adsorption isotherm 13–16
  - Gibbs approach 13
  - Gibbs–Deuhem equation 5, 13
  - Gibbs dividing line 4
  - Gibbs elasticity 43, 44, 47, 48, 62
  - Gibbs free energy 13
  - Gibbs–Marangoni effect 23, 24
    - schematic representation 23
  - Gibbs model 4
  - gold nanoparticles 168
  - graft copolymer 76
  - gram-scale synthesis 183
  - gravitational field system 90
    - evolution 90
  - gravity force 93
- h**
- Hamaker constant 8, 12, 38, 50, 71
  - Hansen solubility parameters 301
  - Harkens spreading coefficient 79
  - hexadecyltrimethylammonium bromide (HDTMAB) 249
  - hexane continuous-phase removal process 240
  - high-internal-phase emulsions, *see* dry foams
  - high-molecular-weight polymers 35
  - high-molecular-weight surfactants 28
  - high-speed stirrer(s) 16, 18, 58, 76
    - colloid mills 18
    - high pressure homogenizers 18
    - Silverson mixer 16
    - ultrasound generators 18
    - Ultra-Turrax 16, 18, 58, 76
  - homogeneous nucleation 269
  - homogenization/degradation mechanism 266

- HPPS instrument 59, 108, 109  
 hydrating shower cream 77, 79, 80  
   – compositions 77  
 hydrogenated tallovs (HTs) 248  
 hydrogen-bonding component(s) 301, 303  
 hydrophilic block copolymer 200  
 hydrophilic chains, *see* PEO chains  
 hydrophilic-lipophilic balance (HLB)  
   concept 25–27  
 hydrophile-lipophile balance (HLB) number(s)  
   23, 26–28, 29, 46, 197, 198  
   – chemical structure 198  
 hydrophilic-lipophilic balance (HLB)  
   value(s) 27, 28, 263  
 hydrophilic molecule entrapment 234  
 hydrophobically modified dextrans  
   synthesis 109–111  
 hydrophobically modified inulin (HMI)  
   43, 57, 58, 65, 81  
   – INUTE<sup>®</sup> SP1 43, 57, 58, 65, 81  
 hydrophobic clay platelets 220  
 2-hydroxyethyl methacrylate (HEMA) 280
- i**
- incipient flocculation 40  
 inner-sphere sites 294  
*in situ* polymerization 283  
 interdroplet mass transfer 265  
 interfacial dilational modulus 21  
 interfacial rheology correlation 49  
   – emulsion stability 49  
   – mixed surfactant films 49  
   – protein films 49  
 interfacial tension 19, 47, 85, 86  
   – definition 86  
   – gradient 21  
 intermicellar exchange rate 166  
 intermicellar interactions 183  
 INUTE<sup>®</sup> SP1 57, 60–63, 69, 73, 76, 79–81  
   – adsorption 79  
   – application(s) 57, 81  
   – concentration 69  
   – conformation 79  
 inverse emulsion(s) 278, 280  
   – polymerization 280  
   – stabilization mechanism 278  
*in vivo* drug carriers 158  
 ionic stabilizer 180  
   – CTAB 180  
 ionic surfactant(s) 9, 14, 15  
   – sodium dodecyl sulfate (SDS) 14  
 isotropic metal nanoparticle(s) 157, 166,  
   167, 179  
   – inverse microemulsion 157  
   – preparation 157  
   – synthesis 164
- k**
- Karl Fischer coulometer 232  
 Karl Fischer method 99  
 Keesom attraction forces 7  
 kinetic exchange process 44, 160  
 Kolmogorov theory 237
- l**
- laminar flow (LV) 18, 19  
   – laminar/viscous regimes 19  
   – turbulent/inertial regimes 19  
   – turbulent/viscous regimes 19  
 Laplace's law 237  
 Laponite composite system 246  
 latex suspensions 128  
   – colloidal properties 128  
 Leica DMLB optical microscope 99  
 Lewis acids 305  
 Lifshitz–Slesov–Wagner (LSW) theory 61  
 light-scattering measurements 221, 265  
 light-scattering techniques 196  
 lipid hydration process 232  
 liquid foundations characterization  
   methods 98, 99  
   – characterization methods 98, 99  
   – drying rate determination 99  
   – flow rheology 99  
   – foundations drying 99  
   – selection 98  
 liquid/liquid interface 46  
 London dispersion constant 7, 8  
 London dispersion interactions 7, 8  
 L/W ratio 237, 238, 240
- m**
- macromolecular surfactants 29  
 magnetic nanoparticles 182, 184  
 magnetic resonance imaging (MRI)  
   agents 182  
 MALDI-ToF mass spectrometry 196  
 Marangoni effect 22  
 Mark–Houwink–Sakurada constants 216  
 massage lotion 76–79  
   – compositions 77  
   – formulation 76–79  
 membrane emulsification technique 134  
 membrane lysis tension 237  
 metal nanoparticle(s) 167, 181, 183  
 metal nanoparticles preparation method 158  
   – chemical reduction 158  
   – coprecipitation 158

- metal particles formation 162
    - mechanism 162
  - metal salt/precursor 165
    - Co(AOT)<sub>2</sub> 165
  - methyl methacrylate (MMA) 218, 252, 254, 260, 270, 274, 287
    - dispersion state 254
    - monomer 218, 287
    - polymerization 260, 274, 287
    - suspension polymerization 270
  - micellar systems 263–281
    - radical polymerization 263
  - micellar template mechanism 168, 169
    - parts 170
  - micelle 263
    - aggregates 271, 305
    - nucleation 268, 269, 282
    - rod-like structures 179
    - schematic illustration 263
    - template-based primary nanorods 179
    - template growth 168
    - template mechanism 170
  - microchannel array (MC) 134–137, 139, 151, 153
    - devices 139
    - plate(s) 144, 231, 233
  - microchannel emulsification
    - devices 134
    - principles 135–137
    - process 134–136, 230, 231
    - study 146
  - microchannel module 230
  - microemulsion polymerization
    - mechanism 264, 265
  - microemulsion(s) 159, 178, 180, 181, 264, 273, 306
    - based approach 179
    - droplet dimensions 160
    - mediated synthesis process 177, 180
    - microwave method 181
    - polymerization 273, 306
    - production 158
    - reduction technique 182
    - role 264
    - system 167, 169
    - technique 179
  - microfluidic channel devices 134, 229
  - microinterferometric technique 68
  - microscope video system 232
  - miniemulsion aging rate 122
    - temperature effect 122
  - miniemulsion polymerization
    - processes 114, 115, 120, 124, 129, 210, 211, 219, 267, 276
    - mechanism 114, 267
  - miniemulsions stability 114
    - polymerization duration 114
  - molecular diffusion process 122
  - molecular surfactants 118
    - sodium dodecyl sulfate 118
  - molecular weight distribution (MWD) 216
  - monodisperse emulsion(s) 133, 139, 140, 148, 151
    - production developments 133
  - monodisperse water-in-oil (W/O) emulsions 229, 230, 233
  - monomer-coemulsifier interactions 264
  - monomer droplets composition effect 119
  - monomer polymerization 270
  - monomer-swollen micelles 269
  - montmorillonite (MMTs) 219, 225, 243
    - clays 209
    - platelets 225
  - multiple emulsion(s) 57, 64
    - INUTEC<sup>®</sup> SP1 63, 64
    - optical micrographs 64
    - preparation methods 58
    - stability 64
- n**
- nanocomposite latex films 215, 219, 223–225
    - transmission electron microscopy images 219, 224, 225
    - wide-angle X-ray diffraction patterns 224
  - nanoemulsions 57
    - emulsions stabilization 57, 60
    - using INUTEC<sup>®</sup> SP1 60
  - nanoemulsions preparation methods 58, 191
    - poly(caprolactone)-*b*-poly(ethylene oxide) block copolymers 191
    - spontaneous emulsification 191
  - nanometer-scale magnetic particles 158
  - nanoparticle formation process 163
    - steps 163, 164
  - nanoparticle growth 172
    - kinetic parameters 172
  - nanoparticle preparation 107, 162–164, 179
    - key parameters 179
    - miniemulsion polymerization 107
  - nanoparticle suspensions 129
    - colloidal properties 129
  - nanoprecipitation process 193, 198
  - nanorods 170, 179
    - self-assembly 179
  - nanoscale magnetic materials 183
    - physical properties 183
  - nanoscale particles 157, 167
    - properties 157, 158

natural clay 248, 302  
 natural Cloisite (Cl<sub>N</sub>) 258, 294  
 negatively stained nanocomposite latexes 225  
 – transmission electron microscopy images 225  
*N,N'*-methylenediarylamide (NDA) 278  
 nonadsorbing polymer, *see* free polymer  
 nonionic surfactant(s) 11, 15, 26, 27, 46, 278  
 – alcohol ethoxylates 15  
 – Span 80 278  
 – Tween 85 278  
 nonseeding method 170, 183  
 nuclear magnetic resonance (NMR) 294  
 nucleation-growth kinetics 172  
 nucleation/growth mechanism 193, 211

**o**

oil emulsions 203  
 – emulsification process 197  
 – spontaneous emulsification 203  
 oil-in-water (O/W) dispersions 191  
 – emulsions 191  
 – latexes 191  
 – suspensions of polymer 191  
 oil-in-water (O/W) emulsion(s) 23, 27, 28, 32, 34, 52, 107, 108, 123, 129, 143, 146, 148, 193, 200  
 – activation energy 123  
 – droplet generation 143  
 – interfacial tension variation 28  
 – sonication 108  
 oil-in-water (O/W) interface 42, 44, 49, 51, 65, 68, 78, 141, 143  
 – time course 143  
 oil-in-water (O/W) miniemulsions  
 preparation 111  
 – droplet size control 111  
 – polymer structure 112  
 oil-in-water (O/W) system 31, 136, 145–147, 151, 153  
 – interfacial properties 145  
 – isoelectric points 146  
 – preparation conditions 145  
 organically modified clays (O-MMT clay) 213, 214, 284  
 – wide-angle X-ray diffraction patterns 213  
 organically modified silicates (OLS) 247, 280  
 organic latex particles 246  
 oscillating bubble technique 48  
 Ostwald ripening 3, 41–43, 61, 63, 107, 116, 122, 265

– rate 117, 120, 123  
 – rate constant 62  
 – schematic representation 42

**p**

particle aggregation process 102  
 peanut-like hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) crystals 165, 176  
 – synthesis 165  
 Pearson's hard-soft acid-base (HSAB) principle 297  
 percolation process 161  
 personal-care formulations 75, 76  
 – hydrating shower cream 76  
 – massage lotion formulation 76  
 – polymeric surfactants 75  
 – soft conditioner 76  
 – sun spray (SPF19) 76  
 phase inversion process 45, 46  
 – catastrophic inversion 45  
 – transitional inversion 45  
 phase inversion temperature (PIT) concept 27–29  
 – value 29  
 photon correlation spectroscopy, *see* dynamic light scattering  
 pickering emulsion(s) 246, 279, 306  
 – stabilization 273, 284  
 plateau angles 84  
 plateau value 20, 22  
 play-time 97, 104  
 – definition 97  
 Poisson–Boltzmann equation 71  
 polar polymer 304, 305  
 – PEO 304  
 – polysaccharides 304  
 polyacrylamide (PAAm) latex particles 279  
 polycaprolactone (PCL) 193, 195  
 – block 205  
 – chain 200  
 – emulsification process 193, 195  
 – emulsions fabrication 197, 198  
 poly(caprolactone)-*b*-poly(ethylene oxide) block copolymers (PCL-*b*-PEO) 193, 196, 198, 203, 204  
 – properties 204  
 – synthesis 196  
 polydimethylsiloxane (PDMS) emulsions 53  
 –  $\eta$ ,  $\phi$  curves 53  
 polydisperse emulsion 140, 149  
 polydispersity index (PDI) 217, 222, 279  
 poly(ether-block-amide) copolymer hybrids 289  
 – X-ray diffraction patterns 289

- polyethylene-block-poly(ethyleneglycol) (PE-PEG) thin film nanocomposites 293
  - polyethylene oxide (PEO) 26, 54, 60, 193, 293, 294, 296
    - A-B-A block copolymer 54
    - block copolymers 195
    - block length 200
    - block(s) 197, 199, 204, 205
    - chain(s) 11, 15, 29, 46, 199, 202, 293
    - Cloisite composite 295
    - conformations 296
    - layer 202
    - matrix 295
    - nanocomposites 293–296
  - polyethylene glycol (PEG)-grafted silicones 191
    - methyl ether 196
  - polymer chain conformation 244, 277
  - polymer chain encapsulation 261
  - polymer/clay nanocomposites 209, 243, 245, 291
  - polymer/clay nanocomposites formation 303
    - mechanistic routes 303
  - polymer/Cloisite nanocomposites 252, 303
  - polymer film formation process 210
  - polymeric emulsifier(s) 198
    - chemical structure 198
  - polymeric nanoparticles 107, 108
    - miniemulsion polymerization 108
  - polymeric surfactant(s) 20, 21, 57, 61, 63, 68, 75, 80, 107, 115, 122, 123, 126, 191, 192, 195, 205
    - biocompatible 107
    - mixtures 21
    - polyvinyl alcohol 20
  - polymerization process 108, 114
  - polymerization system(s) 269, 273
  - polymer latexes 243
    - preparation 243
    - stabilized by clays 243
  - polymer-layer silicate nanocomposites (PLSN) 245
  - polymer matrix 209–211, 244, 302, 306
  - polymer/MMT nanocomposites 281–296
    - copolymers 288
    - kinetic/molecular weight parameters 281
    - poly(ethylene oxide) nanocomposites 293–296
    - thermal/mechanical properties 290
    - X-ray diffraction studies 284
  - polymer particle formation 268
    - micellar model 268
  - polymer particle(s) 276, 283, 306
    - matrix 285
    - polymerization rate 276
    - stabilization 275
  - polymer/silicate nanocomposites 243, 244
  - polymer-to-oil surfactant 111, 112
    - droplet diameter 112
  - poly(methyl methacrylate) (PMMA) 245
    - chains 288, 299, 300
    - clay nanocomposites 245
    - modified silicate layers 284
    - nanocomposites 288, 290–293
    - wide-angle X-ray diffraction (WAXD) analysis 288
  - polysaccharide derivatives 115
    - amphiphilic polymers 115
  - polysaccharide surfactants 109
  - polystyrene (Pst) 290
    - clay nanocomposites 244, 245
    - Cloisite nanocomposite 290
  - poly(styrene-co-acrylonitrile) (SAN) 281
    - copolymer 281
    - silicate nanocomposites 281
  - polyvinyl alcohol (PVA) 20, 205, 298
    - concentrations 205
  - protein film 49, 50
    - creep curve 50
  - pseudoplastic system, *see* shear thinning system
  - pulsed drop method 48
- q**
- quantum-size effects 297
  - quasi-monodisperse emulsion droplets 149
  - quasi-plateau 101
- r**
- radical polymerization process 260–281
    - reactions 123
    - solution/bulk polymerization 260–263
  - radical polymerization theory 260
  - rapid coagulation regime 202
  - redox system 263, 305, 306
  - reducing flocculation 41
    - general rules 41
  - reverse micelles 170, 179
    - synthesis 158, 182
    - system 160
    - water pool 163
  - reversible addition-fragmentation chain transfer (RAFT) agents 120
  - Reynolds number 18
  - rod-like micelle template mechanism 171

**S**

scanning electron microscopy (SEM) 279  
 Scatchard equation 113  
 seeded semibatch emulsion  
   copolymerization 213, 214, 217  
   – formulation 214  
 seeding/autocatalytic growth mechanism 164  
 selected area electron diffraction (SAED) 177  
 self-assembly process 177  
 semi-quantitative theory 19  
 shear thinning system 35  
 shirasu porous glass (SPG) membranes 133  
 size-exclusion chromatography (SEC) 216  
 skin foundation 102  
   – disposition 102  
   – play-time 102  
 slow coagulation regime 202  
 small-angle light scattering (SALS) 197  
 small angle X-ray scattering (SAXS) 209, 216, 220, 221  
   – experiments 216  
   – measurements 220  
   – scattering profile 221  
 Smith–Ewart theory 268  
 Smoluchowski rate 39  
 sodium bis(2-ethylhexyl)sulfosuccinate (NaAOT) 159, 160  
   – containing microemulsion solution 175  
   – containing microemulsion system 174, 180  
   – microemulsions 177  
 sodium dodecyl sulfate (SDS) 23, 49, 268, 271  
   –  $\epsilon$ -values 23  
   – micelles 254, 304  
 sodium lauryl sulfate (SLS) 211  
 sodium montmorillonite (Na-MMT)  
   clay 209, 212, 224  
   – chemical structure 212  
   – WAXD diffraction patterns 224  
 soft conditioner 77, 80  
   – compositions 77  
 soft template effect 177  
 sol-gel methods 181  
 sorbitan mono-oleate 27, 230  
 Soxhlet extraction 216  
 spontaneous emulsification process 193, 198  
 stabilization process 75  
   – enhancement 75  
 steric repulsion 11, 12  
 steric stabilization process 38, 57

steric stabilization theory 12  
 sterically stabilized emulsions flocculation 40, 41  
   – schematic representation 40  
 Stern/zeta potential 9  
 stirred-tank reactor 213  
 Stokes–Einstein equation 38, 59  
 Stokes' velocity 34  
 straight-through microchannel array  
   devices 133, 135, 137–139, 146, 148–150, 152–154  
   – scaling-up 149, 150  
 straight-through microchannel plate 138, 149, 150, 153  
 styrene 115, 244, 245, 270, 275, 285, 286  
   – colloidal parameters 275  
   – emulsion polymerization 285, 286  
   – emulsion retardation factor 121  
   – emulsion(s) 119, 121  
   – free-radical miniemulsion polymerization 115  
   – *in situ* polymerization 244, 245  
   – microemulsion polymerization 275  
   – miniemulsion kinetic data 115  
   – miniemulsion polymerization 270  
   – vinylloxazoline copolymer 245  
 submicronic colloidal systems 107  
   – domains 107  
 sun spray (SPF19) 77, 81  
   – compositions 77  
 supra-aggregate 178–180  
   – formation 178, 180  
   – self-assembly 179  
 surface dilational modulus 22, 42  
 surface viscometers 47  
   – schematic representation 47  
 surfactant-based methods 164–166  
 surfactant film(s) 44, 163  
 surfactant molecules 12  
   – orientation 12  
 surfactant replacement process 232  
 surfactants adsorption 12–25  
   – liquid/liquid interface 12  
 swallow-tail family 289  
   – P15A 289  
   – P20A 289  
   – P93A 289  
 symmetric bulk crystal structures 167  
 synthetic Cloisite (Cl<sub>S</sub>) 259, 294

**T**

tallow chains 248  
 template mechanism 172  
 thermogravimetric analysis (TGA) 288

- three-phase cellular fluids 83
  - external force field effect 83
- transformation energy(ies) 88, 89
- transmission electron microscopy (TEM)
  - 174, 217, 218
  - images 174, 218
- tri-*n*-octylmethylammonium chloride (TOMAC) 145
- tris-HCl buffer(s) 230, 232
- Triton X-100 solution 232, 233
- turbulent flow (TV) 18, 19
- turbulent inertial regime 19
  
- u**
- Ultra-Turrax homogenizer 58
- ultraviolet (UV)-visible spectra 172
  
- v**
- van der Waals attraction 7–10, 37, 38, 40, 43, 67, 128, 253, 254, 302
  - types 7
- van der Waals energy-distance curve 8
- velocity gradient 19
- vibrating sample magnetometer (VSM) 259
  - data 259
- vinylbenzyl-dimethyldodecylammonium chloride (VDAC) 249
- vinyl monomers 278
  - emulsion polymerization 278
- viscosity evolution 100–102
  - drying time 101
- viscosity plateau, *see* quasi-plateau
  
- w**
- waterborne acrylic/clay nanocomposites 209
  - synthesis routes 209
- waterborne nanocomposites 210, 217, 219
  - coagulum-free 210
  - emulsion polymerization 213, 217
    - latexes 214
    - miniemulsion polymerization 214
    - MMT nanocomposites synthesis 213, 214
- water-borne polymers 267
  - clay nanocomposites 210
  - preparation 267
- water-in-oil emulsion(s) 45, 46, 58, 59, 64, 230, 234, 236, 241
  - Arlcel P135 58, 59, 64
  - preparation 230
- water-in-oil emulsion water droplets 235
  - size distributions 235
- water-in-oil microemulsion(s) 159, 161, 181
  - sol-gel route 181
  - use 161
- water-insoluble materials 266
  - organic pigments 266
  - polymers 266
  - resins 266
- water/oil-soluble polymers 260
- water-soluble fluorescent dye 230
  - calcein 230
- water-swollen micelles 264
- wide-angle X-ray diffraction (WAXD) 212
  - analysis 216, 288, 292
  - diffraction patterns 218, 219
- WinROOF image analysis software 232
- Winsor  $R_o$  concept 29
- worm-like micelle template 169
  
- x**
- X-ray diffraction patterns 250, 253, 284
- X-ray diffraction spectra 255
- X-ray diffraction studies 284
  - homopolymers 284
- X-ray diffraction (XRD) analysis 212, 255
  
- z**
- zeolite nanocrystals 181
- zwitterionic polymerizations 126