

## Index

### **a**

- activated carbons (ACs) 174
- activated graphene-based electrodes
  - EDLC materials 178
  - electrochemical activation 177
  - graphene with KOH 178
  - partially reduced graphite oxide 177
- AFM, *see* atomic force microscopy (AFM)
- Ag/TiO<sub>2</sub>/G nanocomposite 262
- aminopropyltriethoxysilane 255
- anode current collector
  - energy storage devices 412
  - fuel cells 412, 413
  - Li-ion batteries 412
- anode materials, LIBs
  - carbon coated graphene synthesis 93
  - cathodic exfoliation of graphite 94
  - Co<sub>3</sub>O<sub>4</sub>/GNS nano composite materials 96, 97, 99
  - diffusion mechanism 87
  - electrochemical exfoliation 93
  - GNS/Fe<sub>3</sub>O<sub>4</sub> composite materials 96, 97
  - graphene nanoribbon 87
  - graphene nanosheets 85, 89, 92, 95, 96
  - graphene paper 91
  - graphite oxides 89
  - holey graphene 93, 94
  - LiC<sub>2</sub> formation 86
  - porous graphene 92
  - pure graphene 98
  - randomly stacked HGs 93, 94
  - reduced graphene oxide 99, 100
  - Si/GNS composite 97, 100
  - Si/graphene composite 99, 102
  - SnO<sub>2</sub>/graphene composite 98, 101
- apparent quantum efficiency (AQE) 228, 230
- asymmetric capacitors 193
  - activated graphene 194

### **b**

- biofuel cells 314
- biological chemical conversion method 340
- biomass energy
  - biological chemical conversion method 340
  - direct combustion 340
  - plants and animals 340
  - pollution-free energy source 340
  - thermal chemical conversion 340
- Bragg's law 22
- Brodie method 250

### **c**

- carbon aerogels 174
- carbon allotropes 350
- carbon black (CB) composites 153, 179
- carbon coated graphene (GSNC) 92
- carbon dioxide, photocatalytic reduction 285
- carbon material composites, graphene
  - carbon black (CB) 153
  - carbon nanotubes (CNT) 153
  - mesoporous carbon spheres (MCS) 154
- carbon nanotubes (CNTs) 153, 174
  - applications 372
  - electron transfer resistance 371

- carbon nanotubes (CNTs) (*contd.*)
    - redox mediators 371
    - single-walled CNTs (SWCNTs) 372
  - carbon nanowires (CNWs) 174
  - carbon/oxygen ratio (C/O ratio) 87
  - cathode current collector
    - fabrication of energy devices 413
    - fuel cells 414
    - graphene synthesis, graphite 413
    - Li-ion battery 414
    - low electric conductivity 413
    - transition metals 413
  - cathode electrodes, MFCs
    - electricity generation 362
    - graphene and modified graphene 362
    - microbially-reduced graphene 363
    - non-catalyst cathode 365
    - ORR 361
    - platinum-group materials 361
    - polymer coating 363
    - synergistic interactions, NG and mpg-C<sub>3</sub>N<sub>4</sub> 366
    - transition metal coating 363, 364
  - cathode materials, LIBs
    - CA-G/LFP, annealing 103, 108
    - charge/discharge tests 101, 104
    - GO and LFP/C 102, 108
    - graphene-coated Li 100, 103
    - graphene-sandwiched LNMO structure 102, 107
    - LiFePO<sub>4</sub>/G/LFP and CA-G/LFP, cycling performance 103, 109
    - LiMn<sub>1/3</sub>Ni<sub>1/3</sub>Co<sub>1/3</sub>O<sub>2</sub> (LMNCO), preparation 101, 105, 106
    - lithium ion diffusion pathways 103, 109
    - pure GO and porous graphene-coated LiFePO<sub>4</sub> 103, 109
    - spray drying method 100
    - VO<sub>2.07</sub>RGO composite film 101, 104, 405
  - CdS/TaON core-shell heterojunction 231, 232
  - characterization of graphene
    - AFM 14
    - PL measurement 23
    - Raman spectroscopy 23
    - SEM 16
    - TEM/SEAD/EELS 16
    - XPS 20
    - XRD 21
  - charge transport layer
    - ETL, *see* electron transport layer (ETL)
    - HTL, *see* hole transport layer (HTL)
  - chemical approaches, graphene synthesis 379
  - chemical vapor deposition (CVD) 1, 3, 4, 148, 175, 281, 358
  - chemically modified graphene (CMG)
    - CV plots 126
    - SEM image 126
    - TEM image 126
    - ultracapacitor test cell assembly 126
  - composite material, GO
    - Ag/graphene 9, 10
    - Au samples 9
    - Co, Ni and Cu samples 9, 11
    - europium in lanthanoids and palladium 12
    - graphene–polymer nanocomposites 11–13
    - hybrid materials 8
    - structural property and chemical bonding 8
  - conducting polymer composites, graphene
    - advantages 158
    - aniline polymerization 161
    - electrochemical polymerization process 163
    - graphene nanocomposites, supercapacitors 159
    - *in situ* polymerization 160
    - PANI nanowires 162, 163
    - PANI-graphene composites 159
    - PANI/GO nanocomposites 160
    - PANI/rGO nanocomposite 161, 164
  - conduction band (CB) 277
  - conductive electrodes
    - cathodes, transparent 384
    - transparent anodes, *see* transparent conductive anodes
  - continuous MFC 345
  - shell nanostructures 322
  - cubic nanostructures 326
  - CVD graphene 125
  - cyclic voltammetric analysis 373
- d**
- 2D flexible anode materials
  - chemical deposition/hydrothermal reaction 70
  - Co<sub>3</sub>O<sub>4</sub> nanosheets/GS film 72
  - Coulombic efficiency 69
  - CVD 69
  - Fe<sub>3</sub>O<sub>4</sub> nanospindles/GS film 71, 72
  - holey graphene paper 67, 68
  - Si NWs/GS/RGO electrode 71, 72
  - SnO<sub>2</sub> nanoparticles/GS paper 71
  - 2D flexible cathode materials
    - graphene paper 73

- LiFePO<sub>4</sub>/GF cathode and Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub>/GF anode 73, 74
- V<sub>2</sub>O<sub>5</sub>/graphene paper 73
- 3D macroscopic graphene
- α-FeOOH/GS and Fe<sub>3</sub>O<sub>4</sub>/GS aerogels 75, 76
- aerogel 74
- Fe<sub>3</sub>O<sub>4</sub>/GS aerogel 75
- GO 75
- hydrothermal treatment 75
- solvothermal treatment 77
- direct alcohol fuel cells (DAFCs) 314
- direct formic acid fuel cells (DFAFCs)
- CO<sub>2</sub> direct and indirect dehydration route 313
- definition 313
- electrocatalytic activity 313
- electrochemical studies 313
- FAOR 313
- OCV 313
- oxidized carbonaceous species 313
- direct methanol fuel cells (DMFCs)
- advantages 310, 312
- electrode/electrolyte interface 311
- electron transfer numbers 312
- graphene surface 311
- I<sub>f</sub>/I<sub>b</sub> ratio 310
- LSV curve 312
- OCV 310
- ORR process 311
- polymer membranes 313
- Pt-based catalysts 311
- RDE technique 312
- double-layer capacitance, graphene
- carbon nanostructures composite electrodes 179
  - electrodes 177, 180
  - reduction of graphene oxide 176
- dual-chamber MFC 342, 343
- dye-sensitized solar cells (DSSCs)
  - electrical conductivity 409
  - electron mobility network 415
  - electron transport enhancement 415
  - graphene/titania photoanode 409
  - hybrid materials development 415
  - natural dye anthocyanin 416
  - redox electrolyte, zinc porphyrin dye 416
  - solvothermal reaction 415
  - visible light irradiation 416
- e**
- electrical double layer capacitors (EDLCs) 106, 145, 174, 180
- electrochemical capacitors (ECs)
  - EDLCs 174
  - fundamentals 172
  - hybrid ECs 174
  - pseudocapacitive materials 174
  - pseudocapacitors 174
  - Ragone plot 172
- electrochemical method 358
- electrochemical sensing 418
- electrochemically reduced graphene oxide (ERGO)/PANI composite 132, 375
- electrode materials, graphene capacitors
  - double-layer capacitance 176
  - pseudocapacitive composite materials 183
- electron transport layer (ETL) 395, 398, 399
- energy resources
  - biomass 339
  - electricity 340
  - environmental pollution 339
  - fire 339
  - human society 339
- environmental remediation
  - organic dyes, photodegradation 287
  - water disinfection 287
- epitaxial growth 148
- equivalent series resistance (ESR) 174
- exfoliation, graphene
  - description 1
  - mechanical cleavage 3, 4
- f**
- fabrication graphene oxide (GO) 420
- Faradaic mechanism 174
- FePt/rGO nanostructures 331
- field-emission scanning electron microscopy (FESEM) 256
- fluorine tin oxide (FTO) electrode 117
- fossil fuels, industrialization and economic growth 339
- FSPd/GN synthesis 330
- fuel cells (FC)
  - anodic oxidation/cathodic reduction reactions 333
  - carbon-based materials 114
  - carbon nanotube-based supports 315
  - classification 308
  - DAFCs and biofuel cells 314
  - DFAFCs 313
  - DMFCs 313
  - electrocatalysts 315
  - electrochemical redox reactions 333
  - high-temperature 308
  - hydrogen storage materials 115
  - metal alloy nano-composites 315

- fuel cells (FC) (*contd.*)
  - metal nanoparticles 315
  - nanoclusters 316, 317
  - nitrogen-doped graphene 114, 116
  - Pd NPs 318, 319
  - PEMFCs 309, 310
  - preparation methods 315
  - PtRu NPs 317, 318
  - treatment modes 308
  - types of 308
- full width at half maximum (FWHM) 21, 24
- fullerenes 174
- functionalization of graphene oxide (FrGO) 417
  
- g**
- G-metal oxide nanocomposites 130
- gas-phase synthesis 1
- GNR, *see* graphene nanoribbon (GNR)
- GNS, *see* graphene nanosheets (GNS)
- GO-TiO<sub>2</sub> nanorod composites 258
- graphene
  - carbon material composites 153
  - characterization 2, 12
  - CNTs 295
  - disadvantages 295
  - 2D of sp<sup>2</sup>-hybridized carbon atoms 171
  - EDLCs devices 123
  - efficiency 241
  - electroactive species 123
  - energy 215
  - environmental and energy applications 267
  - faradic process 123
  - fields 216
  - GO and rGO, *see* graphene oxide (GO)
  - graphitic carbon forms 171, 172, 296
  - heterogeneous electronic structure 250
  - high-performance energy 304
  - human beings 215
  - hydrogen production 241
  - hydrogen storage technologies 295
  - issues 137
  - light absorber and electrocatalyst 215
  - mesopore and macropore structures 124
  - metal oxides composites 154
  - metal oxides-conducting polymer composites 158, 164
  - mixed colloid photocatalytic systems, *see* mixed colloid photocatalytic systems
  - molecular hydrogen storage, *see* hydrogen storage
  - optical property modification 25
  - optoelectric application 39
  - photocatalysis, *see* photocatalysis
- photocatalytic applications, *see* photocatalytic applications
- photoelectrochemical cells, *see* photoelectrochemical cells
- photoelectrons 249
- photovoltaic/electrolyzer devices, *see* photovoltaic/electrolyzer devices
- polymer composites, *see* polymer composites
- potential dopants 304
- properties 171
- semiconductor photocatalysts, *see* semiconductor photocatalysts
- sluggish kinetics, hydrogen/oxygen 216
- solar-driven water-splitting devices, *see* solar-driven water-splitting devices
- sp<sup>2</sup> carbon atoms 249, 277
- specific power *vs.* energy 124
- specific surface area 123
- supercapacitors, *see* supercapacitors
- superior properties 296
- synthesis 1, 267
- TiO<sub>2</sub> composite photocatalysts 278
- various fields 296
- water upon semiconductors 215
- graphene nanoribbon (GNR) 87
- graphene nanosheets (GNS) 85, 96
- graphene oxide (GO)
  - absorption spectra 27
  - diffraction rings 17
  - EELS spectrum 17, 19
  - oxygen plasma treatment 32
  - PL spectra 35
  - properties 253
  - Raman spectra 26
  - reduction 1
  - SAED pattern 17, 18
  - synthesis 252
  - TEM measurements 16, 18
  - thermal annealing 22, 25
- graphene oxide nanoribbons (GONRs) 361
- graphene quantum dot (GQD)
  - cathode buffer additive 409
  - electron transfer capability 410
  - hole blocking 410
  - photonic and electric properties 409
- graphene sheets (GS) 94
- graphene synthesis methods
  - chemical exfoliation method 149
  - chemical vapor deposition (CVD) 150, 151
  - electrochemical capacitor performance 147, 148
- graphene oxide (GO) chemical structure, 149

- liquid-phase exfoliation 149
  - mechanical exfoliation 148
  - reduced graphene oxides (rGO) 149
  - graphene, sensitizer
    - doping 407
    - electronic devices 407
    - energy devices applications 410
    - intrinsic optical absorption 407
    - lithium-ion batteries 407
    - supercapacitors 408
  - graphene-activated carbon (GAC) composite. 178
  - graphene-based anode materials, LIBs
    - composites 56
    - graphite, 3D network 54
    - heteroatomic doping 55
    - Irreversible/reversible Li storage 55
    - $\text{Li}_2\text{C}_6$  intercalation mechanism 55
    - lithium adsorption 54
    - metal oxides composites 62
    - oxygen-containing functional groups or heteroatoms sites 54
    - Si/Sn composites 58
    - transport mechanism in disordered carbon 54
    - van der Waals forces 56
  - graphene-based cathode materials, LIBs
    - $\text{LiFePO}_4$  52
    - $\text{LiMn}_{0.75}\text{Fe}_{0.25}\text{PO}_4$  nanorods 52
    - $\text{LiMPO}_4$  51
    - $\text{V}_2\text{O}_5$  52
  - graphene-based electrodes, supercapacitors
    - EDLC materials 151
    - electrochemical capacitors 152
    - flexible supercapacitors 152
    - microwave exfoliated GO (MEGO) 152
    - N-doped graphene sheets (NGS) 152
    - rGO electrodes 151
  - graphene-based energy devices
    - fuel cells 114
    - Li-ion batteries 85
    - Li-sulfur batteries 111
    - solar cells 116
    - supercapacitors 105
  - graphene-based materials
    - anode electrodes, MFCs 357
    - electrochemical applications 356
    - microbial fuel cell 356
    - optimal material 367
    - small-scale reactors 367
  - graphene-based MFC
    - carbon nanotubes 348
    - cathode 350
    - electricity generation 349
  - electrode resistance 348
  - proton membrane 350
  - graphene-based supercapacitors
    - energy-related applications 408
    - platinum catalysts 408
    - rGO electrodes 153
    - supercapacitor device 408
  - graphene-single-walled carbon nanotubes 375
  - graphene-supported metal nanostructures
    - alloy metal nanoparticles 321
    - application fields 308
    - BPtNW/RGO hybrids at magnifications 328
    - chemical and physical advantages 307
    - shell nanostructures 322, 323
    - cubic nanostructures 325–327
    - 2D/3D nanostructures 333
    - 3D  $\text{Fe}_3\text{O}_4/\text{N-GAs}$  catalyst 334
    - electrical energy 307
    - and FC, *see* fuel cells (FC)
    - Fermi level difference 308
    - flower-like nanostructures 330, 331
    - graphene-based nanocatalysts 308
    - high resolution TEM micrographs 323, 324
    - hollow nanostructures 324
    - inorganic metals/metal oxides 307
    - nanoclusters 317
    - nanodendrites 332
    - nanowires and nanorods 329
    - potential energy source 307
    - TP-BNGN 332
  - graphene/g- $\text{C}_3\text{N}_4$  composites 264
  - graphene–CdS/TaON system 231
- h**
- Helmholtz double layer 174
  - heterotrophic MFC 344
  - hexagonal boron nitride (h-BN) 3
  - hexylamine-modified graphene 8
  - highest occupied molecular orbital (HOMO) 23, 30
  - highly ordered pyrolytic graphite (HOPG) 3
  - hole transport layer (HTL)
    - AFM topography, GO 396
    - anode interfacial layer 393
    - charge transfer interactions 393
    - device configuration, inverted PSCs 393
    - hole extraction property, GO 393
    - photovoltaic device structure 392
    - polymer solar cells (PSCs) 390
    - PSS-based PSCs 395

- hole transport layer (HTL) (*contd.*)
  - solution-processed conventional rGO 393
  - surface C–C dipoles 391
- holey graphene (HG) 93, 94
- hollow nanostructures 324
- Holm's theory 410
- hot filament chemical vapor deposition (HFCVD) 409
- humidity degradation testing 397
- Hummer's method 7, 175, 366, 415
- hybrid electrochemical capacitors 174
- hydrogen evolution reaction (HER) 236, 238
- Hydrogen spillover 303
- hydrogen storage
  - C–H bonds 297
  - doped-graphene 301
  - efficiency 298
  - graphene-based metal/metal oxide 301
  - hydrogen adsorption 299
  - lattice-layered graphitic structure 298
  - MGFs 298
  - physisorption substrates 297
  - $sp^3$  C–H bonds 297
  - spillover 301
  - Stone–Wales defects 297
  - three-dimensional pillared graphene array 298
- hydrothermal/solvothermal methods 256, 279
- i*
- In-situ* Raman technique 86
- incident photon-to-current efficiency (IPCE) 219, 224
- indirect MFC 344
- interfacial layer, tandem solar cells 398, 400, 401
- intermittent MFC 344
- irreversible redox process 411
- I*
- Lerf–Klinowski model 252
- Li-sulfur batteries
  - G–S hybrid, formation 113, 115
  - G–S-CNF multilayered coaxial nanocomposites 113, 115
  - RGO/CMK-3/S composite 111, 114
- light-harvesting materials
  - chemically grafted graphene-P3HT 387
  - conjugated systems polymers 387
  - current-voltage characteristics, photovoltaic devices 388
  - GQDs 388, 390
  - graphene thin film 387
- oxidation and organic functionalization 387
- soluble conjugated polymers and fullerene 387
- lithium ion batteries (LIBs)
  - anode materials 54, 85, 418
  - application 417
  - cathode materials 51, 100
  - charging/discharging process 51
  - conductive graphene 418
  - electrodes 51
  - principle 50
  - rocking chair battery 51
  - schematic representation 50
  - theoretical capacity 51
  - three-dimensional microscopy 74
  - two-dimensional microscopy 67
- lithium storage mechanisms of anode materials
  - alloying-dealloying mechanism 58
  - conversion mechanism 57, 58
  - intercalation-deintercalation mechanism 57, 58
- lithium-ion capacitors (LIC)
  - activated microwave expanded graphite oxide (a-MEGO) 198
  - asymmetric capacitors 205
  - conventional Li-ion based hybrid systems 198
  - Faradaic process 195
  - LIBs 195
  - nanohybrid capacitor (NHC) 198
  - $V_2O_5$  nanowires (VNWs) 199
- low energy electron diffraction (LEED) patterns 2, 4
- lowest occupied molecular orbital (LUMO) 23, 30
- m*
- membraneless EBFCs
  - current–voltage behaviors 374
  - graphene based 372, 373
  - redox mediators 373
  - silica sol–gel matrix 372
- mesoporous carbon spheres (MCS) composites 154
- mesoporous graphene foams (MGF) 238
- metal oxides composites
  - cobalt and nickel oxides 157, 158
  - conversion mechanism 62
  - graphene/NiO composite 64
  - GS/ $Fe_3O_4$  composite 63
  - hydrothermal method 62
  - manganese oxides ( $MnO_2$  and  $Mn_3O_4$ ) 156

- *in-situ* chemical synthesis 63
  - nitrogen-doped graphene 64
  - preparation methods 63
  - redox reaction 154
  - ruthenium oxide ( $\text{RuO}_2$ ) 155
  - $\text{SnO}_2$  nanoparticles 62
  - sponge/rGO, and sponge/rGO/ $\text{MnO}_2$  157
  - vanadium oxides nanomaterials 158
  - metal oxides-conducting polymer composites**
  - 3D conductive layer wrapping method 164
  - graphene/ $\text{MnO}_2$  (GM) 164, 165
  - metallomacrocycle-graphene frameworks (MGFs)** 298
  - MFC anode electrodes**
  - 3D graphene electrodes 360, 361
  - graphene and modified graphene 357
  - graphene nanosheets 357
  - graphene oxide (GO) 361
  - micro-supercapacitors**
  - 2D design 201
  - carpet-based microsupercapacitors 202
  - fabrication procedures 202
  - GO/CNT 201
  - graphene quantum dots (GQD) 202
  - laser reduction technique 203
  - laser scribing method 203
  - rGO electrodes 201
  - microbial fuel cell (MFC)**
  - advantages 341
  - biosensor 347
  - classification 342
  - development history 345
  - dual-chamber 340
  - electrochemical device 340
  - electrode applications 356
  - electron movement 355
  - electron transfer process 340
  - high cost 348
  - internal resistance 355
  - ion exchange membrane 355
  - low output power density 348, 355
  - micro batteries 346
  - mobile power supply 346
  - nanotechnologies 355
  - photosynthesis and stem 346
  - power density curves 358
  - power supply, remote areas/open sea 347
  - sewage treatment 347
  - social and environmental benefits 348
  - unmodified carbon cloth electrode 360
  - microelectromechanical systems (MEMS)**
  - 199
  - mixed bacteria MFC** 345
  - mixed colloid photocatalytic systems**
  - CdS/TaON core-shell heterojunction 231, 232
  - CdSe/GO composite 229
  - DOS plots 234
  - dye-sensitized system 230
  - EY-RGO/Pt photocatalyst 230
  - graphene-CdS/TaON system 231
  - $\text{H}_2$ -production rate 227
  - 2 M  $\text{H}_2\text{SO}_4$  235
  - NGO-QDs 234
  - organic dye-like macromolecular 233
  - photocatalytic hydrogen production 227, 233
  - r-NGOT 228
  - reduced graphene oxide 227
  - RGO-ZnxCd1-xS photocatalysts 232
  - RGO/CdS nanocomposites 228, 229
  - RGO/ZnIn<sub>2</sub>S<sub>4</sub> nanocomposite 229, 230
  - stable  $\text{H}_2$  evolution 233
  - TEOA 230
  - $\text{TiO}_2$ /graphene 227
  - $\text{TiO}_2/\text{MoS}_2/\text{RGO}$  photocatalyst 232
  - titania-graphene nanosheet composite 227
  - Z-scheme systems 231, 232
  - modified graphene** 8
  - molybdenum disulfide ( $\text{MoS}_2$ ) 3
  - Monte Carlo simulation 2
  - multiwalled carbon nanotubes (MWCNTs)**
  - 361
  - multiwalled carbon nanotubes/zinc oxide**
  - 375
- n**
- nanorods 329
  - nanowires 329
  - natural dye anthocyanin 409
  - nitrogen-doped graphene (NG)** 350, 364, 366, 367
  - nitrogen-doped graphene oxide-quantum dots (NGO-QDs)** 234, 235
  - number of graphene (NGP) layers** 21
- o**
- onion like carbons (OLCs) 174
  - optical microscopy 2
  - optical property modification, graphene
  - absorption 26
  - annealed GO 25
  - oxygen plasma treatment, PL properties 29
  - Pd grafted graphene oxide 35
  - substrate effect 30
  - optical sensor and gas sensor application 418
  - optoelectric application, graphene
  - Dirac equation 39

- optoelectric application, graphene (*contd.*)
  - dye-sensitized solar cells consist 41
  - GTCFs37 42
  - indium tin oxide (ITO) 41, 42
  - OLED 41
  - photodetectors 43
  - photoexcited electron kinetics 40
  - saturable absorber 43
- organic dyes, photodegradation 287
- organic light emitting device (OLED) 41, 43
- organic photovoltaic cells (OPV)
  - bulk heterojunction (BHJ) 416
  - nanostructured graphene 417
  - oxidation treatment 416
- organic solar cell (OSC) 380
- oxidized graphene (OG) 26, 28
- oxygen evolution reaction (OER)
  - dual-doped graphene 237
  - N-doped armchair and zigzag graphene nanoribbons 236
- oxygen reduction reaction 350
  
- p**
- P25-graphene composite 259
- partially reduced graphite oxide (GOp<sub>r</sub>) 177
- PEDOT-graphene nanocomposite 136
- photoanode additive, graphene
  - DSSCs, *see* dye-sensitized solar cells (DSSCs)
  - additives 415
- photocatalysts, graphene synthesis
  - electrochemical and electrophoresis deposition 281
  - *ex situ* hybridization strategy 279
  - *in situ* growth strategy 279
  - semiconductors 278
- photocatalytic activity, hydrogen evolution 420
- photocatalytic applications
  - CO<sub>2</sub> 266
  - DSSCs 266
  - H<sub>2</sub>O 264
  - photodegradation, organic pollutants 262
  - TiO<sub>2</sub> 257
- photocatalytic hydrogen evolution 283
- photochemical reaction 282
- photoelectrochemical cells (PECs)
  - $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> and  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>/graphene photoanodes 224
  - $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>/RGO/BiV<sub>1-x</sub>Mo<sub>x</sub>O<sub>4</sub> core-shell nanorod 222
  - bare Si, Gr-Si and NGr-Si photocathodes 225
  - BiVO<sub>4</sub>/RGO photoanode 220
- chronoamperometry operation 225
- CNNS/NRGO/MoS<sub>2</sub> nanojunction 223
- CNT and graphene 220
- current-potential plots, BCN 223
- 2D ternary nanojunction 222
- EC exfoliation of graphite 226
- fabrication process, photoanode 224
- FE-SEM image 224
- GNs-CdS QDs 220, 221
- graphene interlayer 224
- graphene with semiconductors 219
- heterojunction array 222
- H<sub>2</sub>-production 219
- IPCE 224
- iron oxide photoanode 220
- monolayer graphene 225
- n-Si/graphene electrodes 225
- photocurrent density-potential curves 225
- photoexcited electron-hole transport 226
- planar Si/rGO composite 223
- RGO/ZnO heterojunction 226
- STH efficiencies 216
- transient photocurrent density *vs.* time plotted 223
- water splitting process 219
- WO<sub>3</sub>-RGO photoanode 220
- Zn<sub>0.5</sub>Cd<sub>0.5</sub>S nanosheets 220
- Zn<sub>0.5</sub>Cd<sub>0.5</sub>S/reduced graphene oxide 220
- Zn<sub>0.5</sub>Cd<sub>0.5</sub>S/RGO photoelectrode 220
- photoluminesces (PL) measurement 3, 14, 23
- photosynthetic autotrophs MFC 344
- photovoltaic/electrolyzer devices
  - carbon materials 236
  - chemical modification 236
  - Co<sub>3</sub>O<sub>4</sub>/graphene composites 240
  - CoO nanocrystals 240
  - 3D architected hydrated catalyst 238
  - electrocatalytic HER activity 237
  - electrodes 236
  - MoS<sub>2</sub>/graphene hybrid material 238
  - MoS<sub>2</sub>/RGO composite 238
  - N-doped graphene and NiCo<sub>2</sub>O<sub>4</sub> 238
  - NG-CNT catalyst 237
  - OER mechanism, N-doped armchair and zigzag graphene nanoribbons 236
  - overpotential/faradic efficiency 236
  - solar cell 235
  - Tafel plot 240
  - unique properties 236
- physical coating method 358
- Polyaniline (PANI)-graphene nanocomposites 133, 184

polyethylenedioxythiophene (PEDOT)  
   composites 185  
 polymer composites  
   – ALD 136  
   – PANI-graphene nanocomposites 133  
   – PEDOT-graphene nanocomposite 136  
   – 2p orbitals, carbon atoms 129  
   – PPy-graphene nanocomposite 135  
   – supercapacitors 129  
 polymer tandem solar cells 401  
 polymethyl methacrylate (PMMA) spheres 69  
 polypyrrole (PPy)-graphene nanocomposite 135  
 polystyrene (PS) colloidal particles 69  
 polythiophene (PTh) composites 136  
 polythiophene (PTh)/GO composites 135  
 porous graphene nanosheets (PGNs) 107  
 power generation, human wastes 371  
 PPy composites 184  
 proton exchange membrane fuel cells (PEMFCs)  
   – anodic/cathodic reaction 310  
   – carbon materials 310  
   – H<sub>2</sub> gas fuel 309  
   – Pt electrocatalysts 310  
   – ultralow/zero emissions, environmental pollutants 309  
 pseudocapacitive materials  
   – carbon-based materials 175  
   – conducting polymer, graphene 183  
   – graphene 175  
   – graphene/ PANI composites 184  
   – graphene/ PEDOT composites 185  
   – graphene/PPy composites 184  
   – metal oxides 175  
   – redox reactions 175  
 pseudocapacitors  
   – electrode materials 146  
   – energy storage mechanism 145  
   – Faradaic manner 174  
 PtAu/GN nanostructures 331  
 PtNF/GO nanostructures 329  
 pure bacteria MFC 345

**r**

Ragone plots 137, 173  
 Raman spectroscopy 2  
 randomly stacked HGs (RSHGs) 93, 94  
 reduced graphene oxide (RGO), *see also*  
   graphene oxide (GO)  
   – BiVO<sub>4</sub>  
   – concept of spacer 128  
   – EDLC preparation 177

  – electrochemical performance 126  
   – mechanical and electrical properties 125  
   – MoS<sub>2</sub> 238  
   – N-doped 125  
   – PANI nanocomposites 129  
   – PEDOT composite 134  
   – synthesis 87

**s**

scanning electron microscopy (SEM) 2  
 scanning tunneling microscopy (STM) 2  
 Schottky junction solar cells  
   – electron blocking layer 389  
   – graphene-on-silicon 391  
   – sheet resistance 389  
   – surface modification 389  
 sediment MFC 344  
 selective area electron diffraction (SAED)  
   pattern 17  
 semiconductor photocatalysts  
   – hazardous organic pollutants 254  
   – hydrothermal and solvothermal methods 257  
   – mixing method 255  
   – sol-gel process 256  
   – TiO<sub>2</sub> 254  
 sensor application 418, 419  
 Si/Sn composites  
   – alloying mechanism 58  
   – CVD technique 62  
   – morphologies 59  
   – nanoparticles on graphene sheets 60  
   – Si nanowire (Si NW)/GS composite 61  
   – Si/graphene composites 60, 61  
   – Sn/graphene composites 61  
 single wall carbon nanotube (SWCNT) 195, 236  
 single-chamber MFC 343, 344  
 solar cells  
   – active layer 385  
   – conductive electrodes 380  
   – dye sensitized applications 117  
   – graphene/PEDOT-PSS composite electrode 117  
   – graphene/TiO<sub>2</sub>/dye/spiro-OMeTAD/Au device 117  
   – light harvesting material 380  
   – near IR range 116  
 solar-driven water-splitting devices  
   – bandgap ranging 218  
   – classification 216  
   – graphene possesses 217  
   – H<sup>+</sup>/H<sub>2</sub> 217  
   – heteroatom doping 217

- solar-driven water-splitting devices (*contd.*)
- hexagonal structured sp<sup>2</sup>-hybridized carbon atoms 217
  - metal electrocatalysts 217
  - mixed colloid photocatalysis systems 216
  - n-type semiconductor before and after contacts 218
  - PEC devices 216
  - PV/electrolyzer tandem devices 217
  - RGO with reduction degree 218
  - solar-to-hydrogen (STH) efficiencies
  - PEC devices 216
  - PV/electrolyzer device 235
  - solid electrolyte interphase (SEI) 98
  - solution based graphene
  - chemical exfoliation 7
  - intercalation 7
  - ultra sonication 6
  - solution-processable functionalized graphene (SPF-graphene) 417
  - sp<sup>2</sup> bonding 1
  - Staudenmeier method 251
  - storage current collector, graphene
  - charge separation process 410
  - electrical conductivity 410
  - energy devices 410
  - lithium ion-exchange cell 411
  - surface wettability 411
  - thermodynamic stability 411
  - supercapacitors (SCs)
  - carbon electrode materials 110
  - CVD graphene 125
  - EDLCs 106, 128, 145
  - electrochemical tests 107, 112
  - electrode materials 180, 181
  - energy and power densities 147
  - GO samples, tests 107, 113
  - graphene-based porous materials 107, 112, 124
  - graphene/metal oxide nanocomposites 128
  - material 106, 111, 175
  - performance metric 146
  - PGNs 107
  - power density 147
  - pseudocapacitor 106, 145
  - ultracapacitors 123
  - SWCNT based anode 374
  - synthesis, graphene
  - composite material, graphene oxide 8
  - CVD growth of graphene 4
  - epitaxial growth 4
  - mechanical cleavage 3
  - solution based graphene 5
- t**
- thermal chemical conversion 340
  - TiO<sub>2</sub>/MoS<sub>2</sub> composites
  - characterization 66
  - graphene/TiO<sub>2</sub> 66
  - intercalation mechanism 65
  - three-dimensional graphene network (MoS<sub>2</sub>/3DGN) 65
  - TONRAs-GS nanocomposite 66
  - TiO<sub>2</sub> nanorods-GO composite 259
  - transition metal oxides
  - EDLC 186
  - graphene 186
  - graphene/manganese oxide composites 186
  - pseudocapacitive materials composites 191
  - RuO<sub>2</sub> 188
  - supercapacitors 189, 192
- transmission electron microscopy (TEM) 2, 13, 252, 256, 257
- transparent conductive anodes
- electronic interfacial change 383
  - energy level alignment 381
  - indium tin oxide (ITO) 380
  - optical transparency 380
  - reduced graphene oxide (rGO) 382
  - sheet resistance 382
  - solar cell, graphene electrodes 383
- transparent conductive cathodes
- APCVD graphene 385
  - functional semiconductors 384
  - glass substrate 384
  - photovoltaic devices 384
- transparent conductive films (TCFs) 419
- v**
- valence band (VB) 277
- w**
- wastewater treatment process 347
  - water disinfection 287
- x**
- X-ray diffraction (XRD) 2, 21
  - X-ray photoelectron (XPS) 20
- y**
- Young's modulus 277
- z**
- Zn<sub>0.5</sub>Cd<sub>0.5</sub>S photoelectrodes 220