



NEW: MAKE YOUR HOMEPAGE KNOWN

Authors can add a link to their homepage under their address in published articles of *Angewandte Chemie*. The homepage can then be accessed by our readers at a click of a button! For further information, see the enclosed form.

To minimize publication time, we ask authors to take special care with the formal details of the manuscripts. Issues from the current year should be consulted. Detailed information can be found on our home page <http://www.angewandte.org> (and <http://www.angewandte.de>) or can be obtained from the editorial staff on (+49) 6201-606-315 or angewandte@wiley-vch.de.

General

Greek letters are in the character font Symbol.

All references should be mentioned in the text.

Submission (<http://www.manuscriptxpress.com/osm/>):

One file: justification - manuscript text, including figure captions, tables, suggested text for the table of contents, keywords, and all graphics - Supporting Information. The MS Word templates available on our homepage should only be used for the submission of your contribution. Please prepare the final revised version of accepted manuscripts ("Production Material") as described in this checklist.

Revision

Personal homepage—<http://www.manuscriptxpress.com/>

One file: manuscript text, including figure captions, tables, suggested text for the table of contents, keywords, and all graphics.

Production Material (Final Version):

Personal homepage—<http://www.manuscriptxpress.com/>

One file: **cover letter** and your response to the comments of the referees (if applicable).

One file: **Word** file with all the text for the manuscript, including figure captions, tables, suggested text for the table of contents, and keywords, and with all the graphics at the end of the same document. (Alternatively, the graphics may be saved separately in a single PDF file.)

Graphics files: all **graphics** in their original format for direct reproduction. Each formula, figure, and scheme should be saved in a separate file.

One **pdf** file: **Supporting Information** if applicable.

Combine all files into **one** "archive" file (e.g. ZIP file, TAR file, SIT file). Under "Manuscript Description", in the field "Do you have any comments for the production office?", please list the graphics programs used for the manuscript and the names of the individual files (both text and graphics) contained in the "archive" file.

(If preferred, all files may be saved on a disk and sent by post, along with one hard copy.)

Please address these specific points to your manuscript

General

- Reviews:** A **lead-in** (maximum length 1000 characters) is required. Please provide a **biographical sketch** (maximum length 560 characters) and a portrait-quality black-and-white **photograph** of each correspondence author.
- Please provide a suggestion for a circular picture ("**frontispiece**") to face the first page of the Review. You will find a guideline on our homepage under "Resources for Authors" and "Guidelines for Cover Pictures and Frontispieces".
- Reviews and Minireviews:** order of the manuscript sections: title—author(s)—[*] footnote—lead-in—main text—acknowledgements—references—legends for figures and schemes—tables—biographical sketch(es)—suggestion for the table of contents—keywords—graphical material.
- Highlights and Communications:** order of the manuscript sections: title—author(s)—dedication—[*] footnote—[**] footnote—main text—Experimental Section—references—legends for figures and schemes—table(s)—suggestion for the table of contents—keywords—graphical material.
- Title line:** The title should be as succinct as possible and without a reference. It ends with two asterisks if acknowledgments are desired.
- Author line:** The first name, other initials, and surname of each author are listed, and an asterisk indicates each correspondence author. Other symbols to indicate different companies or academic institutions are **not** necessary.
- Addresses** ([*] footnote): The names of all authors (with academic title and all first names as initials) and the address (preferentially in the country's official language), fax number, and e-mail address(es) of the correspondence author(s) are listed. If the authors belong to different research groups, they should be listed separately with their addresses.

- ☒ **[**]** Footnote: For **Communications**, this contains the acknowledgments, and, if applicable, the series title and relevant series information. Example: Low-Yield Chemistry, Part 100. This work was supported by the Science and Research Foundation. We thank Dr. A. Smith, London, for the spectra and the XYZ company for chemicals. Part 99: Complete citation or if cited in text (and only then) reference to a citation in the list of references.
- ☒ The suggestion for the **table of contents** should contain a graphic (formula, figure, or scheme), accompanied by text that refers to the graphic of not more than 450 characters. Large figures and schemes must be avoided. The picture will be either placed to one side of the text (in which case it must fit into a column width and can be about as high as it is wide), or above the text across two columns (in which case it may be relatively long but should not be more than 2 cm high). A slightly higher, long scheme may be placed over two columns if accompanied by correspondingly less text.
- ☒ A maximum of five **keywords** should be given in alphabetical order, at least two of which must come from the Keyword Catalogue given on our homepage.
- ☒ **Supporting Information:** Succinct text **in English** and the necessary graphics must be submitted separately as *one pdf file*. The **title of the article** and **all author names** have to appear at the very top. Only in the Supporting Information the graphics should be incorporated with the text and not be present as separate files. The Supporting Information should **not** include crystallographic data that are available from CCDC or FIZ.
- ☒ All **tables, equations, figures, and schemes** are to be mentioned in the text in numerical order, and please start with number 1, e.g. Table 1; [Eq. (1)] or, in text, Equation (1); (Figure 1); (Scheme 1). Please start these words with a capital letter, and do not use Roman but Arabic numerals.
- ☒ **Abbreviations and acronyms** should be used sparingly and consistently. Where they first appear in the text, the complete term—apart from the most common terms such as NMR, IR, and *t*Bu—should also be given. In Review articles in which a number of abbreviations and acronyms occur, these can be explained in a footnote on the first page or in a glossary at the end.
- ☒ Crystallographic data for **organic and organometallic** compounds: Before submission of the manuscript, send your data including author and journal details in cif format as a plain-text ASCII file by e-mail to: deposit@ccdc.cam.ac.uk. The data will be assigned a registry number, which should be included with the following standard text in the manuscript: CCDC ... contains the supplementary crystallographic data for this paper. These data can be obtained free of charge from the Cambridge Crystallographic Data Centre via www.ccdc.cam.ac.uk/data_request/cif.
- ☒ Crystallographic data for **inorganic** compounds: FIZ accepts only data deposited in electronic form (in CIP format). Before submitting your manuscript, send the data directly to FIZ by e-mail (or on disk). The following standard text should be included in the manuscript: Further details of the crystal structure investigation(s) may be obtained from the Fachinformationszentrum Karlsruhe, 76344 Eggenstein-Leopoldshafen, Germany (fax: (+49) 7247-808-666; e-mail: crysdata@fiz-karlsruhe.de) on quoting the deposition number CSD-... (numbers CSD-... , -... , -... , and -...).
- ☒ Please provide a color picture for the table of contents. This will be printed free of charge.
- ☒ If you use LaTeX, please send us the full set of required LaTeX files, including any aux and bib files if applicable. See instructions on our homepage. Do not include your own styles or classes. Do not use RevTeX or any other nonstandard packages.
- ☒ Please divide the Review into numbered sections with headings and subheadings.

Format

- ☒ Formula numbers should be in **boldface** (Arabic numerals and, if necessary, Roman lowercase letters). Please avoid Roman numerals.
- ☒ Please italicize letters that symbolize physical quantities, such as *T* for temperature, *E* for energy, *n* for an unspecific number. Latin phrases such as "in situ" are not italicized.
- ☒ Please italicize stereochemical information (*cis*, *Z*, *R*), locants in a compound name (*N*-acetylimidazole), symmetry and space groups (C_{2v}), and prefixes in formulas or compound names such as *tert*-butyl or *p*-aminosalicylic acid.
- ☒ Common abbreviations for formulas can be used, such as Me, Pr, Bu, and Ph. Only in this case are prefixes such as *iso*-, *n*-, *tert*- written as a single italic letter without a dash: *i*Pr, *n*Bu, *t*Bu. Examples: *n*BuLi, but *n*-butyllithium; *t*BuLi, but *tert*-butyllithium; *n*Oct, but *n*-C₈H₁₇, *c*-C₆H₁₁.
- ☒ Please indicate general substituents by R¹, R², not by R₁, R₂.

- D- and L- (stereochemical assignments), molar (M), and normal (N), should be in **small capitals**.
- The oxidation state used with names of elements should be within parentheses; with element symbols it should be superscripted (iron(II), Fe^{II}; not I(III) but I^{III}).
- Please enclose formulas for **coordination compounds** in square brackets (IUPAC recommendation).

Tables

- Tables** must neither be created as graphics, nor contain line breaks within a cell.
- References to footnotes in tables are in Roman lowercase letters set in square brackets. E.g. Yield^[a]. [a].....
- Equations and structural formulas in tables should be submitted both integrated in the table and as a separate graphics file.

References

- Please type references to literature or footnotes in the text in **square brackets** as superscripts after any punctuation.
- Please type ^[1,2] rather than ^{[1],[2]}.
- Please type ^[1-5] rather than ^[1,2,3,4,5].
- Please cite the author names in upper- and lowercase as follows: author initials then surnames, comma, next author. The penultimate and the last name should not be separated by "and", just by a comma.
- If there are **less than ten** authors, the names of **all authors should be given** (et al. should not be used). If there are **ten authors or more**, only the name of the first author in the list should be given, the remaining names should be replaced by "et al." , and the **complete reference must be provided in the Supporting Information**. For example:
[17] Gaussian 98 (Revision A.9): M. J. Frisch et al., see Supporting Information.

Gaussian 98 (Revision A.7), M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, V. G. Zakrzewski, J. A. Montgomery, R. E. Stratmann, J. C. Burant, S. Dapprich, J. M. Millam, A. D. Daniels, K. N. Kudin, M. C. Strain, O. Farkas, J. Tomasi, V. Barone, M. Cossi, R. Cammi, B. Mennucci, C. Pomelli, C. Adamo, S. Clifford, J. Ochterski, G. A. Petersson, P. Y. Ayala, Q. Cui, K. Morokuma, D. K. Malick, A. D. Rabuck, K. Raghavachari, J. B. Foresman, J. Cioslowski, J. V. Ortiz, B. B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. Gomperts, R. L. Martin, D. J. Fox, T. Keith, M. A. Al-Laham, C. Y. Peng, A. Nanayakkara, C. Gonzalez, M. Challacombe, P. M. W. Gill, B. G. Johnson, W. Chen, M. W. Wong, J. L. Andres, M. Head-Gordon, E. S. Replogle, J. A. Pople, Gaussian, Inc., Pittsburgh, PA, **1998**.

- Please do not use a comma between the *Journal name* and the **year**.
- Please separate composite references by a)...; b)...; c)... ; etc. (not (a), (b), (c)). Please use a semicolon rather than a full stop.
- Please do not use commas within a journal name.
- At the end of the main text, the citation numbers are listed in **square brackets** (but not as superscripts).
- Please add a full stop and a space after the abbreviations in the reference section. For example: *Proc. Natl. Acad. Sci. USA*.
- Please type Arabic numerals (e.g. 1,2, etc.) not Roman lowercase letters to indicate references.
- Please do not use *ibid*.
- When citing publications from *Angewandte Chemie*, please quote both German and International Editions. The page numbers of the German version can be found in the annual index of the International Edition and vice versa. Example: [1] a) H. J. Ache, *Angew. Chem.* **1989**, *101*, 1–21; *Angew. Chem. Int. Ed. Engl.* **1989**, *28*, 1–20; b) H. Frey, *Angew. Chem.* **1998**, *110*, 2313–2318; *Angew. Chem. Int. Ed.* **1998**, *37*, 2193–2197.
- Please ensure that when using automatic reference programs (e.g. ENDNOTE) that *Angewandte Chemie* and *Angewandte Chemie International Editions* citations are indexed as **one** reference. Example: [1] H. J. Ache, *Angew. Chem.* **1989**, *101*, 1–21; *Angew. Chem. Int. Ed. Engl.* **1989**, *28*, 1–20.

- Please cite the references as follows: Citation number in square brackets, author initials then surnames, comma, Journal name abbreviated according to the "Chemical Abstracts Service Source Index" (italicized), year of publication (boldface), comma, volume number (italicized), comma, first page or page range, full stop or semicolon within a composite reference. Examples:

Journals:

[1] a) H. J. Ache, *Angew. Chem.* **1989**, *101*, 1–21; *Angew. Chem. Int. Ed. Engl.* **1989**, *28*, 1–20; b) H. Frey, *Angew. Chem.* **1998**, *110*, 2313–2318; *Angew. Chem. Int. Ed.* **1998**, *37*, 2193–2197; c) G. M. Sheldrick, SHELXS-96, Program for the Solution of Crystal Structures, University of Göttingen, Göttingen (Germany), **1996**.
[2] B. Wrackmeyer, *J. Chem. Soc. Chem. Commun.* **1995**, 1624–1626; A. Kraft, *Chem. Commun.* **1996**, 77–79, and references therein; S. C. Stinson, *Chem. Eng. News* **1998**, *76*(28), 57–73; B. Krebs, H. U. Hürter, *Acta Crystallogr. Sect. A* **1981**, *37*, 163; "Synthesis in Biochemistry": R. Robinson, *J. Chem. Soc.* **1936**, 1079; G. Eulenberger, *Z. Naturforsch. B* **1981**, *36*, 521; D. Bruss, *Appl. Phys. B*, DOI: 10-1007/s003409900185.

Books:

[1] E. Wingender, *Gene Regulation in Eukaryotes*, VCH, Weinheim, **1993**, p. 215.
[2] T. D. Tullius in *Comprehensive Supramolecular Chemistry*, Vol. 5 (Eds.: J. L. Atwood, J. E. D. Davies, D. D. MacNicol, F. Vögtle, K. S. Suslick), Pergamon, Oxford, **1996**, pp. 317–343; G. Maas, *Methoden Org. Chem. (Houben-Weyl) 4th ed. 1952–*, Vol. E21/1, **1983**, pp. 379–397.

Others:

[1] C. R. A. Botta (Bayer AG), DE-B 2235093, **1973**; A. Student, PhD thesis, University of Newcastle (UK), **1991**.
[2] W.-D. Becker, *Abstr. Pap. 11th Conf. Int. Sci. Technol.* (San Diego, CA) **1996**, p. 156; A. Kleemann, K. Drauz, J. Engel, B. Kautscher, E. Wünsch, *Proc. 4th Akabori Conf.* (Shizuoka, Japan) **1991**, pp. 96–101; S. Novick, "Biography of Rotational Spectra for Weakly Bound Complexes" to be found under <http://www-wesleyan.edu/chem.bios/vdw.html>, **1999**.

Physical Data


- Data must be given in the Experimental Section, in a table, in the form of a footnote, or as Supporting Information.
- Data should be quoted with decimal points, not commas, and negative exponents (e.g. 25.8 J K⁻¹ mol⁻¹).
- Examples: m.p./b.p. 20°C; $[\alpha]_D^{20} = -13.5 \text{ cm}^3 \text{ g}^{-1} \text{ dm}^{-1}$ ($c = 0.2 \text{ g cm}^{-3}$ in acetone); ¹H NMR (200 MHz, [D₈]THF, 25 °C, TMS): $\delta = 1.3$ (q, ³J(H,H)=8 Hz, 2H; CH₂), 0.9 ppm (t, ³J(H,H)=8 Hz, 3H; CH₃); IR (Nujol): $\tilde{\nu} = 1780$ (s), 1790 (m) cm⁻¹ (C=O); UV/Vis (*n*-hexane): λ_{max} (ϵ)=320 (5000), 270 nm (12000); MS (70 eV): m/z (%): 108 (20) [M^+], 107 (60) [$M-H$]⁺, 91 (100) [C_7H_7]⁺. pH 2 or pH>2/pH<2, **not** pH=2.

Graphical material

- Graphics** are: Formulas (do not need a legend but an Arabic numeral / Roman lowercase letter, e.g. **1a**, **22c**)
Equations (without legend)
Schemes (with a legend)
Figures (with a legend).
We strive for uniform, easy-to-read graphics.
- Preferred graphics programs:** ChemDraw (template available from <http://www.angewandte.org>), FreeHand, CorelDraw 6 and 7, Photoshop.
- Acceptable formats:** TIFF, EPS, WMF, BMP, CDX, CDR.
- Unusable graphics programs:** graphics integrated in word documents (**doc files**), C-Design, Origin, ClarisDraw, ChemIntosh, MacDraw Pro.
- Restricted use:** ChemWindow, Illustrator, QuarkXPress, PowerPoint, PageMaker, ISIS-Draw.
- Final format for **vector graphics** (stick diagrams etc.): Encapsulated Postscript (EPS) with bound fonts and the characters must be converted into outlines, not Postscript (PS). The "bounding boxes" must be of an appropriate size.
- The resolution for **raster figures** (e.g. ORTEP representations) and for color figures must be at least 300 dpi. The resolution for stick diagrams in a bitmap format (*.bmp files) must be at least 1000 dpi.
- Minus signs should be longer than a hyphen.
- For structural formulas the line width should be at least 0.2 pt or 0.1 mm (ChemDraw template available from our homepage).
- Ideal size of symbols for elements, numbers: **3 mm** (writing above a reaction arrow may be a little smaller); formula numbers (always boldface): **3.5 mm**; interatomic bond lengths: **6 mm**; total maximum width: **14 cm** (or 29.5 cm). Other sizes, but following the proportions 3:3.5:6, are also acceptable. Please refer to the ChemDraw template provided on our homepage.


- Please remove the upper and right-hand lines connecting the axes in the diagram.
- Please transfer explaining text in the diagram (e.g. the legends for symbols and lines) into the figure legend (e.g. circles: compound 1, dotted line: compound 2).
- Axis labels:** Arrows must indicate the direction of the axes. The ordinate is labeled **perpendicular** to the axis. The axis labels contain a **standard abbreviation** for the physical quantity (e.g. *A* for absorbance, ν for frequency, *E* for electromotive force, E_i for ionization energy) in italic font. If special abbreviations are used, please explain them in the legend. Units are separated by a slash (e.g. λ/nm , t/min , $V_{\text{abs}}/\text{mL g}^{-1}$, δ/ppm).

Example:



- Please use a), b) to indicate partitions of the figure. Please place them in the upper left corner of the respective figure partition but not inside the diagram or picture itself.

Example:



- Please transfer comprehensive experimental details and other information (e.g. bond lengths and angles) to the figure legend.
- Please remove the borders of the box.
- Please italicize all the "n"s.
- Please use Roman lowercase letters or Arabic numerals with or without a bracket to indicate reaction sequences. Do not use i), ii)
Example: $\xrightarrow{\text{a)}} \xrightarrow{\text{a,b)}} \quad \text{or} \quad \xrightarrow{\text{a}} \downarrow \text{a,b}$
- Common abbreviations such as Me, *i*Pr, *s*Bu, *t*Bu, and Ph should be used; general substituents should be indicated by R¹, R² (not by R₁, R₂).
- Please use text of only one size and font within a figure or scheme. A sans serif style (Helvetica) is preferred.
- Ideal size of symbols for elements, numbers: **3 mm** (writing above a reaction arrow may be a little smaller); formula numbers (always boldface): **3.5 mm**; interatomic bond lengths: **6 mm**; total maximum width: **14 cm** (or 29.5 cm). Other sizes, but following the proportions 3:3.5:6, are also acceptable. Please refer to the ChemDraw template provided on our homepage.
- Please italicize the "*a/x*", "*b/y*", and "*c/z*" axis labels.
- Please do not write pH=*x*, but pH *x*.
- Please remove the circles surrounding "+" or "-".
- Please change "room temperature", "rt", or "r.t." to "RT".
- Insertions in diagrams should be of the same font size as that in the main diagram.
- For equations, please put (only) the number of the equation at the end of the formula, e.g. A+B→C (1)
- Please avoid the use of capital letters in labels within figures and schemes.
- Please do not use boldface or italics in the graphics for regular text.
- Please use solid and broken wedges to indicate absolute stereochemistry, and solid and broken bars to indicate relative stereochemistry:
absolute: or relative: or